SPECIAL S GOODS

For Factory and Salesman's Use Only

P. & F. CORBIN,

New Britain, Conn., U. S. A.

NEW CORBIN GOODS

EX LIBRIS
E. R. BUTLER & CO.

Research Library

COPY 1

IN MEMORIAM
A.J. Hoffman

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
1	65		26	134		51	157		76	156	
2	142 1618 ROSE		27	205		52	139B		77	205	
3	188		28	205		53	1345 4¼ to c.		78	62	
4	1260 1260½		29	4456		54	155		79	84177	
5	163B		30			55	155		80	76947	
6	188		31	35		56	139		81	162	
7	1366¾		32	2		57	139		82	209	
8	1260		33	102		58	205		83	210	
9	68		34	22		59	163		84	203	
10	157		35	4436½		60	81		85	153	
11	13		36	1695¾ RH		61	137		86	130	
12	918½ Lever 5/16 Sp.		37	Armond front for 567		62	153		87	163A	
13	61		38	163B		63	1613		88	6	
14	61		39	62		64	1614		89	23	
15	22		40	72		65	53		90	155	
16	5		41	202		66	130		91	154	
17	183A 61		42	7B		67	130		92	81	
18			43	6		68			93	144A	
19	61 49		44	88		69			94	205	
20	61		45	5		70			95	210	
21	76987		46	84281		71			96	162	
22	76986		47	145		72	65		97	139C	
23	7A		48	163C		73	173		98	126F	
24	185		49	154		74	163C		99	212	
25	156		50	132		75	02972		100	176	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
101	163D		126	48 40		151	116 47		176	9341	
102	181		127	49		152	49		177	14	
103	160		128	49		153	775½–8		178	14	
104	160		129			154	40		179	24	
105	163E		130	775½–18		155	40		180	7	
106	171		131	134		156	40		181	0716	
107	167		132	50A		157	48		182	206	
108	108		133	50A		158	48		183	146	
109	186		134	48		159	118		184	3	
110	212		135	49		160	118		185	145	
111	152		136	40		161	65		186	115	
112	163		137	49		162	102		187	115	
113	14		138	49		163	103		188	115	
114	112 47		139	40		164	44		189	115	
115	112		140	40		165	2661		190	115	
116	112		141	40		166	61		191	115	
117	8B		142	50 44		167	62		192	115	
118			143	44		168	76930X 87		193	115	
119	174		144	2940¼		169	77080		194	115	
120	11A		145	42		170	132		195	50	
121	165		146	48		171	132		196 196½	13 13	
122	48		147	48		172	103		197	44	
123	48		148	50		173	2951		198	111	
124	42		149	46		174	2957		199	58980	
125	48 40		150	50A		175	2944		200	126B	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
201	40		226	94		251	D1030		276	88129	
202	40		227	94 50		252	44		277	88	
203	94040		228	47		253	23		278	88	
204	C.C.L. Co.		229	94		254	88		279	88131	
205	97154 ROSETTE		230	45 19A		255	116		280	3	
206	6		231	44		256	124		281	88177	
207	C.C.L. Co.		232	53		257	103		282	48	
208	1908		233	53		258	S271 on 799-80 Plate		283	97080	
209	42		234	53		259	178		284	88	
210	68		235	103		260	87034		285	47	
211	C.C.L. Co.		236	72		261	87020		286	2	
212 ~~212½~~ 212½	62 62		237	~~77129~~ 89		262	87031		287	41	
213	72		238			263	94040		288	49	
214	72		239	212		264	94034		289	49	
215	62		240	146		265	141		290	5	
216	22		241	87531		266	104		291	5	
217	62		242	48		267	83		292	44	
218	49		243	~~59680~~ 125		268	83		293	69	
219	50		244	59580		269	190		294	186	
220	84280		245			270	98		295	207	
221	47		246	875-60		271	45		296	126A	
222	48		247	48		272	49		297	2960	
223	84278		248	184		273	49		298		
224	97290		249	49		274	113		299	65	
225	139B		250	190		275	173		300	156	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
301	205		326	91		351	86131		376	2454 Strike	
302	4		327	144C 144A		352	86123		377	81	
303	7		328	154		353	86125		378	191	
304	35		329	160		354	86134		379	18	
305	31		330	108		355	86160		380	4558	
306	183		331	132		356	86147		381	188 old 4"to C	
307	158		332	148A		357	86175		382	22 1	
308	205		333	127		358	3		383	146	
309			334	127		359	741 4 in. to c.		384		
310	105		335	93 48		360	141 4 in. to c.		385	147A	
311	210		336	93		361	572 4" to C		386	185	
312	49		337	205		362	138 4" to C		387	65 6	
313	97390		338			363	3		388	154	
314	139		339	7C		364	93		389	153	
315	01518		340	205		365	88		390		
316	1519½ PY		341	2335		366	229		391	4557	
317	151A		342	156		367	163B		392	4545	
318	48		343	2		368	184		393	2217	
319	163		344	205		369	193		394	9341½	
320	163		345	4		370	157		395	210	
321	139		346	49		371	67		396	37184	
322	139		347	49		372	176		397	192	
323	138		348	37084		373	130		398	155	
324	193		349	02218		374	1123		399	Flat strike 1827½	
325	193		350	86129		375	139B		400	49	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
401	49		426	158		451	104		476	88	
402	97029		427	25-28 19		452	101		477	142	
403	97031		428	176		453	24		478	44	
404	97070		429	48		454	168A		479	133 45	
405	97034		430	110		455	158		480	40	
406	5		431	48		456			481	33	
407	65 6		432	185		457			482	57	
408	18		433	158		458	158		483	160	
409	3		434	143		459	35		484	206	
410	46		435	143		460	1902		485	1723	
411	No Pattern		436	99 2		461	23		486	158	
412	28		437	2953		462	57		487	181	
413	Regal Esc. for 2 push buttons & mouth Pc.		438	2		463	146		488	40	
414	76595		439	2		464	57		489	~~456~~ 28	
415	53		440	211		465	2		490	42	
416	83		441	48		466	49		491	99	
417	76329		442	2961		467	184		492	99	
418	76360		443	2227		468	147		493	0128¾	
419	7A		444	49		469	50		494	89	
420			445	29		470	42		495	220.	
421	53		446	29		471	49		496	89	
422	128 6		447	50		472	36284		497	166	
423	158		448	101		473	50		498		
424	99		449	4720		474	50A 45		499	49	
425	209		450	22		475	42		500	179	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
501	1624		526	209		551	~~01034~~ 147		576	142	
502	163		527	4		552	44½		577	4544	
503	163		528	223		553	~~2943~~ 176		578		
504	154		529	6		554	1994		579		
505	154		530	280¼ 3¼ to C		555	163A		580	1	
506	162		531	130		556	139		581	4547	
507	~~178~~		532	153		557	50B		582	143	
508	1827½ Flat strike		533	139A		558	141		583	163A	
509	155		534	183		559	88190		584	~~81475~~ 90	
510	210		535	88170		560	3		585	163B	
511	130		536	4		561	134		586	164	
512	162		537	82180		562	900		587	183A	
513	163		538	1300½ 4½ to c.		563	4552		588	183A	
514			539	163C		564	145		589	898	
515	154		540	149		565	281 1-3/8 to C		590	117	
516	163A		541	169		566	2217½		591	105	
517	61		542	139		567	No Pattern		592	157	
518	65		543	88281		568	214		593	733	
519 519½	36 177		544	153		569	163F		594	57	
520	1		545	199		570	~~728~~ 159		595	2973¾	
521	188		546	86		571	163B		596	128A	
522	6		547	11C		572	94031		597	158	
523	4464		548	1993		573	206 961½ Strike		598		
524	2660		549			574	2423		599		
525	163E		550	971		575	199 163D		600	77530	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
601	77534		626	76		651	28		676	47	
602	77532		627	76		652 652½	96131 96130		677	77045	
603	77575		628	76		653	96122		678	971	
604	77547		629	76		654	1003		679	89	
605	69		630	2		655	82		680	103	
606	77591		631	115		656	94		681	103	
607	02418 02417		632	113		657	94		682	93450	
608	43		633	1920½		658	95131		683	93452	
609	40		634	48		659	95122		684	93454	
610	114		635	50		660	88		685	2941	
611	114		636	16		661	210		686	177	
612	114		637	See S154		662	210		687	168A	
613	114 49		638	69		663	210		688	123	
614	114		639	69		664	210		689	No Pattern	
615	2593		640	69		665	210		690	143	
616	76944		641	87		666	5522¼		691	88	
617	47		642	87		667	5522		692	505	
618	141		643	93430		668	5525		693	118	
619	02424		644	126E		669	5527		694	1905½	
620	4567		645	93431		670	5526		695	1905½ Post	
621	145		646	93425		671	32		696	1007	
622	67		647	15		672	110		697	121	
623	3		648	30		673	1728		698	121	
624	76		649	111		674	1727		699	No Pattern	
625	76		650	28		675	168A		700	163F	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
701	~~86131X~~ 106		726	135		751	158		776	6	
702	~~86129X~~ 106		727	~~27279~~ 107		752	47		777	6	
703	111		728			753	155		778	149	
704	~~2941/4~~ 136		729	77379		754	175		779	2662	
705	183 7		730	223		755	571 4½ to c.		780	1393	
706	02390		731	141 3½ to c.		756	7B		781	97280	
707	1558		732	~~168~~		757	163A		782	207	
708	156		733	1		758	72		783	2	
709	139A		734	132		759	4565		784	93434	
710			735	131		760	4569		785	195	
711	4317½		736	162		761	4563		786		
712	193		737	126E		762	177		787	No Pattern	
713	193		738	~~963X~~ 11		763	68		788	87680	
714	2962		739	87		764	196		789	169	
715			740	132		765	368		790	504½	
716	90		741	5		766	119 1½ x 5		791	164	
717	7		742	6		767	78		792	108	
718	135		743	~~963~~ 8		768	193		793	172	
719	2594¼		744	108		769	193		794	168A	
720	36		745	2975		770	91		795	158	
721	3		746	207		771	159		796	205	
722	15		747	186		772	169		797	163A	
723	223		748	87		773	223 169		798	1355 R.H. R.A.B.	
724	223		749	126E		774	972		799	186	
725	135		750	205		775	732		800	86	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
801	36384 CYL. PLATE		826	92		851	160		876	77	
802	175		827	182		852	40		877	77	
803	~~128¼~~ 133		828	43		853	40		878	95160	
804	35		829	2282		854	1907½		879	87060	
805	2668		830	94029		855	160		880	77060	
806	76931		831	2663		856	42		881	97260	
807	97		832	773-80		857	42		882	71	
808	95		833	~~94022~~ 104		858	106		883	6	
809	97 95		834	46		859	128¼		884	88	
810	95		835	42		860	104		885	770-32 with 3 Match Pcs.	
811	95		836	48		861	104		886	82	
812	96 3		837	115		862	104		887	40	
813	96		838	19		863	81		888A & B	40	
814	16		839	961-34		864	4		889	40	
815	27		840	80331		865	80		890	31	
816	95		841	7		866	80		891	31	
817	96		842	96175		867	80		892	73	
818	0128¼		843	89		868	80		893	73	
819	190		844	115		869	65		894	73	
820	88		845	47		870	65		895	46	
821	40		846	47		871	65		896	73	
822	40		847	97		872	No Pattern		897	160	
823	40		848	97		873	127		898	38280	
824	40		849	160		874	No Pattern		899	1906	
825	189		850	160		875	77		900	17	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
901	199		926	108		951	142		976	4557	
902	141		927	69B		952			977	14	
903	7		928	224		953	82190		978	143	
904	205		929	133		954			979	77496	
905	205		930	4457		955	10		980	4	
906	78		931	134		956	11C		981	152	
907	134		932	2		957	~~10341/2~~ 159		982	476 1/4	
908	153		933	33		958	162		983	4	
909	76872		934	162		959	188		984	77630	
910	1718		935	1407 1/2		960	162		985	~~77640~~ 105	
911	176		936	153		961	159		986	77647	
912	62		937	1023		962	24		987	~~77633~~ 105	
913	139		938	1190 1/2		963	97		988	77634	
914			939	1333		964	97		989	167	
915	93440		940	157		965	559B.R.H.		990	167	
916	77132		941	23		966			991	167	
917	2666		942	No Pattern		967	78 1/4 1 3/4 to C		992	11C	
918	194		943	163A		968	154		993	1918 142	
919	200		944	3276 3/4		969	77		994	~~1918~~ ROSE	
920	131 7		945	0146		970	163E		995	147	
921			946	96090		971	152		996	87	
922	190		947	188		972	92		997	1376 1/2	
923	224		948	142		973	92		998	159	
924	224		949	158		974	16B		999	77675	
925	224		950	104		975	4546		1000	165	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
1001	168		1026			1051			1076		
1002	165		1027			1052			1077		
1003	165		1028			1053			1078		
1004	174		1029			1054			1079		
1005	190		1030			1055			1080		
1006	164		1031			1056			1081		
1007	167		1032			1057			1082		
1008	173		1033			1058			1083		
1009	165		1034			1059			1084		
1010	168		1035			1060			1085		
1011	166		1036			1061			1086		
1012	173		1037			1062			1087		
1013	167		1038			1063			1088		
1014	167		1039			1064			1089		
1015	167		1040			1065			1090		
1016	168		1041			1066			1091		
1017	168A		1042			1067			1092		
1018	168A		1043			1068			1093		
1019	168A		1044			1069			1094		
1020	164		1045			1070			1095		
1021			1046			1071			1096		
1022	166		1047			1072			1097		
1023	191		1048			1073			1098		
1024	166		1049			1074			1099		
1025	167		1050			1075			1100		

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
1101	135		1126			1151	11		1176	200	
1102	76754		1127	53		1152	3		1177	11	
1103	177		1128			1153	204		1178	105	
1104	158		1129	2948 142		1154	130		1179	105	
1105	2		1130	24 ROSE for Glass Knobs		1155	139		1180	103	
1106	14		1131	193		1156	211		1181	559 B.L.H.	
1107	208		1132	11		1157	206		1182	162	
1108	1900		1133	156		1158	No Pattern		1183	139	
1109	86		1134	6		1159	156		1184	3	
1110	152		1135	209		1160	195		1185		
1111	132		1136	1022		1161	81		1186	222	
1112	133		1137			1162	223		1187	207	
1113	158		1138	1		1163	48		1188	5	
1114	162		1139	70		1164	48		1189	142	
1115	163		1140	4369		1165	135		1190	181	
1116	2665		1141	2111½		1166	11C		1191	201	
1117	163F		1142	222		1167	4		1192	59680 as Pull-No. Hamb.Pc.	
1118	6		1143	29		1168	718		1193	11C	
1119	174		1144	163A		1169			1194	2976	
1120	168A		1145	143		1170	147		1195	579	
1121	70		1146	76630		1171	11C		1196	147	
1122			1147	1138B		1172	206		1197	45B	
1123	209		1148	174		1173	67		1198	716	
1124	6		1149	86		1174	186		1199	126C	
1125	90		1150	130		1175	186		1200	87	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
1201	160		1226	40		1251	22		1276	40	
1202	160		1227	40		1252	85631		1277	248	
1203	96		1228	32A 38		1253	85695		1278	46	now 129½
1204	0127¾		1229	1004		1254	46		1279	41	
1205	0127½		1230	No Pattern		1255	4		1280	68	
1206	No Pattern		1231	126A		1256	81		1281	147	
1207	146		1232	40		1257	50		1282	47	
1208	371-84		1233	146		1258	44		1283	46 40	
1209	0128½		1234	42		1259	47		1284	47	
1210	45A		1235	102		1260	42		1285	93	
1211	244		1236	189		1261	42		1286	47	
1212	94047		1237	41		1262	67		1287	46	now 227½
1213	77041		1238	41		1263	45		1288	180	
1214	42		1239	46		1264	45		1289	25	
1215	45 7A		1240	1901½		1265	4705		1290	87	
1216	88		1241	39		1266	42		1291	88	
1217	88		1242	175		1267	76377		1292	6	
1218	40		1243	175		1268	68		1293	128¾	
1219	40		1244	41		1269	82060		1294	3	
1220	107		1245	85629 106		1270	101		1295	65332	
1221	107		1246	50A 40		1271	127½		1296	65322	
1222	107		1247	85634		1272	93460		1297	4719	
1223	1003		1248	85660		1273	4416		1298	No Pattern	
1224	247		1249	85670		1274	0128		1299	146	
1225	40		1250	85677		1275	241		1300	180	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
1301	222		1326	101		1351	76829		1376	6	
1302	208		1327	4456		1352	160		1377	6	
1303	210		1328	171		1353	10		1378	6	
1304	180		1329	209		1354	154		1379	02325 6	
1305	50A 41		1330	2945		1355	156		1380	6	
1306	183		1331	124		1356	154		1381	76984	
1307	163A		1332	131		1357	18		1382	181	
1308	88160		1333	139		1358	152A		1383	206	
1309	141		1334	152		1359	163F		1384	579	
1310	139		1335	102		1360	170		1385	365½	
1311	26		1336	117		1361	156		1386	1673	
1312	163B		1337	186		1362	147A		1387	4	
1313			1338	139		1363	183		1388	40	
1314	4560		1339	6		1364	177		1389	4546	
1315	133		1340	1691¾		1365	2366¾ L. H.		1390	198	
1316	2		1341	475		1366	93429		1391	207	
1317	145		1342	163D		1367	93 B		1392	2½ KNOB TYPE XXII	
1318	147		1343	159		1368	163F		1393	111	
1319	181		1344	159		1369	768.44		1394	5	
1320	89		1345	159		1370	02325		1395	No Pattern	
1321	29		1346	1632 181		1371	2365¾ L. H.		1396	207	
1322	2954		1347	90		1372	22½ & 23½		1397	76941	
1323	101		1348	203		1373	163F		1398	92	
1324	163		1349	10		1374	117		1399	104 5	
1325	87570		1350	222		1375	01509		1400	128¼	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
1401	88		1426	40		1451	64		1476	93440	
1402	75		1427	47		1452	No Pattern		1477	85675	
1403	75		1428	22		1453	64		1478	97075	
1404	75		1429	64		1454	482½		1479	111 50	
1405	75		1430	64		1455	84196		1480	111 5	
1406	5		1431	64		1456	47		1481	46	
1407	75		1432	64		1457	40		1482	97077	
1408	5		1433	764.644 ESC.		1458	77295		1483	97047	
1409 1409½	51 121		1434	81		1459	41		1484	94096	
1410	0128		1435	41		1460	82031		1485	40	
1411	85591		1436	No Pattern		1461	82076		1486	24	
1412	251		1437	64		1462	82034		1487	897.872 ESC.	
1413	~~70222~~ 50B		1438	4		1463	50A		1488	89777	
1414	9 up & T Pc. ~~405-84~~		1439	23		1464	104		1489	No Pattern	
1415	160		1440	4709		1465	104		1490	~~246~~ 46	now 278½
1416	160		1441	49		1466	127		1491	49	
1417	79		1442	40		1467	42		1492	87554	
1418	14		1443	64		1468	87090		1493	45	
1419	32		1444	75		1469	46		1494	45	
1420	01724		1445	No Pattern		1470	40		1495	No Pattern	
1421	48		1446	96658		1471	No Pattern		1496	94075	
1422	93		1447	42		1472	249		1497	74054	
1423	93		1448	76875		1473	242		1498	87540	
1424	43		1449	250		1474	7		1499	87596	
1425	40		1450	46		14751	717		1500	28	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
1501	170		1526	163B		1551	1		1576	147	
1502	3		1527	152		1552	159		1577	97080	
1503	224		1528	163A		1553	154		1578	195	
1504	50		1529	176		1554	10		1579	4	
1505			1530	7751/2 9 in.		1555	025941/4		1580	7B 6	
1506	135		1531	25		1556	32A		1581	183	
1507	11C		1532	157		1557	13		1582	129	
1508	3		1533	203		1558	143		1583	206	
1509	199		1534	77391		1559	80		1584	11	
1510	163B		1535	185 162		1560	80		1585	9	
1511	6		1536	200		1561	149		1586	163C	
1512	180		1537	160 0641/2 0643/4		1562	9		1587	183	
1513	1008		1538	1904		1563	76845		1588	206	
1514	201		1539	190		1564	35		1589	2325 7A	
1515	172 145 8 in.		1540	173		1565	3		1590	24	
1516	3561/4		1541	37		1566	0370		1591	199	
1517	183		1542	18		1567	0369		1592	157	
1518	183		1543	147A		1568	370		1593	130	
1519	443/4 12 in.		1544	105		1569	369		1594	81990	
1520	76834		1545	77554		1570	10		1595	1	
1521	176		1546	172		1571	149		1596	186	
1522			1547	172		1572			1597	143	
1523	197 262		1548	172		1573	170		1598	188	
1524	1340		1549	128		1574	128		1599	2	
1525	87		1550	26		1575	21		1600	5	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
1601	~~245~~ 46		1626	45C		1651	21A 20		1676	17	
1602	No Pattern		1627	97079		1652	37		1677	18	
1603	7		1628	46		1653	37		1678	24	
1604	21A		1629	147		1654	37		1679	27	
1605	41		1630	116		1655	37		1680	17	
1606	42		1631	551¼		1656	22		1681	4710	
1607	42		1632	20		1657	15		1682	35 26	
1608	144 70		1633	20		1658	16		1683	4714	
1609	143		1634	43		1659	16		1684	29-35	
1610	145		1635	207		1660	25		1685	4732	
1611	143		1636	42		1661	28		1686	~~4711~~ 21A	
1612	2634		1637	42		1662	4729		1687	22	
1613	2		1638	~~75929~~ 78		1663	4727		1688	31	
1614	42		1639	49		1664	4732		1689	55	
1615	37284		1640	210 98		1665	4724		1690	55	
1616	372-84		1641	~~75990~~ 2		1666	4726		1691	55	
1617	125		1642	245		1667	4718		1692	55 54	
1618	No Pattern		1643	77147		1668	21		1693	25 4	
1619	212		1644	118		1669	13		1694	55	
1620	144		1645	42		1670	13		1695	55	
1621	176		1646	28		1671	27		1696	55	
1622	67		1647	86047		1672	4717		1697	55 47	
1623	117 4		1648	112		1673	4702		1698	25	
1624	4		1649	179		1674	4715		1699	125	
1625	41		1650	20		1675	4731		1700	163F	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
1701	6		1726	11		1751	082		1776	2257-12	
1702	12		1727	208		1752	081		1777	133	
1703	105		1728	208		1753	~~84077~~		1778	6	
1704	154		1729	4370		1754	209		1779	~~4430x~~ 128	
1705	201		1730	207		1755	214		1780	203	
1706	51		1731	173		1756	~~9614~~ 9		1781	~~2335~~ 7B	
1707	51		1732	173		1757	6		1782	205	
1708	775½ 12 in.		1733	173		1758	168A		1783	~~196~~	
1709	92		1734	5		1759	152		1784	8	
1710	87		1735	139		1760	~~82180x~~ 19A		1785	149	
1711	50		1736	1907		1761	111		1786	36	
1712	80		1737	143		1762	3		1787	162	
1713	82177		1738	91095		1763	18		1788	222	
1714			1739	87		1764	172		1789	36	
1715	149		1740	142		1765	93447		1790	180	
1716	6		1741	2284⅓		1766	19		1791	94040	
1717	149		1742	76945		1767	90		1792	53	
1718	202		1743	152		1768	77560		1793	2592	
1719	211		1744	195		1769	6		1794	11B	
1720			1745	107		1770	7B		1795	203	
1721	78		1746	143		1771	4415		1796	169	
1722	11A		1747	9		1772	183		1797	146	
1723	77134		1748	9		1773	3		1798	105	
1724	133		1749	171		1774	87		1799	50C	
1725	11		1750	179		1775	11B		1800	50	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
1801	1410¾		1826	12	Now 57780	1851	76847		1876	151	
1802	76896		1827	2		1852	117		1877	77123	
1803	76854		1828	1903		1853	44		1878	223	
1804	65		1829	173		1854	163C		1879	159	
1805	25		1830	11A		1855	2417¼		1880	97060	
1806	72		1831	11B		1856	102		1881	206	
1807	77680		1832	11B		1857	11		1882	11	
1808	8		1833	175		1858	10		1883	76837	
1809	163F		1834	163E		1859	154		1884	76841	
1810	156		1835	147		1860	2958		1885	151	
1811	353		1836	163E		1861	183		1886	185	
1812	186		1837	156		1862	180		1887	No Pattern	
1813	33		1838	154		1863	102		1888	No Pattern	
1814	33		1839	163B		1864	1999¼		1889	75	
1815	104		1840	163D		1865	183		1890	35	
1816	196		1841	905-3/4B		1866	76840		1891	399	
1817	70		1842	142	Now 1118½	1867	72		1892	183A	
1818	81		1843	139		1868	117		1893	No Pattern	
1819	1		1844	92		1869	295B		1894	167	
1820	149		1845	11B		1870	173		1895	No Pattern	
1821	178		1846	70		1871	173		1896	48 75	
1822			1847	70		1872	142		1897	192	
1823	94036		1848	1830 STRIKE		1873	200		1898	11	
1824	2		1849	11B		1874	147		1899	77175	
1825	No Pattern		1850	11 ~~9671/2~~ STRIKE		1875	~~02972~~ 150	Now Ty Pc. C&D	1900	40	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
1901	43		1926	~~76830~~ 86		1951			1976	77	
1902	11B		1927	~~44384~~ 136		1952	152		1977	No Pattern	
1903	10		1928	173		1953	2955		1978	77345	
1904	9		1929	135		1954	198		1979	10	
1905	162		1930	~~4706~~ 163E		1955	11A		1980	37 7	
1906	87534		1931	71		1956	163B		1981	77570	
1907	87579		1932	155		1957	151		1982	163	
1908	90		1933	7		1958	775½ 5"		1983	200	
1909	160		1934	~~11~~		1959	175		1984	194	
1910	194		1935	76990		1960	139C		1985	No Pattern	
1911	176		1936	192		1961	6		1986	No Pattern	
1912	152		1937	11A		1962	97020		1987	761-872 761-584	
1913	185		1938	~~02325~~ 6		1963	97022		1988	72	
1914	2159½		1939	195		1964	64		1989	2259¼	
1915	93479		1940	70		1965	6		1990	210	
1916	87575		1941	70		1966	9		1991	208	
1917	75		1942	200		1967	50		1992	152	
1918	83		1943	70		1968	85590		1993	160	
1919	177		1944	139B		1969	204		1994	163F	
1920	775½		1945	162		1970	151		1995	11A	
1921	1339½		1946	~~162~~		1971	159		1996	~~163~~ 142	
1922	43¼ Adj.		1947	76860		1972	02067		1997	~~036~~ 159	
1923	2259¼		1948	151		1973	No Pattern		1998	~~034~~ 159	
1924	169		1949	161		1974	200		1999	72	
1925	159		1950	No Pattern		1975	107		2000	162	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

2001

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
2001	225		2026	50		2051	131		2076	11B	
2002	80		2027	50		2052	134		2077	47	
2003	8 120		2028	196		2053	34		2078	108	
2004	81122		2029	No Pattern		2054	10		2079	8	
2005	11B		2030	7		2055	91		2080	188	
2006	11B		2031	97060		2056	90		2081	161	
2007	11C		2032	6		2057	4541		2082	No Pattern	
2008	153		2033	20 & 21		2058	185		2083	192	
2009	143	Now 1116½	2034	199		2059	149		2084	88	Now Type I O.K.
2010	77295		2035	87029		2060	88		2085	151	
2011	76891		2036	162		2061	82190		2086	159	
2012	2956		2037	353 1⅞ IN.		2062	6		2087	72	
2013	156		2038	170		2063	33		2088	79	
2014	75		2039	353 2¼ IN.		2064	143		2089	1715	
2015	1		2040	353 1¼ IN.		2065	183		2090	1714	
2016	1609		2041			2066	76091		2091	6	
2017	19		2042	49 40		2067	76029		2092	139B	
2018	77590		2043	128		2068	76031		2093	11B	
2019	93480		2044			2069	163K		2094	162	
2020			2045	11C		2070	69		2095	46	
2021	163F		2046	2596½		2071	141		2096	11B	
2022	163C		2047	186		2072	151		2097	126F	
2023	5		2048	153		2073	147		2098	4564 177	
2024	82029		2049	43		2074	79		2099	17B	
2025	7		2050	11A		2075	163E		3000	46	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
2101	169		2126	117		2151	89731		2176	196	
2102	85		2127	117		2152	74		2177	8	
2103	No Pattern		2128	154		2153	11		2178	11	
2104	196		2129	No Pattern		2154	11A		2179	183A	
2105	198		2130	No Pattern		2155	11B		2180	11B	
2106	153		2131	38		2156	173		2181	138	
2107	153		2132	102		2157	80		2182	8	
2108	190		2133	151	Now Type J	2158	No Pattern		2183		
2109	183A		2134	50A		2159	89780		2184	14	
2110	183A		2135	19		2160	88		2185	77622	
2111	11B		2136	2257½		2161	No Pattern		2186	143	
2112	11A		2137	11C 11A		2162	205		2187	77595	
2113	No Pattern		2138	1379		2163	118		2188	78	
2114	211		2139	No Pattern		2164	118		2189	163E	
2115			2140	No Pattern		2165	~~1995~~ 159		2190	179	
2116	191		2141	107		2166	194		2191	208	
2117	74		2142	4318		2167	163E		2192	134	
2118	94020		2143	4319		2168	81280		2193	~~2370~~ 162	
2119	94022		2144	85		2169	01511		2194	193	
2120	200		2145	105		2170	44¼		2195	No Pattern	
2121	200		2146	85		2171	2660½		2196	151	
2122	211		2147	74		2172	~~75934~~ 98		2197	196	
2123	208		2148	89730		2173	77654		2198	163	
2124	1921 2 IN.		2149	161		2174	~~75960x~~ 98		2199	77084	
2125	11A		2150	38		2175	190		2200	3	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
2201	83 47		2226	88120		2251	83		2276	56	
2202	83		2227	88122		2252	83		2277	71	
2203	83		2228	27		2253	83		2278	71	
2204	83		2229			2254	83		2279	71	
2205	83		2230	100		2255	188		2280	52	
2206	83		2231	100		2256	83		2281	No Pattern	
2207	83		2232	No Pattern		2257	4562		2282	77	
2208	245		2233	859-872		2258	83		2283	No Pattern	
2209	243		2234	No Pattern		2259	40		2284	No Pattern	
2210	No Pattern		2235	85931		2260	45A		2285	37384	
2211	"		2236	100		2261	5		2286	45A	
2212	"		2237	No Pattern		2262	7		2287	373-84	
2213	"		2238	100		2263	101		2288	4716	
2214	"		2239	100		2264	30		2289	53	
2215	97054		2240	87040		2265	83		2290	53	
2216	126F		2241	100		2266	42		2291	45A	
2217	97040		2242	No Pattern		2267	52		2292	50 40	
2218	97036		2243	211		2268	52		2293	126F	
2219	88140		2244	89		2269	52		2294	44	
2220	88136		2245	50A		2270	52		2295	41	
2221	87547		2246	122		2271	77		2296	93436	
2222	88154		2247	122		2272	77		2297	42	
2223	88175		2248	83		2273	6		2298	42	
2224	88196		2249	83		2274	56		2299	53	
2225	97096		2250	83		2275	56		2300	4568	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
2301	211		2326	89		2351	11		2376	151A	
2302	85 2045 Esc. OAKLAND		2327	4566		2352	188		2377	72	
2303	192		2328	195		2353	9		2378	46 10 IN.	
2304	~~1262~~ 197		2329	100		2354	35		2379	52	
2305	141		2330	11A		2355			2380	72	
2306	067½		2331	73		2356	11B		2381		
2307	75		2332	139		2357	~~1997¼~~ 81		2382	4549	
2308	149		2333	162		2358	71		2383	126D	
2309	1996¼		2334	~~11A~~		2359	169		2384	1991¼	
2310	045 8 IN.		2335	2211		2360	157		2385	87536	
2311	045 10 IN.		2336	198A		2361	177		2386	3	
2312	8		2337	6		2362	131		2387	2963	
2313	6		2338	148B		2363	7B		2388	85690	
2314	1617		2339	157		2364	161		2389	52	
2315	85929		2340	163E		2365	203		2390	67 6	
2316	85980		2341	155		2366	11B		2391	143	
2317	720		2342			2367	183A		2392	143	
2318	77620		2343	11A		2368	163F		2393	40	
2319	6		2344	11A		2369	56		2394	193	
2320	84		2345	11A		2370	151		2395	45 18 IN.	
2321	75		2346	~~04273¼~~ 143		2371	No Pattern		2396	46 18 IN.	
2322	142		2347	85934		2372	88134		2397	45 24 IN.	
2323	067½		2348	188		2373	194		2398	11	
2324	87		2349	32		2374	33		2399	1361½	
2325	3		2350	No Pattern		2375	87596		2400	77	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
2401	52		2426	4418		2451	50A 40		2476	60	
2402	71		2427	4417		2452	40		2477	60	
2403	44		2428	50A		2453	14		2478	15	
2404	88		2429	50A		2454	52		2479	59	
2405	77131		2430	43		2455	87020		2480	59	
2406	44		2431	50C		2456	50A		2481	35A	
2407	97095		2432	50C		2457	76747		2482	5	
2408	93496		2433	2		2458	76736		2483	2206	
2409	68		2434	1612		2459	87054		2484	99090	
2410	4728		2435	45A		2460	7		2485	117	
2411	7		2436	76290		2461	77170		2486	40	
2412	42		2437	87047		2462	77160		2487	No Pattern	
2413	No Pattern		2438	87075		2463	77136		2488	59	
2414	43		2439	87096		2464	77140		2489	44 7B	
2415	45A		2440	2883		2465	77196		2490	44	
2416	43A		2441	77154		2466	99030		2491	41	
2417	76		2442	40		2467	99025		2492	41	
2418	40		2443	40		2468	99054		2493	45	
2419	40		2444	No Pattern		2469	99075		2494	42	
2420	79		2445	No Pattern		2470	99034		2495	43	
2421	71		2446	42		2471	128		2496	41	
2422	91		2447	42		2472	1005		2497	42	
2423	40		2448	42		2473	No Pattern		2498	43	
2424	94077		2449	76877		2474	89		2499	41	
2425	818 644 ESC.		2450	128½		2475	59		2500	1368½	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
2501	1359½		2526	46		2551	150		2576	02227	
2502	234		2527	46 18-1½		2552	2284		2577	177	
2503	204		2528	169		2553	32B		2578	76	
2504	90 6		2529	132		2554	186		2579	210	
2505	163		2530	11B		2555	94147		2580	125	
2506	143		2531	156		2556	No Pattern		2581	196	
2507	147A		2532	156		2557	93		2582	177	
2508	1993		2533	69		2558	209		2583	191	
2509	77031		2534	50B		2559	2		2584	76030	
2510	168		2535	135		2560	6		2585	77520	
2511	134		2536	199		2561	201		2586	77522	
2512	4712		2537	99		2562	No Pattern		2587	183	
2513	No Pattern		2538	2200		2563	162		2588	176	
2514	81490 7B		2539	353		2564	193		2589	No Pattern	
2515	11B		2540	90 2045 Esc. CORINTH		2565	2200		2590	02165	
2516	163B		2541	76129		2566	80		2591	2203	
2517	11A		2542	76131		2567	183A		2592	2950	
2518	1714		2543	91		2568	33		2593	189	
2519	163D		2544	99		2569	134		2594	4704	
2520	90 2067 Esc. CORINTH		2545	126D		2570	144A		2595	4703	
2521	200		2546	156		2571	139A		2596	142	Now 1121
2522	125		2547	193		2572	76047		2597	36	
2523	163A		2548	76160		2573	76054		2598	44¼ Adj. 24"	
2524	91		2549	30		2574	76034		2599	44¼ Adj. 16"	
2525	46 18-¾		2550	151		2575	141		2600	No Pattern	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
2601	36		2626	156		2651	87530		2676	100	
2602	36		2627	8		2652	11		2677	142	
2603	88147		2628	208		2653	160		2678	186	
2604	153		2629	72		2654	160		2679	117	
2605	204		2630	79		2655	163		2680	176	
2606	225		2631	91		2656	323		2681	87036	
2607	76040		2632	159		2657	185		2682	50A	
2608	151		2633	7		2658	204		2683	50A	
2609	209		2634	207		2659	161		2684	77125	
2610	136		2635	141		2660	No Pattern		2685	50A 87522	
2611	162		2636	173		2661	184		2686	10	
2612	129		2637	No Pattern		2662	77131		2687	76740	
2613	160		2638	143		2663	10		2688	95	
2614	161		2639	100		2664	86		2689	162	
2615	163A		2640	206		2665	162		2690	11	
2616			2641	93430		2666	16		2691	154	
2617	144A		2642	11		2667	59		2692	160	
2618	84		2643	80		2668	201		2693	135	
2619	184		2644			2669	92		2694	161	
2620	84		2645	147		2670	80	Now S4870	2695	353 2½ IN.	
2621	Standard shanks for glass knobs		2646	11B		2671	107		2696	184	
2622	207		2647	92		2672	107		2697	7A	
2623	197		2648	68		2673	150	Now Type B	2698	1122	
2624	134		2649	44½ 15 IN.		2674	147		2699	174	
2625	156		2650	203		2675	203		2700	70	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
2701	134		2726	9		2751	210		2776	107	
2702	134		2727	11		2752	161		2777	163F	
2703	6		2728	10		2753	151		2778	188	
2704	84340		2729	9		2754	106		2779	19A	
2705	11B		2730	162		2755	204		2780	1611	
2706	169		2731	151		2756	153		2781	85	
2707	82		2732	66		2757	132		2782	44	
2708	173		2733	193		2758	11A		2783	44	
2709	29		2734	151		2759	201		2784	139C	
2710	207		2735	No Pattern		2760	85		2785	No Pattern	
2711	92		2736	134		2761	11		2786	86	
2712	159		2737	67 6		2762	141		2787	7	
2713	68		2738	66		2763	169		2788	10	
2714	72		2739	76831		2764	6		2789	35A	
2715	7		2740	104		2765	1027		2790	139B	
2716	158		2741	66		2766	No Pattern		2791	34	
2717	No Pattern		2742	139A		2767	77577		2792	84	
2718	163F		2743	36		2768	142		2793	89	
2719	66		2744	36		2769	139C		2794	147	
2720	66		2745	134		2770	104		2795	195	
2721	144		2746	159		2771	6		2796	86	
2722	144A		2747	82		2772	163F		2797	184	
2723	77145		2748	1901		2773	27		2798	2243½	
2724	2593½		2749	60		2774	1025		2799	97031	
2725	1120		2750	151		2775	154		2800	42	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
2801	43		2826	45A		2851	L. Hdl. for 065½		2876	62	
2801½	43										
2802	43A		2827	126A		2852	206		2877	62	
2803	42		2828	146		2853	89		2878	46	
2804	41		2829	No Pattern		2854	93475		2879	50	
2805	40		2830	50A		2855	2045 Esc. FLORENCE		2880	2628	
2806	40		2831	46		2856	99		2881	51	
2807	43		2832	50A		2857	75975		2882	51	
2808	42		2833	43		2858	112		2883	42	
2809 A	41		2834	66		2859	50		2884	No Pattern	
2809	42										
2810	42		2835	66		2860	76380		2885	93423	
2811	42		2836	66		2861	94060		2886	144A	
2812	40		2837	No Pattern		2862	127¾		2887	No Pattern	
2813	41		2838	42		2863	110		2888	4412	
2814	44		2839	6		2864	4407		2889	4701	
2815	43		2840	183A		2865	40		2890	4551	
	42										
2816	240		2841	42		2866	76		2891	45A	
2817	68		2842	42		2867	No Pattern		2892	76331	
2818	68		2843	30		2868	41		2893	129	
2819	99040		2844	183A		2869	2427½		2894	66	
										6	
2820	99036		2845	16		2870	113		2895	91	
2821	99060		2846	28		2871	113		2896	91	
2822	No Pattern		2847	42		2872	1124		2897	No Pattern	
2823	"		2848	60		2873	17		2898	"	
2824	"		2849	1906½		2874	42		2899	114	
2825	35A		2850	183		2875	62		2900	4550	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
2901	104		2926	161		2951	No Pattern		2976	76036	
2902	79		2927	212 B		2952	210		2977	125	
2903	185		2928	84		2953	7C		2978	15	
2904	5		2929	168A		2954	176		2979	142	
2905	4721		2930	93425		2955	185		2980	1290	
2906	139B		2931	15		2956	11C		2981	02149¼	
2907	136		2932	12		2957	No Pattern		2982	36484	
2908	Pattern destroyed		2933	159		2958	163B		2983	481½	
2909	4725		2934	185		2959	163C		2984	552¼	
2910	163		2935	163D		2960	177		2985	138	
2911	1023		2936			2961	177		2986	185 162	
2912	181		2937	202		2962	76040		2987	198A	
2913	181		2938	113		2963	176		2988	3	
2914	185		2939	206		2964	163C		2989	136	
2915	76334		2940	76330		2965	157		2990	5	
2916	76375		2941	209		2966	163E		2991	142	New 1110
2917	2426½		2942	186		2967	8		2992	11C	
2918	178		2943	11B		2968	76370		2993	121	
2919	161		2944			2969	64		2994	89790	
2920	144		2945	29		2970	16		2995	192	
2921	161		2946	159		2971	177		2996	40	
2922	152A		2947	214		2972	163C		2997	181	
2923	87520		2948	86		2973	176		2998	133	
2924	152A		2949	25		2974	128		2999	187	
2925			2950	202		2975	11		3000	No Pattern	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
3001	114		3026	45		3051	34		3076	40	
3002	114		3027	84440		3052	No Pattern		3077	58	
3003	59		3028	84436		3053A 3053	41 34		3078	58	
3004	76		3029	84454		3054	91040		3079	41	
3005	No Pattern		3030	109		3055	91036		3080	43	
3006	"		3031	109		3056	60		3081	182	
3007	48		3032	34		3057	60		3082	63	
3008	103		3033	4		3058	91075		3083	63	
3009	84		3034	82075		3059	91031		3084	63	
3010	84		3035	82040		3060	No Pattern		3085	63	
3011	84		3036	82036		3061	126A		3086	63	
3012	84		3037	82096		3062	76340		3087	63	
3013	12		3038	89		3063	76336		3088	17	
3014	42		3039	44		3064	126A		3089	17	
3015	1911½		3040	48		3065	76430		3090	933-75	
3016	1911		3041	46 7		3066	40		3091	No Pattern	
3017	89740		3042	No Pattern		3067	40		3092	67	
3018	144A		3043	50B		3068	43		3093	67	
3019	47		3044	188		3069	No Pattern		3094	67	
3020	74 45		3045	55		3070	"		3095	67	
3021	47		3046	54		3071	60		3096	67	
3022	89796		3047	4		3072	No Pattern		3097	67	
3023	89775		3048	54		3073	60		3098	119	
3024	91096		3049	54-55 47		3074	74		3099	6	
3025	45		3050	34		3075	46		3100	No Pattern	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
3101	No Pattern		3126	114		3151	170		3176	76060	
3102	PLATE		3127	No Pattern		3152	162		3177	200	
3103	76095		3128	184		3153	35		3178	76075	
3104	50C		3129	35A		3154	3		3179	9	
3105	No Pattern		3130	82070		3155	55		3180	74	
3106	161		3131	91		3156	76072		3181	11	
3107	133		3132	114		3157	54		3182	6	
3108	209		3133	89760		3158	76096		3183	No Pattern	
3109	12		3134	6		3159	55		3184	135	
3110	207		3135	89729		3160	179		3185	181	
3111	185		3136	91		3161	10		3186	82 5	
3112	151		3137	141		3162	89754		3187	108	
3113	84		3138	135		3163	174		3188	149	
3114	162		3139	194		3164	34		3189	60	
3115	163C		3140	188		3165	128		3190	91	
3116	No Pattern		3141	193		3166	128		3191	897 586 ESC.	
3117	81		3142	87580		3167	128		3192	177	
3118	136		3143	4560		3168	213		3193	60	
3119	88		3144	185		3169	82054		3194	89736	
3120	02117 GRIP		3145	32		3170	201		3195	183A	
3121	147A		3146	109		3171	136		3196	207	
3122	114		3147	159		3172	84475		3197	3274	
3123	143		3148	136		3173	No Pattern		3198	60	
3124	11A		3149	67		3174	2394		3199	60 4	
3125	134		3150	89747		3175	82047		3200	No Pattern	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
3201	58		3226	4410½		3251	1		3276	43	
3202	58		3227	47		3252	119		3277	43	
3203	17		3228	43		3253	126F		3278	43A	
3204	No Pattern		3229	No Pattern		3254	116		3279	93323	
3205	2		3230	43A		3255	116		3280	93325	
3206	48		3231	146		3256	126B		3281	43	
3207	58		3232	No Pattern		3257	No Pattern		3282	364-84	
3208	42		3233	46 140	Now 239	3258	50C		3283	119	
3209	42		3234	122		3259	123		3284	No Pattern	
3210	41		3235	No Pattern		3260	123		3285	111	
3211	No Pattern		3236	189		3261	123		3286	146 24	
3212	43A		3237	50		3262	123		3287	146 111	
3213	43A		3238	No Pattern		3263	119		3288	144A	
3214	50		3239	4		3264	118 7A		3289	119	
3215	88130		3240	50C		3265	180		3290	111	
3216	82330		3241	No Pattern		3266	147A		3291	111	
3217	47		3242	No Pattern		3267	75940		3292	26	
3218	82331		3243	120		3268	990977 24 PLATE		3293	26	
3219	82370		3244	120		3269	58		3294	24	
3220	82377		3245	32B		3270	30 12	Now 57780	3295	24	
3221	82390 26		3246	1		3271	990977 24 GRIP		3296	117	
3222	No Pattern		3247	45C		3272	40		3297	43	
3223	No Pattern		3248	94		3273	182		3298	117	
3224	43		3249	32B		3274	44		3299	117	
3225	75954		3250	94		3275	48		3300	60	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
3301	163E		3326	130		3351	73		3376	114	
3302	169		3327	20	Now 40984	3352	11		3377	114	
3303	41 41¼		3328	6		3353	33		3378	11A	
3304	177		3329	89181		3354	222		3379	114	
3305	71		3330	202		3355	13		3380	114	
3306	139C		3331	156		3356	775½ 6 IN.		3381	114	
3307	11C		3332	58		3357	81		3382	143	
3308	187		3333	139		3358	91054		3383	No Pattern	
3309	77680		3334	11A		3359	113		3384	162	
3310	20		3335	85		3360	154		3385	8	
3311	11C		3336	775½ 4 IN.		3361	50		3386	9	
3312	11C		3337	67 6		3362	129		3387	6	
3313	189		3338	69		3363	910-47		3388	95	
3314	172		3339	2		3364	11		3389	167	
3315	84386		3340	29		3365	~~29401~~ 137		3390	114	
3316	63		3341	63		3366	163E		3391	84	
3317	1		3342	126A		3367	155		3392	162	
3318	~~144A~~		3343	No Pattern		3368	76080		3393	162	
3319	1		3344	154		3369	172		3394	~~76849~~ 86	
3320	~~162~~		3345	87		3370	171		3395	~~85~~	
3321	160		3346	159		3371	171		3396	1	
3322	163		3347	13		3372	171		3397	199	
3323	162		3348	1532		3373	226		3398	126A	
3324	211		3349	353 3 IN. DOOR		3374	98		3399	158	
3325	160		3350	155		3375	114		3400	117	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
3401	117		3426	41		3451	120		3476	43	
3402	No Pattern		3427	43		3452	43		3477	96	
3403	89		3428	41		3453	48		3478	44 4	
3404	No Pattern		3429	29 18		3454	182		3479	96 43	
3405	43		3430	6		3455	181		3480	45A	
3406	43		3431	56 6		3456	3		3481	45	
3407	43		3432	19		3457	163E		3482	45C	
3408	43		3433	45		3458	73		3483	387-84	
3409	54		3434	41		3459	46		3484	402-84 Collar	
3410	54		3435	40		3460	39684 4391 Grip		3485	50F 44	
3411	43		3436	177		3461	39584 4390 Grip		3486	44	
3412	43		3437	145		3462	39884 4393 Grip		3487	38784 Plate	
3413	7		3438	44		3463	39784 4392 Grip		3488	38984 Plate	
3414	126C		3439	No Pattern		3464	36684 Grip		3489	4	
3415	43		3440	No Pattern		3465	37584 Grip		3490	44	
3416	40		3441	144A	Now 41284	3466	375-84		3491	118	
3417	146		3442	140		3467	40		3492	118	
3418	43		3443	No Pattern		3468	73		3493	1	
3419	48		3444	398-84		3469	43		3494	1	
3420	144A		3445	No Pattern		3470	No Pattern		3495	44	
3421	43		3446	21A	Now 76985	3471	43		3496	43	
3422	144		3447	21B	Now 76885	3472 3472A	178 45		3497	113	
3423	43A 144		3448	No Pattern		3473	126		3498	113	
3424	41		3449	No Pattern		3474	18		3499	50	
3425	41		3450	126F		3475	4		3500	198	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
3501	211		3526	154		3551	145		3576	~~1120~~ 142	now 1120 1/4
3502	133		3527	163B		3552	167		3577	1122½	
3503	159		3528	9		3553	68		3578	47	
3504	179		3529	11		3554	141		3579	162	
3505	126B		3530	11		3555	6		3580	0567¾	now 0567 3/4
3506	33		3531	46¼ 46¾		3556	169		3581	8	
3507	4554		3532	Butt 103 167 " 103½		3557			3582	11	
3508	207		3533			3558	10	Now 1114	3583	99231	
3509			3534	105		3559	143		3584	No Pattern	
3510	209		3535	154		3560	162		3585	7 6	
3511	222 72		3536	163F		3561	11C		3586	184	
3512			3537	63		3562	163E		3587	177	
3513	6		3538	63		3563	906B		3588	89878	
3514	174		3539	181		3564	172		3589	192	
3515	149		3540	10		3565	100		3590	156	
3516	120		3541	210		3566	199		3591	2213	
3517	58		3542	177		3567	100		3592	114	
3518	58		3543	45A		3568	35		3593	159	
3519	144A		3544	142		3569	147		3594	10	
3520	190		3545	177		3570	139A		3595	192	
3521	163F		3546	187		3571	8		3596	191	
3522	34		3547	95070		3572	181		3597	183A	
3523	144A		3548	211		3573	7		3598	136	
3524	179		3549	21	Now 41384	3574	8-11		3599	116	
3525	177		3550	155		3575	183		3600	180	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
3601	50		3626	45		3651	1920		3676	44	
3602	1123½ Rose		3627	1912		3652	180		3677		
3603	177		3628	147A		3653	44		3678	45	
3604	41		3629	1912½		3654	45		3679	126C	
3605	41		3630	67		3655	50B		3680	120	
3606	38		3631	49		3656	50B		3681	23	
3607	41		3632	49		3657	50A		3682	120	
3608	44 7A		3633	41		3658	216 50A		3683	120	
3609	44		3634	45B		3659	125		3684	120	
3610	44		3635	41		3660	44		3685	120	
3611	20		3636	41		3661	44		3686	23	
3612	119		3637	41		3662	44		3687	120	
3613	147A		3638	40		3663	96		3688	400-84	
3614	147A		3639	40		3664	3		3689	2630	
3615	180		3640	45		3665	43 41		3690	43	
3616	116		3641	No Pattern		3666	45		3691	126B	
3617	41		3642	71		3667	548		3692	43	
3618	41		3643	43		3668			3693	144A	
3619	41		3644	49		3669	1922		3694	3	
3620	41		3645	30		3670	188		3695	23	
3621	47		3646	106		3671	99		3696	44	
3622	20		3647	86		3672	57		3697	2421	
3623	44		3648	21		3673	57		3698	71	
3624	126		3649	49 41		3674	57		3699	43	
3625	41		3650	41		3675	57		3700	116	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
3701	116		3726	199 176		3751	165		3776	35	
3702	6		3727	85		3752	6		3777	147A	
3703	11		3728	156		3753	85		3778	128A	
3704	9		3729	126C		3754	199		3779	2625	
3705	102		3730	210		3755	154		3780	2624	
3706	10		3731	162		3756	159		3781	2624½	
3707	11		3732	193		3757	41 Adj. 18"		3782	2625½	
3708	No Pattern		3733	73		3758	32A		3783	87	
3709	11C		3734	41		3759	163C		3784	80	
3710	86		3735	11		3760	163C		3785	163D	
3711	195		3736	187		3761	148A		3786	139	
3712	87		3737			3762	No Pattern		3787	76191	
3713	162		3738	141		3763	126 7A		3788	10	
3714	140		3739	156		3764	176		3789	120	
3715	1125½		3740	8B		3765			3790	168A	
3716	126C		3741	163D		3766	1124½		3791	6	
3717	11		3742	171		3767	547		3792	74	
3718	163C		3743	144A		3768	548		3793	47	
3719	226		3744	1121½		3769	169		3794	71 Strike	
3720	226		3745	11		3770	143		3795	7	
3721	226		3746	126 47		3771	144A		3796	2	
3722	159		3747	87		3772	177		3797	8	
3723	11		3748	168A		3773	11		3798	209	
3724	152		3749	2267		3774	195		3799	4396	
3725	5		3750	169		3775	02972 151A		3800	43	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
3801	43		3826	144		3851	113		3876	43	
3802	No Pattern		3827	45B		3852	113		3877	1921½	
3803	43		3828	41		3853	99		3878	147	
3804	56		3829	41		3854	110 45		3879	125	
3805	124		3830	45B		3855	110		3880	43	
3806	23		3831	41		3856	46	Now 241½	3881	43A	
3807	23		3832	43		3857	7		3882	120	
3808	124		3833	41		3858	46		3883	120	
3809	3		3834	41		3859	46 40		3884	5	
3810	122 45		3835	41		3860	41		3885	120	
3811	122		3836	41		3861	43A		3886	120	
3812			3837	7		3862	19		3887	43A	
3813	147A		3838	4		3863	19		3888	40	
3814	161		3839	210		3864	40		3889	120	
3815	50		3840	2667		3865	40		3890	42	
3816	43		3841	No Pattern		3866	40		3891	40	
3817	29		3842	41		3867	43		3892	40	
3818	47		3843	12		3868	40		3893	35A	
3819	140		3844	143		3869	43		3894	211	
3820	45B		3845	27		3870	3		3895	81	
3821	46		3846	27		3871	50B		3896	123	
3822	46		3847	147A		3872	172		3897	123	
3823	123		3848	76		3873	45		3898	123	
3824	1921		3849	41 43		3874	43A		3899	124	
3825	111		3850	140		3875	43		3900	196	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
3901	8		3926	79		3951	73		3976	126C	
3902	145		3927	150		3952	73		3977	160	
3903	33		3928	2164½		3953	73		3978	126	
3904	107		3929	188		3954	205		3979	162	
3905	149		3930	107		3955	205		3980	147A	
3906	153		3931	11		3956	205		3981	173	
3907	163C		3932	154		3957	205		3982	11	
3908	153		3933	2		3958	8		3983	135	
3909	153		3934	8		3959	159		3984	108	
3910	153		3935	126D		3960	147A		3985	204	
3911	153		3936	6		3961	8A		3986	199	
3912	156		3937	7		3962	11		3987	126C	
3913	153		3938	7C		3963	150		3988	85	
3914	154		3939	163B		3964	151		3989	196	
3915	153		3940	126 47		3965	151		3990	11A	
3916	153		3941	10		3966	151		3991	152	
3917	153		3942	41		3967	1339¼	Now 1339½	3992	11	
3918	11		3943	126D		3968	163		3993	11	
3919	151	Now Type H	3944	768-44½		3969	113		3994	2626	
3920	18		3945	"		3970	153		3995	10	
3921	10		3946	555		3971	163E		3996	6	
3922	10		3947	823-80		3972	163E		3997	149	
3923	20		3948	149		3973	2		3998	56 6	
3924	1		3949	11A		3974	126C		3999	9	
3925	168A		3950	73		3975	126C		4000	46	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
4001	147A		4026	43		4051	142		4076	43	
4002	.43		4027	No Pattern		4052	46		4077	43	
4003	79		4028	147A		4053	45		4078	116	
4004	44		4029	50A		4054	7B		4079	1919½	
4005	44		4030	46		4055	No Pattern		4080	89	
4006	44		4031	41		4056	45		4081	No Pattern	
4007	44		4032	124		4057	45		4082	44	
4008	126		4033	50		4058	45		4083	1921¾	
4009	46		4034	178		4059	44		4084	112	
4010	2		4035	No Pattern		4060	43		4085	7A	
4011	453		4036	45		4061	43A		4086	1917	
4012	41		4037	43A		4062	45		4087	118	
4013	41		4038	46		4063	43		4088	102	
4014	41		4039	45		4064	43		4089	102	
4015	780-31		4040	43A		4065	45		4090	188	
4016	50B		4041	41		4066	4		4091	102	
4017	46 50A		4042	113		4067	27		4092	45	
4018	780-30		4043	113		4068	45		4093	45	
4019	26 2		4044	119		4069	180		4094	40	
4020	26		4045	46		4070	43		4095	No Pattern	
4021	780-586		4046	45B		4071	43A		4096	50E 50	
4022	780-70		4047	No Pattern		4072	43		4097	208	
4023	44		4048	32		4073	109		4098	43	
4024	44		4049	32		4074	109		4099	147A	
4025	207		4050	46		4075	119		4100	9	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
4101	151		4126	99		4151			4176	10	
4102	43A		4127	3367 4367		4152	9		4177	9	
4103	134		4128	57		4153	9		4178	11	
4104	145		4129	154		4154	118		4179	183A	
4105	8		4130	44		4155	33		4180	1	
4106	11		4131	204		4156	4		4181	71	
4107	134		4132	44		4157	35		4182	208	
4108	32		4133			4158	111		4183	2799	
4109	110		4134	766-30 L.H.		4159	151		4184		
4110	11		4135	2		4160	171		4185	163E	
4111	96		4136	176		4161	No Pattern		4186	202	
4112	169		4137	9		4162	184		4187	163	
4113	139B		4138	11		4163	10		4188	211	
4114	151		4139	72		4164	166		4189	85	
4115	151		4140	202		4165	38		4190	163	
4116	82334		4141	40		4166	11		4191	181	
4117	143		4142	170	Now 0372½-5"	4167	47		4192	2633	
4118	57		4143	11		4168	47		4193	No Pattern	
4119	198		4144	177		4169	192		4194	159	
4120	823-60		4145	200		4170	8		4195	165	
4121	82375		4146	49		4171	71		4196	103	
4122	188		4147	193		4172	11		4197	35	
4123	82360 197		4148	193		4173	10		4198	159	
4124	32		4149	69		4174	No Pattern		4199	74	
4125	196		4150	5		4175	163E		4200	209	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
4201	9		4226	8		4251	154		4276	11	
4202	181		4227	151		4252	167		4277	6	
4203	187		4228	199	Now 0567½	4253	107		4278	6	
4204	11C		4229	199		4254	147		4279	162	
4205	1984 1985 173		4230	194		4255	201		4280	7	
4206	157		4231	11		4256	0860		4281	7	
4207	149		4232	2225		4257	171		4282	199	
4208	157		4233	9		4258	145		4283	7	
4209	165		4234	86		4259	145		4284	160	
4210	No Pattern		4235	11		4260	198		4285	11	
4211	212		4236	10		4261	11		4286	189	
4212	10		4237	88		4262	6		4287	9	
4213	205		4238	7		4263	186		4288	8	
4214	156		4239	11		4264	208		4289		
4215	No Pattern		4240	11		4265	18		4290		
4216	142		4241	95		4266	163E		4291	152A	
4217	36		4242	187		4267	162		4292	10	
4218	163		4243	151		4268	187		4293	86	
4219	188		4244	189		4269	84 6		4294	8	
4220	8		4245	196		4270	6		4295	224	
4221	151		4246	9		4271	2358		4296	171	
4222	167		4247	11		4272	11		4297	177	
4223	760-92 6		4248	157		4273	145		4298	194	
4224	34		4249	184		4274	50C		4299	139B	
4225	183		4250	210		4275	1336B		4300	162	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
4301	162		4326	160		4351	No Pattern		4376	163D	
4302	99		4327	225		4352	163		4377	157A	
4303	99		4328	162		4353	10		4378	163E	
4304	226		4329	84		4354	223		4379	196	
4305	1290½		4330	567½	Now 567½	4355	86		4380	196	
4306	194		4331	157		4356	No Pattern		4381	194	
4307	11		4332	No Pattern		4357	196		4382	198	
4308	56		4333	11		4358	195		4383	127	
4309	7A		4334	111		4359	139A		4384	163	
4310	122		4335	70		4360	170	Now 0372½-6"	4385	162	
4311	11		4336	199		4361	69		4386	210	
4312	122		4337	8		4362	9		4387	No Pattern	
4313	11		4338	183A		4363	71		4388	84 24	
4314	122		4339	179		4364	32B		4389	204	
4315	155		4340	199		4365	79		4390	102	
4316	041-Adj.		4341	85		4366	163B		4391	192	
4317	194		4342	85		4367	162		4392	163	
4318	161		4343	85		4368	168A		4393	153	
4319	56		4344	127		4369	129		4394	174	
4320	7A		4345	1288		4370	211		4395	145	
4321	155		4346	139A		4371	136		4396	171	
4322	146		4347	139A		4372	0584¼		4397	205	
4323	161		4348	137		4373	172		4398	144	
4324	223		4349	6		4374	163E		4399	183	
4325	9		4350	2205 28		4375	186		4400	11	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
4401	1337B		4426	126		4451	7A		4476	8A	
4402	90¾	Now 90¾	4427	126		4452	138		4477	8A	
4403	185		4428	194		4453	59		4478	60 4	
4404	113		4429	10		4454	194		4479	196	
4405	226		4430	11		4455	174		4480	143	
4406	189		4431	11		4456	8B		4481	167	
4407	167		4432	2200¼ 35		4457	92		4482	153	
4408	224 (S-4295)		4433	151	Now S4954	4458	174		4483	153	
4409	39		4434	176B		4459	223		4484	149	
4410	198		4435	8		4460	92		4485	144	
4411	195		4436	170		4461	198		4486	109	
4412	200		4437	376 Corpon Screw Holder		4462	149		4487	160	
4413	2		4438	139C		4463	169		4488	159	
4414	162		4439	7A		4464	169		4489	1141	
4415	149		4440	163A		4465	7A		4490	170	
4416	2359 2359½		4441	8B		4466	7A		4491	176	
4417	194		4442	7A		4467	143		4492	179	
4418	171		4443	7A		4468	42		4493	171	
4419	183A		4444	1370B		4469	11C		4494	143	
4420	184		4445	7A		4470	10		4495	141	
4421	184		4446	226		4471	2		4496	21	Now 41484
4422	184		4447	7A		4472	8B		4497	55	
4423	145		4448	50C		4473	8A		4498	8B	
4424	2200¼ 35		4449	50C		4474	195		4499	181	
4425	194		4450	50		4475	205		4500	103	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
4501	~~137B~~ 147		4526	154		4551	35A		4576	8A	
4502	177		4527	156		4552	7A		4577	128I	
4503	163F 152		4528	No Pattern		4553	106		4578	128I	
4504	No Pattern		4529	161		4554	206		4579	158	
4505	163I		4530	207		4555	21A		4580	8A	
4506	163F		4531	155		4556			4581	54	
4507	02267¾		4532	77984		4557	188		4582	150	
4508	141		4533	No Pattern		4558	187		4583	198A	
4509	174		4534	163E		4559			4584	54 7A	
4510	148		4535	~~126F~~		4560	145		4585	51	
4511	148		4536	171		4561	85		4586	143	
4512	No Pattern		4537	150		4562	126A		4587	158	
4513	70		4538	46		4563	228		4588	158	
4514	116		4539	141		4564	141		4589	158	
4515	0539½		4540	154		4565	8A		4590	144	
4516	203		4541	154		4566	56		4591	109	
4517	8A		4542	19 A		4567	8B		4592	224	
4518	152		4543	19A		4568	143		4593	226	
4519	8A		4544	3		4569	50A		4594	31	
4520	8B		4545	69		4570	167		4595	185	
4521	152A		4546	780-482		4571	204		4596	222	
4522	11B		4547	143		4572	158		4597	163I	
4523	181		4548	191		4573	199		4598	8A	
4524	222		4549	158		4574	110		4599	33	
4525	159		4550	7A		4575	142		4600	169	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
4601	169		4626	124		4651	198		4676	116	
4602	169		4627	43		4652	109		4677	177	
4603	7A		4628	43		4653	109		4678	No Pattern	
4604	45		4629	43		4654	No Pattern		4679	"	
4605	69		4630	43		4655	167		4680	"	
4606	180		4631	144		4656	182		4681	"	
4607	180-588		4632	43A 43		4657	177		4682	43A	
4608	180-75		4633	43		4658	106		4683	46	
4609	109		4634	43A 43		4659	4368		4684	45A	
4610	109		4635	50		4660	32A		4685	No Pattern	
4611	40		4636	121		4661	119		4686	43A	
4612	40		4637	178		4662	119		4687	50B	
4613	40		4638	118		4663	119		4688	43A	
4614	40		4639	43		4664	183		4689	46	
4615	74		4640	43A		4665	183		4690	46	
4616	142		4641	158		4666	50		4691	43A	
4617	43		4642	113		4667	141		4692	45B	
4618	43		4643	7A		4668	119		4693	45A	
4619	43		4644	40		4669	43		4694	19A	
4620	45		4645	45		4670	119		4695	19A	
4621	173		4646	45B		4671	50E		4696	43A	
4622	40		4647	44		4672	142		4697	43A	
4623	43		4648	31		4673	43A		4698	2	
4624	144		4649	19A		4674	43A		4699	43A	
4625	43A		4650	167		4675	No Pattern		4700	35	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
4701	35		4726	162		4751	160		4776	66	
4702	35		4727	187		4752	148		4777	140	
4703	150		4728	90		4753	148		4778	7A	
4704	7A		4729	4368½		4754	148		4779	66	
4705	54		4730	132		4755	148		4780	199	
4706	196		4731	90		4756	148		4781	171	
4707	161		4732	182		4757	150		4782	45A	
4708	124		4733	194		4758	150		4783	165	
4709	187		4734	150		4759	150		4784	19A	now 57580
4710	150		4735	149		4760	150		4785	222	
4711	128E		4736	165		4761	148		4786	50A	
4712	203		4737	222		4762	21B		4787	150	
4713	147		4738	152		4763	196		4788	32A	
4714	69		4739	69		4764	156 148		4789	32A	
4715	183		4740	28		4765	85		4790	150	
4716	149		4741	160		4766	182		4791	7B	
4717	145		4742	69		4767	161		4792	199	
4718	90		4743	179		4768	196		4793	168	
4719	222		4744	197		4769	35A		4794	141	
4720	119		4745	7B		4770	50B		4795	171	
4721	202		4746	173		4771	173		4796	144	
4722	159		4747	151		4772	0722		4797	171	now 0371½
4723	159		4748	21B		4773	66		4798	2	
4724	208		4749	126B		4774	66		4799	172	
4725	222		4750	177		4775	66		4800	21A	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

SPECIAL CORBIN HARDWARE

4801

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
4801			4826	7B		4851		1020 1074 840 } for dg	4876	126 D	
4802			4827	109		4852			4877	3 Y C	
4803			4828	109		4853	144		4878	126 D	
4804			4829			4854	143		4879	126 D	
4805	45B		4830			4855	144		4880	50 C	
4806			4831			4856			4881		
4807	147		4832	181		4857	126 D		4882	128a	
4808			4833			4858			4883	128a	312 326 235 } ea
4809			4834			4859	126 D		4884	128a	629 620 450 } four
4810			4835			4860	146		4885	50 C	
4811	190		4836	45B		4861	210		4886		
4812	210		4837	45B		4862			4887		
4813			4838			4863			4888		
4814			4839	50 C		4864	126 E		4889	210	
4815	50 C		4840			4865			4890	45B.	
4816			4841	168a		4866	126 E		4891	143	420 765 540 } four dg
4817			4842			4867			4892	144	
4818			4843	45B.		4868			4893	45B	
4819	7B		4844			4869	45B		4894	32B.	
4820			4845			4870	144		4895	126 E	
4821			4846			4871	177		4896		
4822	50 C		4847	143		4872			4897	126 E	
4823			4848	142		4873	45B.		4898	50 C	
4824	50 C		4849	142	900 900 675 } four dg	4874			4899	144a	
4825			4850	144		4875			4900	175	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
4901	148		4926	208		4951	No Pattern		4976	136 6	
4902	153		4927	No Pattern		4952	149		4977	198	
4903	153		4928	45B		4953	163B		4978	178	
4904	150		4929	0583¼		4954	159	Now Type I	4979	7B	
4905	147A		4930	153		4955	130		4980	187	
4906	208		4931	156		4956	192		4981	187	
4907	85		4932	21A		4957	7B		4982	148	
4908	149		4933	7B		4958	155		4983	154	
4909	105		4934	8B		4959	187		4984	7A	
4910	152		4935	163F		4960	131		4985	198	
4911	163E		4936	50C		4961	45B		4986	148	
4912	2594		4937	205		4962	7B		4987	203	
4913	150		4938	205		4963	184		4988	32A	
4914	No Pattern		4939	129		4964	109		4989	164	
4915	141		4940	163		4965	109		4990	149	
4916	21A	Now 77584	4941	163		4966	147		4991	164	
4917	8B		4942	56		4967	169		4992	164	
4918	8A		4943	127		4968	105		4993	164	
4919	170	Now 0372½-7"	4944	162		4969	136 6		4994	164	
4920	170	Now 0372½-8"	4945	222		4970	173		4995	164	
4921	180		4946	780-870		4971	152		4996	147A	
4922	8A		4947	127		4972	204		4997	109	
4923	161		4948	127		4973	205		4998	150	
4924	139C		4949	127		4974	121		4999	81	
4925	175		4950	195		4975	6-136		5000	126A	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
5001	144A		5026	45C		5051	144B		5076	50D	
5002	183A		5027	45C		5052	No Pattern		5077	7C	
5003	144A		5028	220		5053	50D		5078	45E	
5004	144A		5029	145A		5054	32C		5079	7C	
5005	No Pattern		5030	214		5055	45D		5080	7C	
5006	21D		5031	144B		5056	50E		5081	45C	
5007	218		5032	216		5057	50E		5082	45D	
5008	21B		5033	216		5058	45C		5083	45C	
5009	No Pattern		5034	No Pattern		5059	50D		5084	128D	
5010	50C		5035	50E		5060	50D		5085	128D	
5011	50C		5036	45C		5061	50D		5086	32C	
5012	126D		5037	45C		5062	213		5087	50D	
5013	144B		5038	45D		5063	50E		5088	128D	
5014	21B		5039	45D		5064	50E		5089	128D	
5015	144B		5040	45C		5065	50D		5090	128D	
5016	50D		5041	45C		5066	50D		5091	45C	
5017	45C		5042	144B		5067	45D		5092	45C	
5018	50D		5043	221		5068	45D		5093	213	
5019	50D		5044	128H		5069	50E		5094	145A	
5020	50D		5045	45C		5070	144C		5095	80405	
5021	45C		5046	50E		5071	50E		5096	80455	
5022	220		5047	144C		5072	45D 144B		5097	220	
5023	50E		5048	144C		5073	128C		5098	128G	
5024	No Pattern		5049	220		5074	45C		5099	127A	
5025	50D		5050	220		5075	144B		5100	8A	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
5101	186		5126	11C		5151	85		5176	567¾	
5102	222		5127	224		5152	35A		5177	220	
5103	168		5128	176		5153	210		5178	226	
5104	222		5129	137		5154	131		5179	203	
5105	160		5130	199		5155	225		5180	158	
5106	183		5131	141		5156	225		5181	224	
5107	208		5132	135		5157	222		5182	163C	
5108	199		5133	226		5158	138		5183	200	
5109	163E		5134	137		5159	76		5184	7B	
5110	163E		5135	136		5160	195		5185	128	
5111	166		5136	137		5161	185		5186	73	
5112	148B		5137	137		5162	121		5187	226	
5113	121		5138	136		5163	197		5188	224	
5114	166		5139	137		5164	21B		5189	204	
5115	7A		5140	136		5165	199		5190	163C	
5116	227	Now 2669	5141	225		5166	35A		5191	128A	
5117	Reg.No. 2669		5142	223 156		5167	6		5192	35A	
5118	155		5143	224		5168	185		5193	179	
5119	35A		5144	224 227		5169	172		5194	7B	
5120	121		5145	156		5170	101		5195	224	
5121	11C		5146	11C		5171	11C		5196	163B	
5122	11C		5147			5172	212		5197	7B	
5123	105		5148	163F		5173	212		5198	184	
5124	8A		5149	163F		5174	161		5199	123	
5125	11C		5150	163F		5175	161		5200	27A	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
5201	27A		5226	220		5251	45D		5276	127A	
5202	168C		5227	145A		5252	45D		5277	147B	
5203	145A		5228	45D		5253	45D		5278	147B	
5204	21D		5229	221		5254	45D		5279	147B	
5205	50E		5230	144C		5255	50E		5280	45E	
5206	218		5231	145A		5256	7D		5281	Reg.No 1009	
5207	50D		5232	144C		5257	45D		5282	Reg.No 80456	
5208	50D		5233	45D		5258	168C		5283	147B	
5209	45D		5234	168C		5259	50E		5284	Reg.No. 1010	
5210	45D		5235	171A		5260	217		5285	45E	
5211	7D		5236	50E		5261	217		5286	7E	
5212	7D		5237	50E		5262	128F		5287	45E	
5213	144C		5238	50E		5263	128F		5288	45E	
5214	218		5239	7E		5264	45C		5289	50F	
5215	27A		5240	7E		5265	128 G		5290	144D	
5216	45D		5241	7D		5266	45D		5291	50F	
5217	45C		5242	45C		5267	7E		5292	204D	
5218	45C		5243	50E		5268	45E		5293	143A	
5219	21D		5244	7D		5269	147B		5294	50F	
5220	21D		5245	50E		5270	215 A		5295	50F	
5221	45C		5246	45C		5271	45E		5296	143A	
5222	45C		5247	112A		5272	45E		5297	144D	
5223	45D		5248	7D		5273	45E		5298	50F	
5224	216		5249	50E		5274	45E		5299	143A	
5225	50E		5250	171A		5275	45E		5300	179	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
5301	128A		5326	128A		5351	144A		5376	7D	
5302	126A		5327	201		5352	197		5377	35B	
5303	128A		5328	128A		5353	210		5378	21C	
5304	212		5329	121		5354	126E		5379	126E	
5305	184		5330	182		5355	186		5380	139D	
5306	128A		5331	128A		5356	21B		5381	32C	
5307	128A		5332	204		5357	186		5382	144B	
5308	163E		5333	128A		5358	126C		5383	152A	
5309	163E		5334	139A		5359	197A		5384	139D	
5310	90		5335	222		5360	223		5385	144B	
5311	163F		5336	6		5361	198A		5386	152A	
5312	163E		5337	163E		5362	225		5387	150B	
5313	182		5338	7C		5363	126B		5388	214	
5314	168A		5339	50E		5364	128F		5389	21C	
5315	163E		5340	144A		5365	150B		5390	No Pattern	
5316	191		5341	163D		5366	226		5391	126E	
5317	170		5342	227 138		5367	217		5392	152A	
5318	212		5343	126E		5368	150B		5393	21C	
5319	181		5344	217		5369	175A		5394	21C	
5320	145A		5345	226		5370	139D		5395	128B	
5321	128A		5346	168A		5371	Reg.No. 688	Now 68884	5396	21C	
5322	163F		5347	128D		5372	147A		5397	152A	
5323	163F		5348	126E		5373	50D		5398	7C	
5324	27A		5349	214		5374	227		5399	7C	
5325	128A		5350	126E		5375	216		5400	220	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
5401	128H		5426	168B		5451	163G		5476	179A	
5402	168C		5427	168B		5452	226		5477	128E	
5403	138A		5428	145A		5453	220		5478	147B	
5404	217		5429	152A		5454	128F		5479	179A	
5405	217		5430	27A		5455	128J		5480	216	
5406	144C		5431	163G		5456	128G		5481		
5407	150B		5432	152A		5457	45D		5482	45E	
5408	138A		5433	128E		5458	228		5483	45E	
5409	217		5434	128G		5459	198A		5484	223	
5410	216		5435	197A		5460	148B		5485	128K	
5411	218		5436	198A		5461	217		5486	45E	
5412	45C		5437	219		5462	217		5487	163J	
5413	168B		5438	198A		5463	217		5488	7E	
5414	144C		5439	145A		5464	148B		5489	163J	
5415	163G		5440	152A		5465	152A		5490	163J	
5416	163G		5441	198A		5466	163G		5491	127A	
5417	221		5442	145A		5467	217		5492	127A	
5418	212A		5443	150B		5468	217		5493	228	
5419	198A		5444	152A		5469	217		5494	170A	
5420	No Pattern		5445	150B		5470	221		5495		
5421	7D		5446	152A		5471	163G		5496	163H	
5422	128E		5447	128H		5472	224		5497	170A	
5423	128J		5448	145A		5473	7D		5498	170A	
5424	224		5449	21D		5474	147B		5499	45E	
5425	218		5450	128I		5475	179A		5500	21D	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
5501	219		5526	144B		5551	151A		5576	150A	
5502	32C		5527	220		5552	214		5577	213	
5503	145A		5528	139D		5553	216		5578	151A	
5504	213		5529	32C		5554	144B		5579	150A	
5505	151A		5530	213		5555	148B		5580	171A	
5506	151A		5531	7C		5556	128C		5581	213	
5507	7C		5532	168C		5557	151A		5582	144B	
5508	217		5533	215		5558	168C		5583	145A	
5509	213		5534			5559	227		5584	225	
5510	7C		5535	128B		5560	112A		5585	218	
5511	139D		5536	50D		5561	50D		5586	128C	
5512	144B		5537	168C		5562	215		5587	224	
5513	151A		5538	168C		5563	128B		5588	7C	
5514	144B		5539	128C		5564	45C		5589	219	
5515	144B		5540	128C		5565	175A		5590	219	
5516	175A		5541	226		5566	128C		5591	219	
5517	213		5542	128C		5567	220		5592	219	
5518	175A		5543	144B		5568	21C		5593	214	
5519	175A		5544	7D		5569	128C		5594	32C	
5520	151A		5545	197A		5570	216		5595	50D	
5521	150A		5546	197A		5571	No Pattern		5596	148B	
5522	144B		5547	32C		5572	223		5597	198A	
5523	21C		5548	215		5573	151A		5598	139D	
5524	144B		5549	168C		5574	128C		5599	073¼	
5525	No Pattern		5550	220		5575	213		5600	50E	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
5601	50E		5626	150B		5651	144C		5676	128E	
5602	220		5627	45C		5652	175A		5677	216	
5603	152A		5628	144C		5653	220		5678	216	
5604	150B		5629	163G		5654	171A		5679	168B	
5605	197A		5630	163G		5655	7D		5680	148B	
5606	128G		5631	198A		5656	218		5681	152A	
5607	128G		5632	163G		5657	128F		5682	144C	
5608	148B		5633	163G		5658	216		5683	168C	
5609	148B		5634	128G		5659	148B		5684	128H	
5610	128I		5635	128F		5660	148B		5685	128H	
5611	128I		5636	198A		5661	163G		5686	128H	
5612	220		5637	218		5662	163G		5687	150B	
5613	145A		5638	225		5663	163G		5688	128H	
5614	152A		5639	31A		5664	220		5689	128H	
5615	145A		5640	212A		5665	221		5690	7D	
5616	50E		5641	179A		5666	144C		5691	150B	
5617	128I		5642	215A		5667	144C		5692	150B	
5618	152A		5643	128D		5668	148B		5693	128H	
5619	226 220		5644	No Pattern		5669	145A		5694	163H	
5620	144C		5645	7E		5670	148B		5695	7E	
5621	32		5646	147B		5671	216		5696	147B	
5622	32		5647	147B		5672	128G		5697	204A	
5623	7D		5648	147B		5673	179A		5698	163H	
5624	220		5649	171A		5674	163G		5699	163H	
5625	45C		5650	128E		5675	No Pattern		5700	225	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
5701	215		5726	221		5751	213		5776	27A	
5702	148B		5727	138A		5752	216		5777	128D	
5703	225		5728	139D		5753	213		5778	214	
5704	225		5729	7D		5754	45D		5779	144C	
5705	139B		5730	150B		5755	143A		5780	213	
5706	214		5731	139D		5756	213		5781	151A	
5707	128C		5732	198A		5757	213		5782	215	
5708	148A		5733	151A		5758	128D		5783	7C	
5709	128J		5734	150A		5759	No Pattern		5784	151A 148A	
5710	197A		5735	151A		5760	144B		5785	128B	
5711	27A		5736	150A		5761	214		5786	168C	
5712	148A		5737	148A		5762	216		5787	171A	
5713	61¾Y -5x5		5738	213		5763	148A		5788	148A	
5714	61¾Y-4x4		5739	128B		5764	214		5789	150A	
5715	128C		5740	220		5765	213		5790	7D	
5716	216 213		5741	128C		5766	139D		5791	214	
5717	128B		5742	128C		5767	213		5792	151A	
5718	148A		5743	150A		5768	151A		5793	222	
5719	198A		5744	128B		5769	152A		5794	7D	
5720	7C		5745	148A		5770	21D		5795	144B	
5721	128B		5746	7C		5771	27A		5796	144B	
5722	144C		5747	144B		5772	150B		5797	32C	
5723	150A		5748	197A		5773	151A		5798	215	
5724	229		5749	50D		5774	148A		5799	27A	
5725	219		5750	144B		5775	35B		5800	163H	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
801	7E		5826	163H		5851	215A		5876	147B	
802	163J		5827	7E		5852	228		5877	163J	
803	128K		5828	204A		5853	7E		5878	163J	
804	179A		5829	204A		5854	127A		5879	127A	
805	002359		5830	7E		5855	50F		5880	31A	
806	163H		5831	45E		5856	163H		5881	31A	
807	212A		5832	31A		5857	163H		5882	215A	
808	127A		5833	212A		5858	163H		5883	31A	
809	163I		5834	215A		5859	163H		5884	179A	
810	163J		5835	127A		5860	163H		5885	7B	
811	163I		5836	127A		5861	179A		5886	204A	
812	215A		5837	163H		5862	7A		5887	147B	
813	215A		5838	7E		5863	204A		5888	45E	
814	163I		5839	204A		5864	163H		5889	163J	
815	163I		5840	7E		5865	147B		5890	163H	
816	163I		5841	204A		5866	204A		5891	128K	
817	163I		5842	212A		5867	No Pattern		5892	128K	
818	163H		5843	228		5868	228		5893	128L	
819	41		5844			5869	163I		5894	128K	
820	163J		5845			5870	228		5895	147B	
821	163J		5846			5871	7E		5896	221A	
822	204A		5847			5872	112A		5897	147B	
823	127A		5848	204A		5873	212A		5898	212A	
824	112A		5849	228		5874	No Pattern		5899	212A	
825	163H		5850	163H		5875			5900	198A	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
5901	139D		5926	216		5951	215		5976	221	
5902	128H		5927	220 7C		5952	226		5977	163G	
5903	213		5928	218		5953	198A		5978	217	
5904	216		5929	198A 144B		5954	27A		5979	145A	
5905	216		5930	220		5955	128I		5980	170	
5906	148A		5931	No Pattern		5956	163G		5981	128E	
5907	128I		5932	163G		5957	163G		5982	128J	
5908	7C		5933	226		5958	144C		5983	163J	
5909	128B		5934	223		5959	198A		5984	144C	
5910	223		5935	168B		5960	152A		5985	218	
5911	225		5936	168B		5961	216		5986	163J	
5912	223		5937	217		5962	150B		5987	171A	
5913	214		5938	213		5963	128H		5988	145A	
5914	163G		5939	163J		5964	7D		5989	168C	
5915	151A		5940	223		5965	35B		5990	145A	
5916	163G		5941	145A		5966	150B		5991	220	
5917	163G		5942	7C		5967	198A		5992	220	
5918	198A		5943	128F		5968	45D		5993	220	
5919	180D		5944	128B		5969	145A		5994	128F	
5920	21D		5945	138A		5970	35B		5995	144C	
5921	148A		5946	138A		5971	27A		5996	217	
5922	148A		5947	138A		5972	128J		5997	128J	
5923	7C		5948	213		5973	220		5998	168C	
5924	223 148A		5949	168B		5974	163G		5999	7D	
5925	216		5950	225		5975	144C		6000	144D	

* Prefix S to all numbers in this column.

† A number printed in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
6001	221B		6026			6051	144D		6076		
6002	221B		6027	204D		6052	221B		6077		
6003	50F		6028	7E		6053	221B		6078		
6004	212B		6029	No Pattern		6054	31B		6079		
6005	50F		6030	50F		6055	144D		6080		
6006			6031	144D		6056	144D		6081		
6007	127B		6032	50F		6057	Marine 5309		6082		
6008	140A		6033	7F		6058	212B		6083		
6009	212B		6034			6059			6084		
6010	144D		6035	7F		6060	143A		6085		
6011	144D		6036	31B		6061	44		6086		
6012	143A		6037	221B		6062	Marine 5711		6087		
6013	144D		6038	204D		6063	2		6088		
6014	50F		6039	140A		6064			6089		
6015	50F		6040	143A		6065			6090		
6016	143A		6041	50F		6066			6091		
6017	128L		6042	50F		6067			6092		
6018	50F		6043	144D		6068			6093		
6019	144D		6044	137A		6069			6094		
6020	144D		6045	144D		6070			6095		
6021	144D		6046	143A		6071			6096		
6022	31B		6047	7F		6072			6097		
6023			6048	7F		6073			6098		
6024	50F		6049	50F		6074			6099		
6025	143A		6050			6075			6100		

* Prefix S to all numbers in this column.

† A regular number written in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
6101	128L		6126	163I		6151	163I		6176	215A	
6102	45E		6127	204A		6152	163I		6177	112A	
6103	45E		6128	127A		6153	50F		6178	7E	
6104	147B		6129	163I		6154	112A		6179		
6105	45E		6130	7C		6155	112A		6180		
6106	147B		6131	170A		6156	112A		6181		
6107	179A		6132	170A		6157	163I		6182		
6108	163I		6133	170A		6158	228		6183		
6109	128K		6134	170A		6159	228		6184	140A	
6110	212A		6135	170A		6160	140A		6185	207A	
6111	163H		6136	163H		6161	163I		6186		
6112	7C		6137	163I		6162	215A		6187	140A	
6113	163I		6138	204A		6163	163J		6188	143A	
6114	163J		6139	127A		6164	215A		6189	240A	
6115	163I		6140	212B		6165	143A		6190	229	
6116			6141	163H		6166	163I		6191	7F	
6117	128K		6142	170A		6167	163I		6192	204B	
6118			6143	128K		6168	11C		6193	50F	
6119	216		6144	127A		6169	11C		6194	151B	
6120	163J		6145	163H		6170	112A		6195	151B	
6121	163H		6146	211A		6171	151B		6196	7F	
6122	163H		6147	212A		6172	7E		6197	143A	
6123	204A		6148	221A		6173	170		6198	229	
6124	170A		6149			6174	228		6199	229	
6125	221A		6150	228		6175	31A		6200	204B	

* Prefix S to all numbers in this column.

† A regular number written in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
6201	207A		6226	128L		6251			6276	207A	
6202	31B		6227	150C		6252			6277	140A	
6203	218A		6228	50F		6253	136		6278	140A	
6204	127B		6229	163K		6254	229		6279	150C	
6205			6230	221B		6255	204D		6280	212B	
6206	212B		6231	221B		6256	207A		6281	150C	
6207	170		6232	171		6257	140A		6282		
6208	143A		6233	150C		6258	144D		6283	204D	
6209	150C		6234	163K		6259	31B		6284	221B	
6210	127B		6235	150C		6260			6285	204B	
6211	127B		6236	204D		6261	No Pattern		6286		
6212	229		6237	207A		6262	"		6287	204C	
6213	207A		6238	198B		6263			6288	212B	
6214	229		6239	150C		6264	151B		6289	229	
6215	140A		6240	229		6265	151B		6290	127B	
6216	7F		6241	163K		6266	143A		6291	163K	
6217	229		6242	143A		6267	207A		6292	163K	
6218			6243	221B		6268	7F		6293	212B	
6219	150C		6244	212B		6269	32		6294	151B	
6220	150C		6245	50F		6270	128L		6295	212B	
6221	212B		6246	163K		6271			6296	137A	
6222	140A		6247	207A		6272	150C		6297	7F	
6223	151B		6248			6273	212B		6298	7F	
6224	218A		6249	229		6274	150C		6299	7F	
6225	151B		6250	212B		6275	151B		6300	163K	

* Prefix S to all numbers in this column.

† A regular number written in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
6301	150C		6326	140A		6351	163K		6376		
6302			6327	212B		6352	212B		6377	150C	
6303	150C		6328	140A		6353	150C		6378	198B	
6304	212B		6329	198B		6354	212B		6379	198B	
6305	150C		6330	143A		6355	144D		6380	218A	
6306	140A		6331	7F		6356	163K		6381	218A	
6307	6		6332	144D		6357	143A		6382		
6308	140A		6333	229		6358	143A		6383	198B	
6309	128L		6334	151B		6359	7A		6384	144D	
6310	127B		6335			6360	198B		6385		
6311	204B		6336			6361	198B		6386	198B	
6312	143A		6337	163K		6362	198B		6387	163K	
6313	140A		6338	137A		6363	198B		6388	204D	
6314	204B		6339	127B		6364	151B		6389	204D	
6315	150C		6340	137A		6365	198B		6390		
6316	218A		6341			6366			6391	198B	
6317			6342			6367			6392	144D	
6318	137A		6343	204C		6368			6393	151B	
6319			6344	212B		6369	151B		6394	198B	
6320	163K		6345	229		6370	207A		6395		
6321	163K		6346	7F		6371	212B		6396	7F	
6322	207A		6347	No Withdrawn		6372	50F		6397	137A	
6323	128L		6348	150C		6373	198B		6398	31B	
6324			6349	50F		6374	212B		6399	7F	
6325			6350	50F		6375	198B		6400	127B	

* Prefix S to all numbers in this column.

† A regular number written in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
6401			6426	137A		6451	204C		6476		
6402	151B		6427	151B		6452	151B		6477		
6403	31B		6428			6453	144D		6478		
6404	7F		6429			6454			6479	Marine 5769-$\frac{3}{4}$"	
6405	7F		6430	144D		6455	212B		6480	221B	
6406			6431	Marine 5742		6456	Marine 5553		6481	7F	
6407			6432	5900 $2\frac{1}{2}$x3		6457	204D		6482	212B	
6408	6		6433	5900 3x3		6458	7F		6483	151B	
6409			6434	5900 3x4		6459	Marine 5262		6484	140A	
6410	163K		6435	5900 $3\frac{1}{2}$x2-7/8		6460	5900 3x$1\frac{3}{4}$		6485		
6411	143A		6436	5900 $3\frac{1}{2}$x$3\frac{1}{2}$		6461			6486		
6412	144D		6437	5900 4x4		6462	5900 $3\frac{1}{2}$x$2\frac{1}{4}$		6487		
6413	151B		6438			6463	5900 $1\frac{3}{4}$x$1\frac{1}{2}$		6488		
6414			6439	201		6464	5900 2x3		6489	143A	
6415	150C		6440			6465	5900 $3\frac{1}{2}$x3		6490	229	
6416	5900 3x2		6441	163K		6466			6491	151B	
6417	5900 3x$2\frac{1}{2}$		6442	150C		6467	212B		6492		
6418	5900 $1\frac{1}{2}$x1		6443	31B		6468	204B		6493		
6419	5900 $1\frac{1}{2}$x2		6444	204C		6469	Marine 5769-$1\frac{1}{2}$		6494		
6420	5900 2x$1\frac{1}{2}$		6445	201		6470	151B		6495	151B	
6421	5900 2x2		6446			6471			6496	204D	
6422	5900 2x$2\frac{1}{2}$		6447	Marine 5574		6472			6497		
6423	5900 $2\frac{1}{2}$x$1\frac{3}{4}$		6448	163K		6473			6498	204D	
6424	5900 $2\frac{1}{2}$x2		6449	7B		6474			6499		
6425	5900 $2\frac{1}{2}$x$2\frac{1}{2}$		6450	151B		6475			6500		

* Prefix S to all numbers in this column.

† A regular number written in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
6501			6526			6551			6576		
6502			6527			6552			6577		
6503			6528			6553			6578		
6504			6529			6554			6579		
6505			6530			6555			6580		
6506			6531			6556			6581		
6507			6532			6557			6582		
6508			6533			6558			6583		
6509			6534			6559			6584		
6510			6535			6560			6585		
6511			6536			6561			6586		
6512			6537			6562			6587		
6513			6538			6563			6588		
6514			6539			6564			6589		
6515			6540			6565			6590		
6516			6541			6566			6591		
6517			6542			6567			6592		
6518			6543			6568			6593		
6519			6544			6569			6594		
6520			6545			6570			6595		
6521			6546			6571			6596		
6522			6547			6572			6597		
6523			6548			6573			6598		
6524			6549			6574			6599		
6525			6550			6575			6600		

* Prefix S to all numbers in this column.

† A regular number written in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
6601			6626			6651			6676		
6602			6627			6652			6677		
6603			6628			6653			6678		
6604			6629			6654			6679		
6605			6630			6655			6680		
6606			6631			6656			6681		
6607			6632			6657			6682		
6608			6633			6658			6683		
6609			6634			6659			6684		
6610			6635			6660			6685		
6611			6636			6661			6686		
6612			6637			6662			6687		
6613			6638			6663			6688		
6614			6639			6664			6689		
6615			6640			6665			6690		
6616			6641			6666			6691		
6617			6642			6667			6692		
6618			6643			6668			6693		
6619			6644			6669			6694		
6620			6645			6670			6695		
6621			6646			6671			6696		
6622			6647			6672			6697		
6623			6648			6673			6698		
6624			6649			6674			6699		
6625			6650			6675			6700		

* Prefix S to all numbers in this column.

† A regular number written in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
6701			6726			6751			6776		
6702			6727			6752			6777		
6703			6728			6753			6778		
6704			6729			6754			6779		
6705			6730			6755			6780		
6706			6731			6756			6781		
6707			6732			6757			6782		
6708			6733			6758			6783		
6709			6734			6759			6784		
6710			6735			6760			6785		
6711			6736			6761			6786		
6712			6737			6762			6787		
6713			6738			6763			6788		
6714			6739			6764			6789		
6715			6740			6765			6790		
6716			6741			6766			6791		
6717			6742			6767			6792		
6718			6743			6768			6793		
6719			6744			6769			6794		
6720			6745			6770			6795		
6721			6746			6771			6796		
6722			6747			6772			6797		
6723			6748			6773			6798		
6724			6749			6774			6799		
6725			6750			6775			6800		

* Prefix S to all numbers in this column.

† A regular number written in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
801			6826			6851			6876		
802			6827			6852			6877		
803			6828			6853			6578		
804			6829			6854			6879		
805			6830			6855			6880		
806			6831			6856			6881		
807			6832			6857			6882		
808			6833			6858			6883		
809			6834			6859			6884		
810			6835			6860			6885		
811			6836			6861			6886		
812			6837			6862			6887		
813			6838			6863			6888		
814			6839			6864			6889		
815			6840			6865			6890		
816			6841			6866			6891		
817			6842			6867			6892		
818			6843			6868			6893		
819			6844			6869			6894		
820			6845			6870			6895		
821			6846			6871			6896		
822			6847			6872			6897		
823			6848			6873			6898		
824			6849			6874			6899		
825			6850			6875			6900		

* Prefix S to all numbers in this column.

† A regular number written in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

NUMERICAL INDEX

NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE	NO.* S	PAGE†	PRICE
901			6926			6951			6976		
902			6927			6952			6977		
903			6928			6953			6978		
904			6929			6954			6979		
905			6930			6955			6980		
906			6931			6956			6981		
907			6932			6957			6982		
908			6933			6958			6983		
909			6934			6959			6984		
910			6935			6960			6985		
911			6936			6961			6986		
912			6937			6962			6987		
913			6938			6963			6988		
914			6939			6964			6989		
915			6940			6965			6990		
916			6941			6966			6991		
917			6942			6967			6992		
918			6943			6968			6993		
919			6944			6969			6994		
920			6945			6970			6995		
921			6946			6971			6996		
922			6947			6972			6997		
923			6948			6973			6998		
924			6949			6974			6999		
925			6950			6975			7000		

* Prefix S to all numbers in this column.

† A regular number written in this column indicates that the article is listed in the regular catalog under the number given and will not be illustrated herein.

S

CATALOGUE


P. & F. CORBIN,

NEW BRITAIN, CONN.


ILLUSTRATIONS OF GOODS MADE ESPECIALLY FOR CUSTOMERS' ORDERS, AND NOT INCLUDED IN THE REGULAR LINE.

FOR FACTORY AND OFFICE USE ONLY.


ca. 1911




S 2015 4 x 18
"Push" or "Pull"




S 1551 5 x 24
Columbia




S 1551 5 x 24
Columbia



S 382 4½ x 24
S 520 3½ x 16
S 4180 3½ x 20
Columbia




S 1595 4½ x 16
Columbia



S 1138 4 x 16
Royal



S 580 3 x 20




"Push" or "Pull"
S 733 3½ x 10
Rope




S 3396 1½ x 4
"Pull"




S 3396 1½ x 4
"Push"




S 3493 2¾ x 3½
Oakland




S 1819 4 x 4




S 3319 $1\frac{5}{16}$ x $2\frac{5}{8}$




S 3317 $1\frac{5}{16}$ x $2\frac{5}{8}$




S 3494 2¾ x 3½
Oakland



S 3246 4 x 3¾
Albany




S 3924 3½ x 5½
"Push" or "Pull"




S 3251 4 In. Dia.




S 756 3½ x 12
S 783 4 x 24
S 1770 3 x 12




S 3339 3½ x 19½
S 1827 3½ x 19½




S 2559 4 x 20




S 438 4⅛ x 15⅝
S 439 5 x 18




S 630 3 x 10½




S 4010 4 x 16



S 3933 5 x 18
Quincy




S 32 2 x 12
Rope




S 3205 4⅛ x 15
Nurnburg




S 3973 3⅝ x 21
Corfu




S 4019 4 x 16




S 1316 4 x 15
Hudson




S 4423 3¼ x 13
Jefferson




S 1641 4 x 10½
Lexington




S 286 8 x 18




S 1599 4 x 18




S 343 5 x 20
Kent




S 465 4 x 20




S 2433 4½ x 17½




S 1613 3½ x 14




S 1565 3⅝ x 19¼
Brooklyn




S 2988 4 x 21¼
Sparta




S 358 4¼ x 25½
S 363 4¼ x 17½




S 721 3 x 18
S 1152 2½ x 12½
New York




S 280 4¼ x 24
S 1773 4 x 28¼




S 560 3 x 16½




S 409 3 x 18½
S 1184 3 x 18½




S 3870 4 x 28
Lyons




S 184 3⅜ x 21
Toulon




S 2325 2¼ x 15
Olympus




S 623 4½ x 18¼



S 1294 4 x 22
S 1298 4 x 22



S 3664 5 x 24




S 1762 3 x 13½




S 3154 3 x 18
Cordova




S 3456 4½ x 24




S 2200 4 x 24




S 1502 2⅜ x 15
Passy




S 3694 4 x 17⅛




S 3809 4 x 18




S 1508 2⅜ x 3⅜
S 2386 2¼ x 13
Attica




S 302 3 x 20
Serilly




S 1438 4¼ x 23¾




S 1579 3 x 16½




S 527 3¼ x 18
Dresden




S 3475 3 x 19
S 3478 Emblem




S 3489 4⅜ x 19




S 1623 1¾ x 7
S 1624 3 x 13¾




S 1167 3 x 14½
Floretta




S 3047 4 x 16



S 536 3¼ x 17
Pavia




S 3239 4¼ x 18




S 345 4 x 18




S 980 3½ x 15¼




S 1255 4½ x 24




S 1387 3⅞ x 10
Imperial




S 983 3 x 10
Lutetia




S 3838 3½ x 16⅝



S 1693 4½ x 15
Arco



S 3199 3½ x 12




S 3033 4 x 12




S 2904 5½ x 36
R. and L. Hand




S 2023 3 x 24
Venice




S 290 3⅜ x 16⅞
S 291 3¼ x 13



S 1188 3½ x 16




S 741 4 x 18½



S 1399 2⅜ x 11
Naples




S 1394 x 4¼ 22




S 16 3⅜ x 18½




S 1406 4 x 20¼




S 2482 4 x 18
S 3725 4 x 20



S 1480 4 x 14




S 45 3½ x 24
Florence




S 406 3¼ x 14
Trianon




S 1734 4¼ x 15




S 3186 2¼ x 11¼
Lutetia




S 2261 3¼ x 15½
Utrecht




S 2990 3½ x 16⅝
Tivoli




S 1600 4¼ x 13




S 4150 2⅝ x 11⅝
Imperial




S 1408 4 x 15




S 3884 4 x 16




S 1134 3½ x 15
S 1757 4⅜ x 28
S 1778 3½ x 24
S 2560 4 x 20
S 3387 2⅜ x 16
S 3936 3 x 15




S 1376 4 x 12
S 1377 3⅜ x 16
S 1378 3¼ x 16
S 1380 3 x 8
S 3182 6 x 30
S 3328 2⅜ x 15
America




S 2390 4 x 12
S 2737 2½ x 11
S 3337 3 x 12
S 3791 4 x 20
S 3996 3¼ x 15
Albany




S 1580 4 x 12
S 2032 4 x 16
S 2771 4 x 24
S 3702 5 x 30
S 3513 4 x 28
S 4223 4 x 20
S 4269 4½ x 10
S 4270 4⅛ x 24
S 4349 5 x 16
Oakland




S 2273 4 x 14
S 3430 4 x 16¼
S 3431 4 x 6⅜
S 3998 2⅞ x 8½
S 4277 4 x 36
S 4278 4 x 12
S 4289 3½ x 12
S 4290 6¼ x 12




S 407 2⅜ x 2⅜
S 776 4 x 20
S 1292 7½ x 24
S 1701 3½ x 24
S 1716 5 x 24
S 1769 6¼ x 24¼
S 2337 3 x 12
Royal




S 42 4 x 22⅜
S 2313 3⅞ x 15½
S 2504 2 x 7⅛
S 2703 3¼ x 18
Corinth




S 1339 3 x 18
S 1961 4 x 12
S 1965 2⅜ x 18
Washington




S 522 3¼ x 20
S 529 4 x 20
S 2319 3¼ x 19¼
Olympus




S 2839 4½ x 20
S 2894 3½ x 10
S 3134 2⅜ x 13




S 742 3½ x 14
S 2062 3½ x 18
Carrara




S 883 4 x 17
S 3555 4 x 20
Duxbury



S 43 4 x 29¼
S 206 5 x 24
S 2764 2½ x 11
Moresque




S 3585 Base 17¾ x 28½




S 3099 8½ x 33½
" 8½ x 31½
" 8½ x 29½
" 8½ x 25½
S 3752 11 x 29




S 2262 2¼ x 10
S 2460 3⅛ x 11⅛
Regina




S 3937 3 x 17
Tyrol



S 903 3½ x 16¼
S 2633 3½ x 20
Boston




S 3573 3⅜ x 22⅜
S 3795 3⅜ x 24
Amiens




S 1933 3⅝ x 12¼
S 2787 3½ x 15
Ercolano




S 3857 3¼ x 27⅜
S 4280 3¼ x 20
S 4281 3¼ x 12




S 705 1¼ x 3
Monroe




S 4238 3¼ x 16
S 3837 Emblem




S 920 5 x 30




S 4283 4¼ x 15⅝
Meander




S 841 3½ x 10⅜
S 2715 1⅞ x 6¾
Como



S 2411 4 x 15
Puritan



S 1980 4¼ x 45¼




S 3413 9 x 15

PUSH


S 1474 1¼ "Push"
S 3041 1¼ INTOL
Letters

PULL


S 1603 1⅛ In.




S 303 2 x 4




S 180 2½ x 5
S 717 3½ x 14½



S 4442 3 x 11⅞
S 4443 3 x 10 5/16




S 3763 2¼ x 8⅝
Lyons




S 4439 4 x 19
S 4451 4 x 13¼
Lyons




S 4320 4 x 29¼
Lyons




S 4584 4 x 16




S 3608 3¼ x 3½



S419 7 x 36




S 4309 5 x 22
Hampden




S 4085 4⅝ x 13⅞




S 1215 2¾ x 3½
on 5066 4 x 22¾




S 4447 3 x 10⅛




S 4465 3 x 15




S 4550 4 x 24
Arco




S 4603 4 x 16




S 4552 5 x 19¼




S 4704 3 x 12




S 4643 3½ x 14
Y & T Hingham




S 3264 3 x 8¾




S 2697 1½ x 6




S 4466 4⅛ x 18




S 23 2¼ x 11




S 4957, 5 x 16 in.
Also furnished with word "Push"
Oakland




S 1580, 4 x 12 in.




S 1781, 4 x 16 in.
S 1770, 3 x 12 in.
S 756, 3¾ x 12⅛ in.
S 2331, 4 x 10 in. with Studs
S 4979, 4 x 10 in. without Studs




S 2099, 3⅝ x 8½ in.
Washington




S 4933, 4 x 20 in.
Atlas




S 4962, 3½ x 16 in.
Standish




S 3351, 3½ x 14 in.
Royal




S 2514, 3⅝ x 18¼ in.
Trojan (New)




S 42, 4⅛ x 22½ in.
Trojan (Old)




S 2363, 3⅛ x 14⅜ in.
Lucca




S 2489, 5¼x 30 in.




S 5184, 4⅜x⅝20 in.




S 4826, 4 x 18 in.




S 4791, 3 x 15 in.
Montalto




S 4054, 4 x 16 in.




S 4745, 4½ in. wide
Ends for Glass Push Plate, Leonidas



S 5197, 1⅜ x 3½ in. (one piece)
S 4819 Frame x S 4809 Back, 1⅜ x 3½ in.
(Two Piece)




S 5194 1⅜ x 3½ in. (One Piece)
S 4819 Frame x S 4810 Back, 1⅜ x 3½ in.
(Two Piece)




S 2953 4 x 12 in.




S 5588 4½ x 24 in.
Oakland




S 5720 4 x 19 in.
Camden




S 5338 4 x 20 in.
S 5531 3 x 20 in.
S 5746 5 x 30 in.
Cosmos




S 5927 3 x 15 in.
Cumberland




S 339 $2\frac{3}{16}$ x $10\frac{3}{4}$ in.
Imperial




S 5942 3 x 15 in.
Fluted




S 5510 $3\frac{5}{8}$ x $12\frac{1}{4}$ in.
Corinth




S 5908 3 x 12 in.
Meander




S 5507 4 x 20 in.
Meander




S 4335 3 x 17½ in.
Brooklyn




S 5077 3½ x 14 in.




S 5398 3 x 12 in.




S 5399 3 x 14 in.



S 5079 3 x 12 in.
S 5080 4 x 17 in.




S 5923 $3\frac{1}{8}$ x 15 in.




S 5783 $3\frac{1}{4}$ x 20 in.
Amiens




S 3938 $2\frac{5}{8}$ x $10\frac{5}{8}$ in.
Tryol




S 5999 2¾ x 15 in.
Washington
Other sizes on page 6 and 7B



S 5964 2½ x 10½ in.
Columbia
Other sizes on pages 1,2,6,7B and 7C



S 5376 6 x 30 in.




S 5256 2 x 8⅞ in.
Puritan




S 5623 4 x 16 in.
Also made with word "Out" in sunken panel.
Oakland
Other sizes on pages 1, 6, 7B and 7C.




S 5421 3 x 15 in.
Atlas.
Other sizes on page 7B




S 5544 3 x 14 in.
Cosmos.
Other sizes on pages 7A & 7C




S 5655 3½ x 16 in.
Camden.
Other sizes on page 7C




S 5473 3 x 15 in.
Corfu.
Other sizes on page 2




S 5248 4 x 17 in.




S 5790 3⅜ x 16 in.
S 5794 3⅜ x 18 in.
Mentone.




S 5729 4 x 20⅜ in.




S 5244 4 x 20 in.
Fulda.




S 5211 3½ x 12 in.
S 5212 4 x 17⅜ in.




S 5690 3½ x 16 in.
Candia.
Other sizes on page 7




S 5241 3½ x 14⅛ in.




S 5239 3¾ x 17
Gothic.




S 5240 2¾ x 11½
Gothic.




S 5267 4 x 15




S 5286 4 x 24




S 5488 2½ x 9⅜ in.
Washington
S 5801 2¼ in. Finger Pull.




S 5645 3½ x 20¾
Warren.




S 5695 3½ x 21




S 5827 2⅞ x 15 Lyons
No. Covers Plate Only.




S 5830 3 x 15
Navarre




S 5838 3¼ x 22
Leicester.




S 5840 3¼ x 15




S 5853 2½ x 7½




S 5871 3½ x 14
America.




S 6172 3⅞ x 15 x $\frac{5}{16}$ in. High
7 Degree Bevel.




S 6178 3 x 10 x $\frac{3}{16}$ in. High
30 Degree Bevel.




S 6035 3¼ x 11 in.
S 6033 3⅝ x 16 in.
(Hamilton Co. Court House)



S 6191
2⅜ x 11½ in.



S 6196 3½ x 12 in.
Cumberland




S 6346 2⅜ x 8½ in.
S 6396 2⅜ x 9½ in.




S 6405 1¾ x 9½ in.
S 6404 1¾ x 6⅜ in.
Stockton




S 6481 2½ x 12 in.




S 6331 2 x 5¾ in.
Has Removable Back Plate
For No. 93½ Lock




S 6297 3 x 10¾ in. Cast
S 6298 2⅞ x 8⅞ in. "
S 6299 2½ x 7⅜ in. "




S 6458 3¼ x 10 in.
For S 6289 Lock




S 6216 3⅜ x 20 in.
S 6399 2¾ x 13½ in.
Blois




S 6028 2½ x 12 in.
Brighton




S 6047 1½ x 5½ in.
Bedford Cast




S 6048 1¼ x 4½ in.
Columbia




S 6268 3⅞ x 3⅞ in.
Lugs on Back for Mach. Screws for Fastening
No. 356¾ Lock on Opposite Side of Left Hand Door
America




S 1784




S 2182
S 3574
S 3901




S 3934



S 2967




S 3958




S 3385
S 3571
S 3581

No.	Marble	Door	For	Opening
S 1784	1⅜ in.	1⅜ in.	156½	In
S 2182	1⅛ in.	1⅛ in.	599	Out
S 2967	1⅛ in.	1¼ in.	156	In
			599	Out
S 3385	1¼ in.	1⅜ in.	Stop	Reversible
S 3571	1¼ in.	1¼ in.	157	In


No.	Marble	Door	For	Opening
S 3574	1⅜ in.	1⅛ in.	599	Out
S 3581	⅞ in.	1⅜ in.	654½	In
S 3901	1⅜ in.	1½ in.	595	Out
S 3934	1⅛ in.	1⅛ in.	595, 157	In
S 3958	1¼ in.	1 in.	595	In




S 2627




S 4294
S 4337
S 4435



S 2312




S 1808




S 4105
S 4288

No.	Marble	Door	For	Opening
S 1808	1½ in.	1¼ in.	156, 157	Out
S 2312	1⅛ in.	1⅛ in.	156	In
S 2627	1⅝ in.	1⅛ in.	728	Out
S 5105	1⅜ in.	1⅜ in.	157	In


No.	Marble	Door	For	Opening
S 4288	1⅛ in.	⅞ in.	157	In
S 4294	1¼ in.	1¼ in.	356	In
S 4337	1⅛ in.	1 in.	356 New	In
S 4435	1⅜ in.	1¼ in.	356	In




S 4226




S 4170
S 4220




S 3920



S 743
S 2079




S 2177




S 3797

No.	Marble	Door	For	Opening
S 743	1 in.	1 in.	156, 157	In
S 2079	1⅛ in.	1⅛ in.	156, 157	In
S 2177	1 in.	⅞ in.	156	Out
S 3797	1¼ in.	1 in.	156½	Out


No.	Marble	Door	For	Opening
S 3920	⅞ in.	⅞ in.	2144½	In
S 4170	2 in.	1⅛ in.	156	Out
S 4220	2 in.	1¼ in.	156	Out
S 4226	1 in.	1⅜ in.	138	In




S 5124



S 4477




S 4476




S 4918

No.	Marble	Door	For	Opening
S 5124	1⅝ in.	1⅝ in.	735	Out
S 4477	2 in.	1 3/16 in.	156	Out


No.	Marble	Door	For	Opening
S 4476	2 in.	1 3/16 in.	156	In.
S 4918	1¼ in.	1⅛ in.	963	In.




S 4922



S 4565




S 4598




S 4576

No.	Marble	Door	For	Opening
S 4922	2 in.	1⅝ in.	961½ R. H.	Out
S 4565	2 in.	2 in.	599	Out


No.	Marble	Door	For	Opening
S 4598	2 in.	1½ in.	156½	In.
S 4576	2 in.	1⅝ in.	728¼	In.




S 4519




S 4517



S 4580




S 4473




S 3961

No.	Marble	Door	For	Opening
S 4519	1⅝ in.	1⅝ in.	728	Out
S 4517	1⅝ in.	⅞ in.	256	Out


No.	Marble	Door	For	Opening
S 4580	⅞ in.	1⅛ in.	156	In.
S 4473	1 3/16 in.	1¼ in.	599	In.
S 3961	1¼ in.	1⅞ in.	599	In.




S 4567




S 4456



S 4520




S 4934




S 4441

No.	Marble	Door	For	Opening
S 4567	1⅛ in.	1 in.	156	Out
S 4456	1⅛ in.	1⅛ in.	356¼	In.


No.	Marble	Door	For	Opening
S 4520	1⅝ in.	1¼ in.	356	Out
S 4934	1½ in.	1¼ in.	962½	Out
S 4441	1⅞ in.	1⅝ in.	2442½	Out




S 117




S 4917



S 3740




S 4472




S 4498

No.	Marble	Door	For	Opening
S 117	⅞ in.	1 in.	695	Out
S 4917	1½ in.	1⅝ in.	967½	Out


No.	Marble	Door	For	Opening
S 3740	1¼ in.	1¼ in.	965	Out
S 4472	1¼ in.	1½ in.	156	In
S 4498	1 in.	1⅛ in.	963½	Out




S 3999




S 3179



S 4100




S 1748




S 2726
S 3704

No.	Marble	Door	For	Opening
S 1748	$1\frac{1}{4}$ in.	$1\frac{1}{4}$ in.	595 R. H.	Out
S 2726	$1\frac{1}{8}$ in.	$1\frac{1}{8}$ in.	599 R. H.	In
S 3179	2 in.	$1\frac{1}{4}$ in.	599	In


No.	Marble	Door	For	Opening
S 3704	$1\frac{1}{4}$ in.	$1\frac{1}{8}$ in.	599 R. H.	In
S 3999	$1\frac{1}{4}$ in.	$1\frac{1}{8}$ in.	356	In
S 4100	$1\frac{1}{4}$ in.	$1\frac{1}{8}$ in.	595 R. H.	Out
			595 L. H.	Out




S 4153




S 4137
S 4152
S 4362




S 1747
S 4177



S 1562




S 4246




S 3528

No.	Marble	Door	For	Opening
S 1562	$1\frac{3}{16}$ in.		Stop	Reversible
S 1747	$1\frac{1}{4}$ in.	$1\frac{1}{4}$ in.	$2144\frac{1}{2}$	In
S 3528	$1\frac{5}{8}$ in.	$1\frac{1}{8}$ in.	599	Out
S 4137	$1\frac{1}{4}$ in.	$1\frac{1}{4}$ in.	728	Out
			$2144\frac{1}{2}$	In


No.	Marble	Door	For	Opening
S 4152	$1\frac{1}{8}$ in.	$1\frac{1}{4}$ in.	$2144\frac{1}{2}$	In
S 4153	$1\frac{1}{8}$ in.	$1\frac{1}{4}$ in.	$2144\frac{1}{2}$	Out
S 4177	$1\frac{1}{4}$ in.	$1\frac{1}{4}$ in.	595	Reversible
S 4246	1 in.	$1\frac{1}{8}$ in.	595	Out
S 4362	$1\frac{1}{4}$ in.	$1\frac{1}{8}$ in.	$2144\frac{1}{2}$	In




S 4287




S 1585



S 1904
S 1966
S 2353
S 2729
S 4201




S 1756
S 4325




S 3386
S 4233

No.	Marble	Door	For	Opening
S 1585	$1\frac{1}{2}$ in.	$1\frac{1}{4}$ in.	599	In
S 1756	$1\frac{1}{2}$ in.	$1\frac{1}{2}$ in.	599	Out
S 1904	$1\frac{1}{8}$ in.	$1\frac{1}{4}$ in.	595	Out
S 1966	$1\frac{1}{2}$ in.	$1\frac{5}{8}$ in.	595	Out
S 2353	2 in.	$1\frac{1}{4}$ in.	599	Out
S 2729	1 in.	$1\frac{1}{16}$ in.	599	Out


No.	Marble	Door	For	Opening
S 3386	$1\frac{5}{8}$ in.	$1\frac{1}{8}$ in.	$156\frac{1}{2}$	In
S 4201	2 in.	$1\frac{1}{4}$ in.	156	Out
S 4233	$1\frac{5}{8}$ in.	$\frac{7}{8}$ in.	599	Out
S 4287	$1\frac{5}{8}$ in.	$1\frac{1}{8}$ in.	$156\frac{1}{2}$	In and Out
S 4325	$1\frac{3}{4}$ in.	$1\frac{1}{8}$ in.	595	In
			599	In and Out




S 3995
S 4173
S 4353




S 3540
S 4163
S 4212




S 3594
S 3922
S 3941



S 955




S 1903




S 3558


No.	Marble	Door	For	Opening
S 955	1 in.	1 in.	Stop	Reversible
S 1903	$\frac{7}{8}$ in.	$1\frac{1}{4}$ in.	156	Out
S 3540	$1\frac{1}{4}$ in.	$1\frac{1}{4}$ in.	734	Out
S 3558	$1\frac{5}{8}$ in.	$1\frac{3}{8}$ in.	156	Out
S 3594	$1\frac{15}{16}$ in.	$1\frac{1}{8}$ in.	728	In
S 3922	2 in.	$1\frac{3}{8}$ in.	157	In
S 3941	$2\frac{3}{8}$ in.	$1\frac{1}{8}$ in.	728	In
S 3995	1 in.	$1\frac{1}{8}$ in.	595	In
S 4163	$1\frac{1}{4}$ in.	$1\frac{1}{4}$ in.	728	In
S 4173	$1\frac{1}{8}$ in.	$1\frac{1}{4}$ in.	595	In
S 4212	$1\frac{3}{4}$ in.	$1\frac{3}{4}$ in.	164	In
S 4353	$1\frac{1}{2}$ in.	$1\frac{1}{8}$ in.	595	In




S 1554
S 1858
S 2663
S 4429




S 1979
S 2054
S 2788



S 1349
S 2728
S 3788
S 3921
S 4176




S 1353
S 1570
S 2686
S 3161
S 3706
S 4470




S 4236
S 4292


No.	Marble	Door	For	Opening
S 1349	2 in.	2 in.	599	In
S 1353	$1\frac{3}{16}$ in.	$1\frac{1}{4}$ in.	156	In
S 1554	$\frac{7}{8}$ in.	$\frac{7}{8}$ in.	156	In
			599	Out
S 1570	$1\frac{1}{4}$ in.	$1\frac{1}{4}$ in.	156	In and Out
S 1858	$1\frac{1}{4}$ in.	$1\frac{1}{8}$ in.	599	Out
			156	In
S 1979	2 in.	$1\frac{3}{8}$ in.	156	In
S 2054	$1\frac{1}{8}$ in.	$1\frac{1}{8}$ in.	156	In
S 2663	1 in.	$1\frac{1}{8}$ in.	$156\frac{1}{2}$	In
			599	Out
S 2686	$1\frac{1}{2}$ in.	$1\frac{1}{2}$ in.	156	In and Out
S 2728	1 in.	1 in.	599	In
S 2788	$1\frac{5}{8}$ in.	$1\frac{1}{8}$ in.	$156\frac{1}{2}$	In
S 3161	$1\frac{3}{8}$ in.	$1\frac{3}{8}$ in.	$156\frac{1}{2}$	In and Out
S 3706	1 in.	$1\frac{3}{8}$ in.	599	In
			$156\frac{1}{2}$	Out
S 3788	$\frac{3}{4}$ in.	$1\frac{1}{4}$ in.	599	In
S 3921	$1\frac{1}{8}$ in.	$1\frac{1}{2}$ in.	599	In
S 4176	$1\frac{1}{2}$ in.	$1\frac{3}{8}$ in.	599	In
S 4236	2 in.	$1\frac{3}{8}$ in.	728	Out
S 4292	2 in.	$1\frac{1}{4}$ in.	728	In
S 4429	$1\frac{1}{4}$ in.	$1\frac{3}{8}$ in.	599	Reversible
S 4470	$1\frac{1}{8}$ in.	$1\frac{1}{8}$ in.	156	Reversible




S 1177
S 2690
S 3735




S 1898
S 3529
S 3982




S 1726
S 2727
S 3993
S 4178



S 2153
S 4172
S 4231
S 4239
S 4285
S 4431




S 2642
S 3723
S 4110
S 4307




S 1850
S 3181
S 3703
S 4143
S 4261

No.	Marble	Door	For	Opening
S 1177	1¼ in.	1 in.	156	Out
S 1726	1¼ in.	1¼ in.	599 L. H.	In
S 1850	1¼ in.	1¼ in.	2144½	Out
S 1898	1¼ in.	1⅛ in.	Stop	Reversible
S 2153	1 in.	1 5/16 in.	599	In
S 2642	1¼ in.	1⅛ in.	156	Out
S 2690	2 in.	1⅝ in.	156	Out
S 2727	1⅛ in.	1⅛ in.	599 L. H.	Out
S 3181	1 3/16 in.	1 7/16 in.	2144½	Out
S 3529	1⅝ in.	1⅛ in.	728	In
S 3703	1¼ in.	1¼ in.	2144½	Out
S 3723	1½ in.	1¼ in.	156	Out
S 3735	1⅝ in.	1⅛ in.	156	Out


No.	Marble	Door	For	Opening
S 3982	1⅛ in.	1⅝ in.	728	Out
S 3993	1¼ in.	1⅛ in.	595	In
S 4110	1¼ in.	⅞ in.	156	Out
S 4143	1⅛ in.	1⅛ in.	2144½	Out
S 4172	1⅛ in.	1⅛ in.	599	In
S 4178	1¼ in.	1¼ in.	595 L. H.	In
S 4231	⅞ in.	⅞ in.	599	In
S 4239	1 in.	1⅛ in.	599	In
S 4261	1¼ in.	1⅛ in.	2144½	Out
S 4285	⅞ in.	1 in.	599	In
S 4307	1⅝ in.	1 in.	156	Out
S 4431	⅞ in.	1¼ in.	599	In




S 1584
S 1725
S 3352
S 3992




S 2351
S 2761
S 2975
S 3773
S 4166
S 4247



S 2398 S 4235
S 3574 S 4240
S 3582 S 4276
S 3745 S 4430
S 3962



S 1151 S 3707
S 1882 S 3717
S 1934 S 4138
S 2178 S 4272
S 3530




S 738 S 3931
S 1132 S 4106
S 1857 S 4312
S 2652 S 4333
S 3364 S 4400
S 3918


No.	Marble	Door	For	Opening
S 738	1⅛ in,	1⅛ in.	156½	Out
S 1132	1½ in.	1½ in.	356	Out
S 1151	1¼ in.	1¼ in.	156	In
S 1584	1½ in.	1⅝ in.	599 R. H.	In
S 1725	1¼ in.	1¼ in.	599	In
S 1857	1¼ in.	1⅛ in.	156	Out
S 1882	1 in,	1¼ in.	156	In
S 1934	⅞ in,	1⅛ in.	156	In
S 2178	1 in.	⅞ in.	156½	In
S 2351	1¼ in.	⅞ in.	599	In
S 2398	1¼ in.	⅞ in.	599	Out
S 2652	1 in,	1¼ in.	156	Out
S 2761	1⅞ in.	1⅛ in.	599	In
S 2975	2 in.	⅞ in.	599	In
S 3352	2¼ in.	1¼ in.	599	In
S 3364	1⅛ In.	1¼ in.	156	Out
S 3530	1½ in.	1⅝ in.	156	In
S 3574	1⅝ in.	1⅛ in.	599	Out
S 3582	1⅝ in.	1⅛ in.	599	Out
S 3707	1 in.	1 in.	728	In

No.	Marble	Door	For	Opening
S 3717	1⅛ in.	1⅝ in.	156	In
S 3745	1½ in.	1¼ in.	599	Out
S 3773	1⅝ in.	⅞ in.	599	In
S 3918	⅞ in.	1⅛ in.	156	In
S 3931	1¼ in.	1⅝ in.	156	Out
S 3962	1¼ in.	⅞ in.	599	Out
S 3992	1¼ in.	1⅛ in.	595	In
S 4106	⅞ in.	⅞ in.	156	Out
S 4138	1⅛ in.	1⅝ in.	156	In
S 4166	1⅝ in.	1¼ in.	156½	In
S 4235	⅞ in.	1⅛ in.	599	Out
S 4240	1¼ in.	1¼ in.	599	Out
S 4247	1½ in.	1 in.	599	In
S 4272	1⅛ in.	1⅛ in.	156	In
S 4276	1⅛ in.	1¼ in.	595	Out
S 4312	1¼ in.	1¼ in.	356 New	Out
S 4333	1 1/16 in.	1⅛ in.	156	Out
S 4400	1 in.	1 in.	156	Out
S 4430	1⅛ in.	1⅛ in.	2144½	Out


ILLUSTRATIONS ONE-THIRD SIZE




S 2050




S 2344




S 120




S 3378




S 3334



S 3949




S 1937




S 2330

No.	Marble	Door	For	Opening
S 120	1¼ in.	1 in.	Stop	Reversible
S 1937	1⅜ in.	1⅜ in.	Stop	Reversible
S 2050	1¼ in.	⅞ in.	156	Out
S 2330	1⅜ in.	1¼ in.	Stop	Reversible


No.	Marble	Door	For	Opening
S 2344	1¼ in.	1⅜ in.	156	Out
S 3334	1¼ in.	1⅛ in.	156	Out
S 3378	1¼ in.	1⅛ in.	157	In and Out
S 3949	1½ in.	1¼ in.	732	In




S 2137




S 2343




S 2154




S 3990



S 2758




S 1955




S 2517

No.	Marble	Door	For	Opening
S 1955	1¼ in.	1¼ in.	599	In
S 2137	⅞ in.	⅞ in.	599	In
S 2154	1¼ in.	1¼ in.	599	Out
S 2343	1¼ in.	1⅜ in.	695	In


No.	Marble	Door	For	Opening
S 2517	1⅛ in.	1½ in.	599	Out
S 2758	1¼ in.	⅞ in.	0654	In and Out
S 3990	1⅜ in.	⅞ in.	156	Out




S 1722
S 3124




S 1995




S 2125




S 2112



S 2334



S 1830




S 2345

No.	Marble	Door	For	Opening
S 1722	1 3/16 in.	1¼ in.		Out
S 1830	1⅛ in.	1⅛ in.	156	In
S 1995	1 in.	1⅜ in.	Double Doors	Out
S 2112	1⅛ in.	⅞ in.	599	Out


No.	Marble	Door	For	Opening
S 2125	1½ in.	1⅜ in.	599	Out
S 2334	1½ in.	1½ in.	Stop	Reversible
S 2345	⅞ in.	1¼ in.	595	In
S 3124	1¼ in.	1⅛ in.		Out

ILLUSTRATIONS ONE-THIRD SIZE




S 2366

No.	Marble	Door	For	Opening
S 1831	1⅜ in.	1 in.	156	In
S 1832	1½ in.	1 in.	599	In
S 2093	1½ in.	1¼ in.	599	In
S 2096	1½ in.	1¼ in.	156	Out




S 2515


No.	Marble	Door	For	Opening
S 2366	1⅛ in.	⅞ in.	Stop	Reversible
S 2515	1⅛ in.	1¼ in.	Stop	Reversible
S 4522	1½ in.	1⅛ in.	156	Out




S 1831




S 2096




S 2093



S 4522




S 1832




S 2155


No.	Marble	Door	For	Opening
S 1775	1¼ in.	1⅛ in.	Stop	Reversible
S 1845	1⅛ in.	1⅛ in.	164	Reversible
S 1849	1¼ in.	1⅜ in.	Stop	Reversible
S 2076	1¼ in.	1¼ in.	156	Out




S 2530




S 2076




S 1775



S 2705




S 2943
S 1849




S 1845

No.	Marble	Door	For	Opening
S 2155	1 in.	1 in.	599	In
S 2530	1 in.	1¼ in.	156	In
S 2705	1⅜ in.	1⅜ in.	156	Out
S 2943	1⅜ in.	1⅜ in.	Stop	Reversible



S 4404


No.	Marble	Door	For	Opening
S 1794	⅞ in.	1⅛ in.	599	In
S 1902	1⅛ in.	1⅛ in.	156	Out
S 2005	1 in.	1 in.	Stop	
S 2006	1 in.	1¼ in.	0654	Reversible
S 2111	⅞ in.	1⅛ in.	156	Out




S 1794




S 2646




S 2006




S 2005



S 1902




S 2111



S 2180
S 2356

No.	Marble	Door	For	Opening
S 2180	1 in.	1 in.	Stop	Reversible
S 2356	1 in.	⅞ in.	Stop	Reversible
S 2646	1 in.	1¼ in.	Stop	Reversible
S 4404	1 3/16 in.	1⅛ in.	156	Out


ILLUSTRATIONS ONE-THIRD SIZE



S 2956 S 2137 S 2992 S 3312 S 3311 S 1507 S 2007

No.	Marble	Door	For	Opening
S 1507	1¼ in.	1¼ in.		In and Out
S 2007	1⅜ in.	1⅜ in.	0654	In and Out
S 2137	⅞ in.	⅞ in.	599	In
S 2956	1⅜ in.	⅞ in.	156	Out


No.	Marble	Door	For	Opening
S 2992	1 1/16 in.	1⅛ in.	164	In and Out
S 3311	1½ in.	1¼ in.	157	In and Out
S 3312		1¾ in.	157	n



S 1166 S 1171 S 4204 S 3709 S 956

No.	Marble	Door	For	Opening
S 956	1½ in.	1⅜ in.	Stop	In and Out
S 1166	1¾ in.	1¾ in.		In and Out
S 1171	1¼ in.	1¼ in.		In and Out


No.	Marble	Door	For	Opening
S 3709	1⅝ in.	1¼ in.	Stop	In and Out
S 4204	1⅝ in.	1⅜ in.	157	In and Out



S 5122 S 5121 S 5125 S 5126 S 5171 S 5146

No.	Marble	Door	For	Opening
S 5121	1¾ in.	1⅜ in.		Out
S 5122	2 in.	1½ in.	Stop	Reversible
S 5125	1⅜ in.	1½ in.	Stop	Reversible

No.	Marble	Door	For	Opening
S 5126	1⅜ in.	1⅜ in.		Out
S 5146	1½ in.	1½ in.	356	In
S 5171	1½ in.	1 3/16 in.	156	Out



S 4469 S 2045 S 3561 S 547 S 992 S 3307 S 1193

No.	Marble	Door	For	Opening
S 1193	1⅛ in.		164	
S 2045		1¼ in.	156	In.


S 547 Angle Plate, 1¼ x 2 in., 1¼ in. Offset

S 992 Strike for W. C. Bolts, Reverse Stop, 1 x 2¼ in.


S 3307 Strike for W. C. Bolts, 1½ x 2¼ in.

S 3561 W. C. Strike, 2 x 2⅜ in.


S 4469 W. C. Strike for 356¼ Lock, to fit 3 in. Pipe.




S 3109 2⅜ x 14




S 1702 x 4420 Grip
3½ x 20 Rope




S 1826 x 2299½ Grip
3½ x 19¼




S 2932 4½ x 24




S 3013 4 x 19½




S 3843
4¼ x 14¼




S 3843
8¾ x 14




S 3843
4¼ x 12½ x 2 x 14½




S 196 x 5059 Grip
3⅜ x 16
S 196½, same, F. Fin.
and Bronze Studs,
Grip and T Piece




S 1557 3 x 12




S 11 3 x 17½




S 3347 4 x 16
America




S 3355 4½ x 18
Oakland




S 1670 10 x 12⅛




S 1669 10⅜ x 10½




S 1106 x 4418 Grip
3¼ x 20




S 113, 3$\frac{17}{32}$ x 22




S 2184, 3⅛ x 19½
Lucca




S 1418, 2¼ x 11½




S 977 x 2299½ Grip
3½ x 19¾
Carrara




S 178 Top 5 x 15




S 177 5 x 12¾



S 178 Bottom 5 x 15




S 2453 2¼ x 8½
Passy




S 2478, 4½ x 24




S 647, 4¼ x 27¼




S 2978, 3¼ x 21¼
Leonidas




S 2931 x 4414 Grip
3½ x 20¾




S 722 3¾ x 21¼




S 1657 Corner 35½ x 35½



S 1657 Center 26 x 23½




S 2666 x 4413 Grip
4 x 20




S 814 5¼ x 27⅞




S636 3⅜ x 19¼




S 2970 3¼ x 18




S 2845 4 x 18
Lutetia




S 1658 26¾ x 23½




S 1659 27½ x 35½




S 2873 $3\frac{3}{8}$ x $13\frac{1}{2}$




S 3088 4 x 23
S 3089 Monogram




S 3203 4 x $19\frac{3}{4}$




S 900 x 91080 Grip
3 x 17
Bourbon




S 1680 $17\frac{3}{4}$ x $23\frac{1}{2}$




S 1676 $24\frac{1}{2}$ x $26\frac{3}{8}$




S 408 3 x 18½
Ligny



S 4265 x 4417 Grip
3½ x 20
Orvieto




S 1542 4¼ x 30¼
Leonidas




S 3474 4 x 20¾
S 3429 Grip
Lyons




S 379
59080 x 4125 Grip
Carrara




S 1357
75080 x S 348 Grip
Kent




S 1677 30¾ x 32⅛




S 1763 Corner
3¾ x 17 x 3½ x 16
Naples



S 1763 Center
3¾ x 18
Naples




S 3432 3⅝ x 18
Grip S 3429




S 3862 4 x 12
Grip S 3863 6¼ C to C




S 838 3½ x 20½
Ravenna




S 427 3⅝ x 15½
S 1766 3¾ x 17½
S 2135 4 x 20
Grip 4419
Rosette




S 2017 3 x 21 x 3 x 26
Venice




S 2017 3 x 18 x 3 x 30
Venice




S 1760 x 4420 Grip
4 x 21½ in.
Sparta




S 230 x 5059 Grip
3½ x 19 in.



S 4694 x S 4695 Grip
4½ x 18½ in.




S 4784 4½ x 24¼ in.




S 2779
Corner Plates, 5¼ x 18 x 4 x 12 in.
America


S 2779
Center Plate, 5¼ x 18 in.




S 4649 9⅝ x 32½ in.
To Match 4709




S 4542 5 x 42 in.
Straight Threshold.




S 4543 5 x 38 in.
Circular Threshold.




S 3611 R H
S 3622 L H
3 x 12




S 3310 2⅜ x 8½
Royal




S 3923
Base and Cylinder Collar
only, 2 x 2⅜




S 3327 2¼ x 8½




S 1632 2⅜ x 7⅝
S 1633 3 x 10⅝




S 1651 19¾ x 26¾




S 1650 12½ x 25½




S 4496 x 29180 Grip
Bottom and Cylinder Plate, 2¼ x 2¼
Center Plate, 2¼ x 4¼




S 3648 7¼ In.




S 3549 3 x 10⅝




S 1575 1⅜ x 6½ x 1¼ x 6¾
America





S 1575 1⅜ x 6
America




S 1668 15½ x 20¾












S 4916 x 4417 Grip
Bottom and Cyl. Plates, 2½ x 2½ in.
Center Plate, 2½ x 3 in.
Standish




S 4555 x 4417 Crip
Bottom and Cyl. Plates, 2½ x 2½ in.
Center Plate, 2½ x 5 in.




S 3446 x 4417 Grip
Bottom and Cyl. Plates, 2 in.
Center Plate, 2½ in.
Pilgrim




S 4800 1½ x 9⅛ in.




S 1604 17 x 36 in.




S 1651 19¾ x 26 in.




S 4932 9 x 23 in.




S 1686 4½ x 20 in.
Center Hinge Plate to Match 4711




S 5008 1¾ x 7½ in.




S 5371 1¾ x 7½ in.







S 5014 2 x 7⅞ in.
Cyl. Collar, 2¼ x 2½ in.
Hammered Finish




S 3447 x 4417 Grip
Bottom and Cyl. Plates, 2 in.
Center Plate, 2½ in.
Puritan




S 4762 25 x 26 in.




S 4748 9⅞ x 30 in.





S 5356 4⅛ x 18 in.





S 5164 5⅜ x 25⅜ in.

















S 5378 x 4419 Grip
Cyl. Collar, $2\frac{1}{2}$ x $2\frac{1}{4}$ in.
Bottom Plate, 2 x 2 in.
Center Plate, $2\frac{1}{2}$ x 3 in.
Albany




S 5389 x 4418 Grip
3 Plates, 2 x $3\frac{1}{2}$ in.
Arco




S 5396 x 4422 Grip
3 Plates, $2\frac{7}{16}$ x $3\frac{3}{16}$ in.
Quincy




S 5394
36884 Hammered
Bottom Plate, $1\frac{3}{4}$ in. Dia.
Top Plate, $2\frac{1}{3}$ in. Dia.
Cyl. Collar, 2 in. Dia.
Grip, $5\frac{7}{8}$ in. C to C




S 5393 x 4419 Grip
3 Plates, $2\frac{11}{16}$ in. Dia.




S 5568 $3\frac{3}{4}$ x $15\frac{1}{4}$ in. Frame for Sand Blasting 722-80 Plate




S 5523 $3\frac{3}{8}$ x $9\frac{1}{4}$ in. Protecting Frame for Sand Blasting 723-30 Esc.




S 5006 $1\frac{5}{8}$ x $7\frac{1}{2}$ in.




S 5204
Grip, $4\frac{1}{2}$ in. C to C
Cyl. Collar, 2 in.
Bottom Plate, $1\frac{9}{16}$ x $2\frac{9}{16}$ in.
Center Plate, $1\frac{9}{16}$ x $2\frac{9}{16}$ in.




S 5219 x 5220 x 4419 Grip
S 5219 Cyl. Collar and Bottom Plate, $2\frac{5}{16}$ in.
S 5220 Center Plate, $2\frac{3}{4}$ in.




S 5449 x 942-84 Grip
Cyl. Collar, 3 x 3 in.
Bottom Plate, $2\frac{5}{8}$ x $2\frac{5}{8}$ in.
Center Plate, 3 x 3 in.
Corfu




S 5500 x 4423 Grip
$3\frac{1}{2}$ x 20 in.




S 5920 $10\frac{1}{4}$ x $21\frac{1}{8}$ in.




S 5770 $5\frac{1}{8}$ x $11\frac{3}{4}$ in.
$\frac{1}{4}$ in. Thick




S 382 4½ x 24
Columbia




S 1428 4⅛ x 21½




S 216 3⅜ x 20




S 15 3¾ x 18½




S 1251 5 x 30½
Hampden




S 34 3¼ x 17




S 1656 13½ x 39
Top and Bottom




S 1687 9½ x 31½



S 450 15½ x 16½




S 3806 x 3807 Grip
4 x 18




S 3681 x S 3686 Grip
3¼ x 15½




S 941 2¾ x 13½



S 461 4 x 14




S 3695 5 x 22¼




S 89 1¼ x 6 x 1⅝ x 7
Florence


S 253 1⅝ x 4
Florence




S 1439 Center 17⅜ x 27¼
S 1439 Corner (not ill.) 12 x 12




S 3294 x 3295 Grip
4 x 19




S 1590 x 2228 Grip
$2\frac{3}{4}$ x $17\frac{1}{2}$




S 3268 $4\frac{1}{2}$ x 22
S 3271 Grip
Flora




S 1486 4 x $18\frac{1}{2}$
Lyons




S 4388 x 4416 Grip
$2\frac{1}{4}$ x 10
Oakland




S 962 18 x 18




S 1678 Center
$17\frac{1}{8}$ x $17\frac{3}{4}$




S 179 Top and Bottom 5 x 15
St. Claire




S 1289 x S 427 Grip
4 x 16




70990 Plate 3 x 10
S 1531 Grip 6 In.




S 1693 4½ x 15
S 1698 Collar for Cylinder




S 2949 x 2299½ Grip
6 x 24
Columbia




S 1660 17¼ x 23¾




S 1805
Corner, 3¼ x 15 x 18
Center, 3¼ x 21




S 3292 x S 3293 Grip
4 x 16¼




S 1311 2¾ x 10¾
Columbia




S 3221 4 x 16




SS 4019 x S4020 Grip
4 x 16




S 1550 Corner, 3¾ x 15¾ x 17
Center, 3¾ x 17¼




S 1682 Corner, 15¾ x 26½
Center, 21½ x 26½




S 4067 1¼ x 7




S 815 5¼ x 27¾
S 2773, Plate only
without Emblem




S 3845 Handle 2⅜ x 12½
S 3846 Cylinder Rose
2¾ in. Dia.




S 2228 x 4413 Grip
5 x 18




S 1671 16¾ x 31¾




S 1679 26½ x 23½




S 5324 5¼ in. C to C




S 5799 3¼ x 10½ in.
7 in. C to C




S 5200 Plate, 2½ x 18 in.
S 5201 " 2½ x 12 in.
S 5954 Grip, 5⅝ in. C to C




S 5215 3½ x 12⅝ in.




S 5971 7 x 23½ in. ½ in. Thick ⅝ in. Offset
S 5776 7 x 23½ in. ⅛ in. Thick




S 5771 6 x 30¼ in.




S 5430 1⅛ x 12 in.
Plate for 063 Shutter Operator




S 5711 R. H. and L. H. 1⅛ x 18⅞ in.
Sash Plate for 064 Shutter Operator




S 650 2 x 7½




S 651 2 x 7½




S 1646 2 x 7½




S 4350 2⅛ x 8




S 427 Rosette (4561)
S 489 Grip (4419)




S 4740 28½ x 45¼




S 412 3 x 4½




S 1661 Top and Bottom
29¾ x 54
Warren




S 2846 1¼ x 6¼
Albany




S 1500 16½ x 34
Albany




S 446 8⅝ in.




S 3429 4⅜ C to C




S 445 5¼ in. C to C




S 2709 5⅜ in. C to C




S 3340 5¼ in.




S 3817 1⅛ x 9¾




S 1674 Center 15⅜ x 25¾




S 1321 3¼ x 15½ x 3¼ x 15




S 2945 22⅞ x 43⅞




S 1143 3⅜ x 17 x 3¼ x 28½
Monroe




S 2843, 6⅛ in. C to C




S 3270, 7⅞ in. C to C




S 2549, 2 x 8




S 2264 1¾ x 8⅛




S 3645 5¾ x 6¼
Naples




S648 4⅞ x 16 x 4 x 18¾




S 648 4⅞ x 27¼




S 4648 10 in.




S 4594 10 in.
$\frac{3}{4}$ in. off center




S 305 5 in. C to C




S 1688 Top and Bottom $26\frac{1}{2}$ x $35\frac{1}{2}$




S 890 2 x 12




S 891 2 x 8




S 6175
6 in. Center to Center
Type as No. 4413




S 5883
5¼ in. Center to Center
2¼ in. High



S 5639
10 in. Center to Center
1⅞ in. High
Type as No. 4394




S 5832 x 4396 Grip
Top Plate 2¼ x 4¼ in.
Bottom Plate 2¼ x 2¼ in.




S 5880 with 389-84 Grip
Bottom and Cylinder Plates 2⅜ x 2⅜ in.
Center Plate 2⅜ x 3 in.




S 5881
as 388-84
Hammered Finish







S 6259 8 in. C. to C.




S 6036 7⅛ in. C. to C.
(Hamilton Co. Court House)




S 6054 2⅜ x 12⅞ in.
Grip, 6 1/16 in. C. to C.
(To match No. 415-8¾)




S 6022 10 in. over all
with Lugs on Back
R. and L. Hand




S 6403 Push Bar End
Base, 3⅛ x 8⅛ in. Projection, 1⅜ in.




S 6398 Push Bar End
Base, 2 in. Dia. Projection, 2¾ in.




S 6443 Guard Bar
Base, 2¼ in. Projection, 1⅜ in.
Bar, 1 in. Tubing




S 6202 Base, 1 x ¾ in.
Used with 5¼ in. Center Part
of No. 856-86 Grip and S 5669 Plates




S 4108, Plate 3½ x 3½ Square




S 4124 Plate 3 x 3⅜




S 1419 3¼ x 20




S 2349 2⅛ x 18




S 3145 9 x 36½




S 4048 2½ x 18
S 4049 2½ x 14




S 671 12 x 12



S 4881 11 in.




S 4660 10 in.
R. H. and L. H.




S 4789
Post for Push Bar for $1\frac{1}{4}$ in. Tubing
Post $1\frac{5}{8}$ in. Square. $2\frac{13}{16}$ in. High
S 4788
Post for Push Bar for $1\frac{1}{4}$ in. Tubing
Post $1\frac{5}{8}$ in. Square. $2\frac{1}{2}$ in. High




S 1556 $\frac{7}{8}$ x $4\frac{3}{4}$ in.




S 3758 $1\frac{5}{8}$ x $4\frac{3}{4}$ in.



S 4988 Bar used with S 1228 Plates, to bring Plates, 7 in. C. to C.




S 2656 $\frac{1}{2}$ x 24$\frac{3}{4}$ in.
Door Pull




S 4894 1$\frac{7}{8}$ x 6$\frac{5}{8}$ in.




S 4364 1 x 5 in.
Flush Pull




S 3245
Vertical Plates, 4$\frac{7}{8}$ x 49 in. and 4$\frac{7}{8}$ x 16 in.
Horizontal Plate, size to order




S 2553
Corner Plate, 1$\frac{1}{8}$ x 14 in. by 1$\frac{1}{8}$ x 7 in.
Center Plate, 1$\frac{1}{8}$ x 14 in.




S 3249 Hinge Plate
4$\frac{3}{4}$ x 23 in. x 7$\frac{1}{4}$ x 23 in.




S 5054 2 x 10 in.
Grip for Sectional Handle




S 5502
4⅞ in. Center to Center




S 5594 4⅛ in. C to C
Pull like R. & E. No. 420




S 4877 Plate 3½ x 17 in.
S 5381 Grip 7½ in. C to C






S 5797 3½ in.
Cyl. Collar for Plug Cylinder







S 5086 3½ in.




S 5547 2½ x 7¼ in.
Special Frame for Sand Blast for 620-31 Esc.



S 5529 3½ x 11⅛ in.
Protecting Frame for Sand Blasting 723-29 Esc.




S 933 $\frac{9}{16}$ x 28$\frac{3}{4}$ S 1813 $\frac{9}{16}$ x 27$\frac{3}{4}$ S 1814 $\frac{9}{16}$ x 24$\frac{1}{2}$




S 2374 $\frac{1}{2}$ x 24$\frac{3}{4}$




S 3903 Straight $\frac{8}{8}$ x 33$\frac{1}{2}$




S 3903 Offset $\frac{8}{8}$ x 33$\frac{1}{2}$




S 3353 $\frac{9}{16}$ x 30$\frac{1}{2}$




S2568 $\frac{8}{4}$ x 28$\frac{1}{2}$




S 3506 12 x 42




S 4599 5$\frac{8}{4}$ x 26$\frac{8}{4}$




S 3560 12 x 24




S 4155 16$\frac{8}{8}$ x 22$\frac{8}{4}$




Window Guard Bracket,
S 2063, for 3 Bars
$\frac{5}{8}$ x 8
S 481, for 5 Bars
$\frac{5}{8}$ x 15




S 2791, For Guard Bars, 4½ x 10¾




Plate, S 3032, 4 x 32½
Knob, S 3053, 3 x 1¾
Small Rosette, S 3050, 1½ in. Dia.
Large Rosette, S 3051, 2¼ in. Dia.
Bar, S 3164, 29 in. Long
S 3522, 27 in. Long
S 4224, 37 in. Long




S 2053 Center 4 x 19¼




S 2053 Top and Bottom 3¼ x 15¾ x 3⅞ x 17




S 2354, Base 2½ in. Dia.
Height, 3¼ in.
For 1 in. Bar




S 4432, Base 2⅜ in. Dia.
Height, 3 in.
For 1⅛ in. Bar




S 4424, Base 2⅛ in. Dia.
Height, 2¾ in.
For 1⅛ in. Bar




S 804 (See No. 2201)




S 4157, Base 1⅜ in. Dia.
Height, 1⅛ in.
For ½ in. Bar




S3568, Base 2 in. Dia.
For 4401




S1564, Base ⅝ x 1½ in.
Height, 2¾ in.
For ⅝ in. Bar




S 304, Base 2¼ in. Dia.
Height 3¼ in.
For ¾ in. Bar




S 459, Base 1⅛ x 4
Height, 2 in.
For 1 in. Bar




S 31, Base 1⅜ x 3 in.
Height, 2⅞ in.
For 1⅛ in. Bar




S 1890, Socket for 1½ in. Post, 3 in. Dia.




S 4197, 2⅞ in. Dia.




S 3776, Base for 2201 4 in. Dia.




S 3153, 14½ x 30




S 4700 4 x 17⅞
S 4701 4¾ x 24¾
S 4702 6 x 29¾




S 1684, Top, 13 x 26½




S 1682 16 x 27¼




S 2481
Brackets for Push Bar
Top Bracket Base, 2⅜ in. Dia. Proj. 2⅜ in. to C
Bottom Bracket, Proj. 2⅜ in. to C




S 5192 3⅛ x 5½ in.
Bracket for 1¼ in. Proj.




S 2825 2⅛ x 5 in.
Plate for Hinge Plates




S 2789
1⅝ x 1⅝ x 3½ in. Base, 1⅝ x 2⅝ in.
Proj. 1⅝ in.
Posts for Balustrade




S 5119
Elbow and Rose
For ½ in. Bar




S 5152 Flat Push Bar
1½ in. Wide Length, 30 in. C to C




S 4769
Bracket for Push Bar
Base, 2 x 3 in. Proj. 3 in.
Offset, 2¼ in.




S 4551
Proj. 3 in.




S 3893
Bracket for Pull
Base, ⅝ x 2¼ in.
Proj. 2 in. to C




S 5166
Post for Pull
Base, ⅝ x 1¼ in.
Proj. 2⅜ in.




S 3129
Bracket for Pull
Base, 1¼ in. Dia.
Proj. 1⅜ in. to C




S 5775 $3\frac{1}{2}$ x $8\frac{1}{8}$ in. $\frac{1}{8}$ in. Thick



S 5970 $3\frac{7}{8}$ x $8\frac{1}{2}$ in. $\frac{1}{2}$ in. Thick




S 5965 5 x 9 in.




S 5377 Push Bars


Small Plates, $3\frac{1}{8}$ x $4\frac{1}{4}$ in. Large Plate, $3\frac{1}{8}$ x 20 in. Bars, 1 x 1 in., 33 in. Long




S 1786 $11\frac{1}{2}$ x $40\frac{1}{2}$




S 519 7 x 24




S 4217 $3\frac{3}{4}$ in. wide, in eight lengths, viz: $27\frac{1}{8}$, $29\frac{3}{8}$, $29\frac{15}{16}$, $32\frac{1}{2}$, $32\frac{9}{16}$, $34\frac{5}{8}$, $35\frac{5}{8}$, and 36 in.




S 720 9 x 34 S 2602 12 x 30
S 2601 12 x 32 S 2743 12 x 28 Corinth
S 2744 12 x 26




S 2597 12 x 33
Royal




S 1654 8 x 31½




S 1655 9 x 34½




S 1653 17 x 39½




S 1980 10¼ x 28⅜
(See page 7 for side plates)
Leonidas




S 1652 R and L 15½ x 41⅜




S 1541 27 x 29½
Florence




S 1228 Inside
5½ x 8½




S 3606 Latch Plate and Handles




S 1228 Outside
1½ x 5½




S 3606 Handles without Latch
Plates $1\frac{7}{16}$ x 2⅞
Handle 4 in.
Handle and Latch 7 in.




S 4165 Plate 1½ x 7½




S 2131 2⅜ x 7⅛



S 4409 Bracket for 2240 Bar $3\frac{7}{8}$ x $8\frac{1}{4}$




S 1241 27 x 30




S 3272 1 x 1 * | S 1442 $\frac{7}{8}$ x 1$\frac{1}{2}$ * | S 2042 1$\frac{5}{8}$ x 1$\frac{1}{2}$* | S 823 1$\frac{1}{8}$ x 1$\frac{5}{8}$* S 824 1$\frac{1}{8}$ x 1$\frac{5}{8}$* | S 201 1$\frac{3}{4}$ x 1$\frac{3}{4}$* S 888A 1$\frac{5}{8}$ x 1$\frac{3}{4}$* | S 1227 1$\frac{1}{2}$ x 1$\frac{5}{8}$* | S 202 1$\frac{1}{2}$ x 1$\frac{5}{8}$* | S 3864 1$\frac{1}{4}$ x 1$\frac{1}{8}$ * | S 3865 1$\frac{7}{8}$ x 1* S 3866 $\frac{7}{8}$ x $\frac{7}{8}$*




S 1246 1$\frac{1}{8}$ x 1$\frac{5}{8}$ | S 1283 1 in. | S 2292 1$\frac{1}{4}$ x 1$\frac{1}{4}$* | S 3888 $\frac{7}{8}$ x 1$\frac{1}{2}$ * | S 887 1$\frac{5}{8}$ x 1$\frac{3}{4}$* | S 889 1$\frac{1}{2}$ x 1$\frac{5}{8}$ * | S 888B 1$\frac{5}{8}$ x 1$\frac{3}{4}$ | S 3428 1$\frac{5}{8}$ x 1$\frac{1}{2}$ S 3638 1$\frac{1}{4}$ x 1$\frac{3}{4}$ S 3639 1$\frac{1}{8}$ x 1$\frac{1}{2}$ S 4141 1$\frac{1}{8}$ x 1$\frac{5}{8}$ *



S 1457 1$\frac{1}{8}$ x 1$\frac{1}{2}$* | S 2996 1$\frac{5}{8}$ x 1$\frac{1}{2}$ | S 609 1$\frac{1}{8}$ x 1$\frac{3}{4}$ | S 1425 1$\frac{1}{8}$ x 1$\frac{7}{8}$ | S 140 1$\frac{1}{2}$ x 1$\frac{1}{2}$ * | S 2801$\frac{1}{2}$ 1$\frac{1}{8}$ x 1$\frac{5}{8}$ | S 488 1$\frac{5}{8}$ x 1$\frac{1}{4}$




S 1900 1$\frac{1}{2}$ x 1$\frac{3}{4}$ | S 154 1$\frac{5}{8}$ x 1$\frac{5}{8}$ | S 2812 1$\frac{1}{8}$ x 1$\frac{1}{4}$ | S 3066 1$\frac{1}{8}$ x 1 S 3067 1$\frac{1}{2}$ x 1$\frac{1}{2}$ | S 852 1$\frac{1}{2}$ x 1$\frac{5}{8}$ * S 853 1$\frac{5}{8}$ x 1$\frac{1}{2}$ | S 125 1$\frac{1}{2}$ x 1$\frac{5}{8}$ S 126 1$\frac{5}{8}$ x 1$\frac{1}{2}$ S 2806 1$\frac{1}{4}$ x 1$\frac{1}{4}$ | S 4644 1$\frac{1}{8}$ x 1$\frac{5}{8}$ *




S 2451 1$\frac{1}{4}$ x 1$\frac{3}{8}$ * | S 1426 1$\frac{1}{8}$ x 1$\frac{1}{2}$* | S 1485 1$\frac{1}{2}$ x 1$\frac{1}{2}$ * | S 155 1$\frac{5}{8}$ x 1$\frac{5}{8}$ * | S 2423 1$\frac{3}{8}$ x 1$\frac{3}{8}$ * | S 2486 1$\frac{3}{8}$ x 1$\frac{3}{8}$ * | S 480 1$\frac{3}{8}$ x 1$\frac{1}{2}$ * | S 156 1$\frac{1}{4}$ x 1$\frac{5}{8}$ | S 1232 1$\frac{1}{4}$ x 1$\frac{1}{4}$ *



S 1219 $\frac{5}{8}$ x 1$\frac{5}{8}$ * S 1226 $\frac{5}{8}$ x 1$\frac{5}{8}$ * S 1218 $\frac{7}{8}$ x 1$\frac{3}{4}$ * S 1225 $\frac{7}{8}$ x 1$\frac{3}{4}$ * | S 141 1$\frac{1}{8}$ x 1$\frac{1}{2}$ | S 4612 1$\frac{1}{8}$ x 1$\frac{1}{2}$ * | S 2442 1$\frac{1}{4}$ x 1$\frac{1}{4}$ * S 2443 1$\frac{1}{8}$ x 1$\frac{1}{8}$ * | S 2259 1$\frac{1}{4}$ x 2 | S 2418 1$\frac{1}{4}$ x 1$\frac{1}{4}$ * S 2419 1$\frac{1}{4}$ x 1$\frac{1}{4}$ * | S 3076 $\frac{5}{8}$ x1$\frac{1}{8}$ | S 139 1$\frac{5}{8}$ x 1$\frac{5}{8}$ S 3859 1$\frac{1}{8}$ x 1$\frac{1}{8}$ *



S 3233 $\frac{5}{8}$ in. | S 4614 $\frac{5}{8}$ x $\frac{7}{8}$* | S 2452 1 x 1$\frac{1}{8}$* | S 1276 $\frac{7}{8}$ x 1$\frac{1}{4}$* | S 3435 1$\frac{5}{8}$ x 1$\frac{3}{4}$ | S 136 1 x 1$\frac{3}{8}$ | S 2865 $\frac{5}{8}$ x 1$\frac{1}{4}$ | S 1470 1 x 1 | S 4094 $\frac{7}{8}$ x 1 | S 4611 $\frac{5}{8}$ x $\frac{7}{8}$



S 3892 $\frac{5}{8}$ in. | S 3467 $\frac{7}{8}$ x 2* | S 3868 1 x 1$\frac{1}{8}$ | S 821 1$\frac{1}{8}$ x 1$\frac{3}{8}$* S 822 1 x 1$\frac{1}{2}$ * | S 2393 1$\frac{1}{8}$ x 1$\frac{1}{2}$ | S 2805 $\frac{5}{8}$ x 1$\frac{5}{8}$ | S 1283 1 in. | S 3891 1$\frac{1}{4}$ x 1$\frac{1}{4}$* | S 3416 $\frac{5}{8}$ x 1$\frac{1}{4}$* | S 4613 $\frac{5}{8}$ x 1$\frac{1}{8}$* S 4622 $\frac{5}{8}$ x 1$\frac{1}{8}$


* Curved




S 1605 1⅜ x 1⅜



S 1244 1½ x 1⅝



S 1237 2½ x 2¾




S 1238 1½ x 1⅝




S 1435 1½ x 1½ *
S 1625 1½ x 1½



S 3665 1⅝ x 1⅝



S 3625 1⅜ x 1½ *



S 3079 1½ x 1



S 3834 1¼ x 1¾
S 3835 1⅞ x 1⅜ *



S 3650 1¼ x 1¼




S 3424 1¼ x 1⅛*
S 3425 1½ x 1⅜*
S 3942 1 x 1¼



S 3635 1⅜ x 1¼
S 3636 1 x 1 *
S 3637 1 x ⅞ *



S 3617 1⅜ x 1¼



S 3426 1⅞ x 1¾



S 4012 1¾ x 1⅞
S 4013 1⅜ x 1¼ *
S 4014 1¼ x 1⅜ *



S 4041 1⅜ x 1¾



S 4031 1⅜ x 1½



S 3829 1⅛ x 1⅜ *



S3618 1⅛ x 1¼ *



S 3649 1⅛ x 1¼ *



S 3849 1¼ x 1¼ *



S 3831 1¼ x 1⅛



S 3428 1⅜ x 1¼



S 3605 1½ x ⅞



S 3836 1⅛ x 1⅛ *




S 2800 2 x 1¼



S 3053 ⅝ x ⅝ *



S 1279 1⅛ x 1¼




S 3633 1⅜ in.



S 3604 1 x 1⅛ *




S 3833 1⅜ x ⅞*



S 2813 1 x 1*



S 1459 1¼ x 1¼




S 2295 ⅞ x 1⅜




S 2499 1¼ x 1⅜




S 2868 1⅜ x 1⅝




S 287 1¾ x 1¾ *
S 287 2 x 2⅓



S 3210 1⅝ x 1⅝



S 2491 1⅜ x 1⅝
S 2492 1¼ x 1⅜



S 2804 1⅛ x 1⅜
S 1305 ⅞ x 1⅛

S3619 ¾ in.*
S3633 1⅜ in.

S3734 ⅝ x ⅝

S 3842 1¼ x 1 *

S3434 ⅞ x 1 1/16*

S 3620 1⅛ x 1 *


S 3828 1½ x 1 *

S 3607 7/16*


S 2496 1 x ⅞

S3860 1 1/16 in.
Also 1, 3 and 4

* Curved




S 1260 1½ x 1¾
S 1261 2 x 2¼




S 2838 1⅝ x 1½
S 2883 2⅛ x 2




S 1645 1⅝ x 1⅝




S 1636 2 x 2¼




S 2809 1⅜ x 1¼
S 2810 1¾ x 1⅝



S 2297 1¾ x 1¾
S 2298 1⅜ x 1⅜




S 1447 1⅞ x 3 *




S 1467 2⅞ x 3½



S 1637 2 x 2⅜




S 2497 2 x 1¾




S 2847 1¼ x 1⅜
S 3014 1⅝ x 1½




S 2800 2 x 1¼



S 2803 2 x 2




S 1234 1¾ x 1⅝




S 3208 1⅝ x 1⅜
S 3209 1¼ x 1




S 2815 1⅛ x 1¾ *



S 856 1⅞ x 1⅝
S 857 1⅝ x 1¼



S 2446 ⅞ x 1⅛
S 2447 1¼ x 1½



S 2266 1½ x 1½




S 2808 1⅜ x 1⅜




S 2448 1⅜ x 1½



S 2412 1⅝ x 1⅝




S 2842 1½ x 1½




S 124 1⅛ x 2¼
S 209 1 x 2⅛


S 470 1⅜ x 1¾
S 4468 1⅛ x 1½



S 1606 1⅞ x 1½
S 1607 1⅜ x 1¼



S 2811 1½ x 1⅝



S 475 1¾ x 1¾




S 2874 1½ x 1⅝



S 2841 1¼ x 1½



S 145 1⅛ x 1½ *
S 3890 1⅛ x 1¼ *
S 2494 1½ x 1¼




S 490 1¾ x 1⅜




S 1266 1⅞ x 1½



S 835 1½ x 1½



S 1214 1⅜ x 1⅜



S 1614 1½ x 1½ *

* Curved




S 3643 1⅛ x 1¾*



S 4072 1⅛ x 1
S 4098 1¼ x 1



S 1901 1⅜ x 1¼ *



S 828 1½ x 1⅜ *




S 3880 1⅜ x 1⅜ *



S 3476 1¾ x 1⅞ *



S 3415 1⅜ x 1⅜ *



S 4077 1⅝ x 2¼



S 3699 1⅛ x 1⅜*
S 3800 1 x 1 *
S 3801 ⅝ x ⅝ *



S 4064 1 3/16 x 1 5/16



S 4632 1⅛ x 1⅛
S 4633 1⅛ x 1⅛



S 4026 1⅛ x 1⅜




S 3277 1¼ x1⅜




S3832 1½ x 1½




S 4639 2 x 1¼




S 3496 1⅝ x 1⅝



S 4060 1⅜ x ⅞
S 4627 1⅞ x 1⅝



S 4076 2¼ x 2



S 3867 2⅛ x 1⅜
S 3869 1¾ x 1¼




S 3665 1⅝ x 1⅝




S 3876 1 x 1½*

S 4628 1¼ x 1⅛ S 4629 ⅝ x ⅝*
S 4630 ⅝ x ⅝ * S 4634 1⅝ x 1⅛ *



S S1634 1⅜ x 1⅛ *



S 3276 1⅛ x 1¼*



S 3421 1¼ x 1⅛



S 474 1⅛ x 1⅜ *



S 4617 1 x 1⅛ *
S 4618 1¼ x 1⅜




S 4623 1⅛ x 1¼



S 3803 1 x 1⅜ *



S 2498 ⅞ x ⅝
S 2807 1 x ⅞
S 2495 1¼ x 1




S 3297* ⅝ x 1⅛



S 3690 ⅝ x 1⅛



S 3405 1¼ x 1⅛ *
S 3406 ⅞ x 1*



S 3479 1⅛ x 1¼*



S 3469 1⅛ x 1⅜*




S 4063 1⅝ x 1¼



S 3875* 1⅛ x 1⅛



S 4002 1⅛ x 1⅛ *



S 3068 1⅛ x ⅞*



S 4619 1 x 1⅛



S 3471 ⅝ x ⅞ *

S 3418 ⅞ x ⅞*

S 3407 ⅞ x 1⅛ *
S 3408 ⅞ x 1⅛
S 3412 1⅜ x 1½

S 3452 ⅞ x 1

S 3411 ⅝ x 1

S 3427 ⅝ x ⅞

S 2430 1¼ x 1⅜*

S 4070 ⅞ x 1*

S 4669 1⅛ x 1⅜ *

S 2833 ⅝ x ⅝

S 3224 ⅞ x ⅝

S 2414 1⅛ x 1*

S 608 1⅛ x 1⅛

S 2049 ⅞ x 1

S 2801 ⅞ x ⅝

S 1424 ⅝ x 1⅝ *

S 3849 1¼ x 1¼*

S 3281 1⅝ x 2⅝


S 3692 1¼ x 1¼

S 3080 2⅜ x 2⅜


S 3816 2¼ x 2¼

S 3238 2 x 2

* Curved



S 4040 1 in.



S 4691 $1\frac{1}{8}$ in.



S 3212 1 x $1\frac{5}{8}$ in.
S 3213 $1\frac{1}{4}$ x 2 in.




S 4640 $\frac{7}{8}$ x 1 in. *




S 3278 1 x $1\frac{5}{8}$ in.



S 4071 $1\frac{1}{8}$ x $1\frac{1}{4}$ in. *



S 3881 $1\frac{3}{4}$ x 2 in.




S 3230 $1\frac{1}{4}$ x $1\frac{3}{4}$ in.




S 3861 $1\frac{3}{4}$ x $2\frac{1}{4}$ in.



S 4682 $1\frac{1}{4}$ x $1\frac{3}{8}$ in.



S 4037 $\frac{3}{4}$ in.



S 3887 $\frac{5}{8}$ in.



S 3874 1 in.



S 4061 $\frac{5}{8}$ in.



S 2802 $\frac{7}{8}$ x 1 in.



S 4673 $1\frac{1}{8}$ x $1\frac{1}{4}$ in. *



S 4835 $1\frac{1}{4}$ x $1\frac{3}{8}$ in. *



S 4818 $1\frac{1}{8}$ x $1\frac{1}{4}$ in. *




S 4817 $1\frac{1}{4}$ x $1\frac{1}{2}$ in.



S 4688 1 x $1\frac{3}{8}$ in. *



S 4625 $1\frac{1}{8}$ x $1\frac{1}{2}$ in.



S 4102 $1\frac{1}{4}$ x $1\frac{1}{2}$ in.



S 4814 $1\frac{1}{4}$ x $1\frac{5}{8}$ in.



S 4632 $1\frac{3}{8}$ x $1\frac{5}{8}$ in.



S 4874 $1\frac{1}{4}$ x $1\frac{5}{8}$ in.



S 4886 $1\frac{1}{4}$ x $1\frac{5}{8}$ in.
with pins on back



S 4802 $1\frac{3}{8}$ x $1\frac{7}{8}$ in.



S 4804 $1\frac{1}{8}$ x $1\frac{1}{4}$ in. *



S 4634 $1\frac{1}{8}$ x $1\frac{1}{4}$ in. *



S 4803 $1\frac{1}{4}$ x $1\frac{1}{2}$ in.



S 4686 $1\frac{1}{2}$ x $1\frac{3}{4}$ in.




S 4674 $1\frac{1}{8}$ x $1\frac{1}{8}$ in. *



S 2416 $\frac{3}{4}$ x $\frac{3}{4}$ in. *




S 4806 $1\frac{3}{16}$ x $1\frac{3}{8}$ in.



S 4840 $1\frac{1}{8}$ x $1\frac{1}{2}$ in. *



S 3423 $1\frac{1}{4}$ x $1\frac{3}{8}$ in.




S 4696 $2\frac{1}{2}$ x $2\frac{1}{2}$ in.
S 4697 $1\frac{1}{4}$ x $1\frac{1}{2}$ in.
S 4699 1 x $1\frac{1}{4}$ in.




S 4856 $1\frac{1}{4}$ x 2 in.

* Curved




S 262 $\frac{1}{4}$ x $1\frac{1}{8}$ *




S 143 $1\frac{1}{4}$ x $1\frac{1}{4}$ *




S 4130 $1\frac{1}{8}$ x $1\frac{1}{8}$
S 4132 $1\frac{1}{8}$ x $1\frac{1}{8}$
S 3661 $1\frac{1}{8}$ x $1\frac{1}{8}$



S 476 $2\frac{1}{4}$ x $2\frac{1}{4}$ *



S 127 $1\frac{7}{8}$ x $1\frac{1}{4}$
S 3485 $1\frac{1}{8}$ x $1\frac{1}{8}$ *
S 3486 $1\frac{1}{8}$ x $1\frac{1}{8}$
S 3495 1 x $1\frac{1}{8}$



S 2490 $1\frac{1}{8}$ x $1\frac{5}{8}$



S 231 $\frac{7}{8}$ x $1\frac{1}{4}$ *



S 3478 $1\frac{1}{8}$ x $1\frac{1}{4}$
S 3490 $1\frac{3}{16}$ x $1\frac{1}{2}$




S 3609 1 x $1\frac{1}{8}$



S 2406 $1\frac{1}{8}$ x $1\frac{1}{4}$ *
S 3662 "
S 3274 $1\frac{1}{8}$ x $1\frac{1}{4}$



S3660 $1\frac{1}{8}$ x $1\frac{1}{8}$ *
S3696 $1\frac{7}{16}$ x $1\frac{7}{16}$
S142 $1\frac{1}{4}$ x $1\frac{1}{4}$




S3610 $1\frac{1}{8}$ x $1\frac{1}{8}$ *
S3676 $1\frac{1}{8}$ x $1\frac{1}{2}$



S 1853 $\frac{7}{8}$ x 1




S 1288 1 x 1




S 164 $2\frac{1}{4}$ x 4



S 4647 $2\frac{15}{16}$ x $2\frac{7}{16}$



S 2489 $3\frac{1}{2}$ in.




S 4004 $1\frac{5}{16}$ x $1\frac{5}{16}$ *
S 4006 $1\frac{1}{8}$ x $1\frac{1}{8}$ *
S 4023 $1\frac{5}{8}$ x $1\frac{5}{8}$ *



S 3039 $1\frac{1}{4}$ x $1\frac{1}{2}$



S 4059 $1\frac{1}{4}$ x $1\frac{7}{8}$



S 4082 $2\frac{1}{4}$ x $3\frac{1}{4}$



S 3438 3 x $1\frac{7}{8}$



S 3608 $\frac{7}{8}$ x $\frac{5}{8}$



S 3653 1 x $2\frac{3}{8}$




S 2814 2 x $3\frac{1}{2}$




S 2294 $1\frac{1}{2}$ x 1 *



S 3623 2 x $1\frac{1}{2}$



S 292 $1\frac{5}{8}$ x $2\frac{1}{8}$ *



S 4005 $1\frac{1}{2}$ x $1\frac{1}{2}$ *
S 4007 1 x 1 *
S 4024 $1\frac{1}{2}$ x $1\frac{1}{2}$ *



S 2403 $1\frac{1}{2}$ x $1\frac{1}{2}$ *
S 2782 $1\frac{1}{2}$ x $1\frac{1}{2}$
S 2783 $1\frac{1}{2}$ x $1\frac{1}{2}$

* Curved



S 3020 $1\frac{5}{16}$ in. *
S 3025 $1\frac{1}{8}$ in. *
S 3026 $1\frac{3}{16}$ in. *



S 3654 $1\frac{1}{16}$ x $1\frac{5}{8}$
S 3678 $1\frac{1}{8}$ x $1\frac{5}{8}$




S 4039 $1\frac{5}{8}$ x $1\frac{7}{8}$



S 3666 $1\frac{5}{8}$ in.




S 1263 $1\frac{3}{4}$ in.
S 1264 2 in.



S 3854 $2\frac{1}{4}$ in.



S 4065 $2\frac{1}{8}$ in. *




S 1493 $1\frac{7}{8}$ x $2\frac{1}{8}$
S 1494 $2\frac{1}{4}$ x $2\frac{3}{8}$



S 3810 $2\frac{1}{8}$ in.



S 3640 $2\frac{1}{8}$ in. *




S 4604 2 in.



S 4620 $2\frac{1}{8}$ in.



S 3481 2 in.



S 271 $1\frac{7}{8}$ in.



S 4068 $1\frac{7}{8}$ in.



S 2493 Mon. 1 x $1\frac{1}{4}$
Plates, $\frac{1}{2}$ x $1\frac{1}{4}$



S 4645 $1\frac{3}{4}$ in. *




S 3626 $1\frac{7}{8}$ in. *



S 4092 $1\frac{7}{8}$ in. *
S 4093 $1\frac{5}{8}$ in.



S 4036 $1\frac{3}{8}$ in. *
S 4056 $1\frac{1}{2}$ in. *
S 4057 $1\frac{3}{4}$ in. *



S 2208 $1\frac{3}{4}$ x $1\frac{3}{4}$



S 4053 2 x $1\frac{1}{2}$




S 4058 $1\frac{7}{8}$ x 2
S 4062 $1\frac{3}{8}$ x $1\frac{1}{2}$



S 474 $1\frac{1}{8}$ x $1\frac{3}{4}$ *




S 3873 $1\frac{1}{2}$ x $1\frac{3}{8}$ *



S 479 $2\frac{1}{2}$ x $3\frac{7}{8}$



S 230 $3\frac{1}{2}$ x $3\frac{1}{8}$



S 1215 $2\frac{3}{4}$ x $3\frac{1}{2}$



S 3433 3 x $1\frac{7}{8}$
S 3472 A $1\frac{7}{8}$ x 1

* Curved

CDEHJLOPSW

S 3543 12 in.

OPTION HOUSE

S 2415 $\frac{7}{8}$ in.

DR.D.S.BOOTH

S 2435 $1\frac{11}{16}$ in.

DR KEIR

S 2291 Small Letter "R," $1\frac{5}{8}$ in.
S 2286 Other Letters, $1\frac{3}{4}$ in.

SENW

S 4782 $7\frac{1}{2}$ in.

1234567890

S 4867 $\frac{1}{2}$ in.

12345

S 2891 8 in.

1527

S 2260 $\frac{9}{16}$ in.

A

S 1210 $\frac{7}{8}$ in.
A, B, V and Y

H

S 4838 $\frac{3}{4}$ x $\frac{7}{8}$ in. *

S 2826 $\frac{1}{2}$ in.
Hyphen

S at N


S 4693
Small Letters, $\frac{5}{8}$ in.
Large Letters, $\frac{7}{8}$ in.



S 4823 $1\frac{5}{8}$ in. *




S 4825 $1\frac{5}{8}$ in. *




S 4801 1 x $1\frac{5}{8}$ in.



S 4831 1 x $1\frac{3}{8}$ in.



S 3480 $5\frac{5}{8}$ x $6\frac{1}{4}$ in.




S 4684 $2\frac{1}{8}$ x $3\frac{1}{8}$ in.



S 4842 $1\frac{5}{8}$ x $1\frac{5}{8}$ in. *



S 4845 $1\frac{7}{8}$ in. *



S 4846 $2\frac{1}{4}$ x $2\frac{1}{4}$ in.

* Curved

KEY TAGS



S 4646
1⅝ x 2⅜ in.



S 4836
1⅝ x 1¾ in.




S 4893
1 x 2½ in.




S 3820
1 3/16 x 2⅛ in.




S 4830
1¼ x 1⅞ in.




S 3830
1¼ x 1⅝ in.




S 4961
Cyl. for Motor Cycle.



S 4928
Master Keyed Cyl.



S 3827
Dummy Cyl.



S 4046
Dummy Cyl.



S 4873
1⅞ x 2⅜ in.



S 4869
1½ in.



S 4837 *
1¼ x 1⅛ in.



S 4843 *
1¼ x 1¼ in.



S 4805
1¼ in.




S 4692
1 x 1½ in.




S 3634 15 x 18 in.



S 4890 ½ in. Letters.



S 4011 3⅜ in.
Tylers Wicket



S 1197 2¾ x 5 in.
Tylers Wicket

* Curved



$1\frac{7}{16}$ in. $1\frac{1}{8}$ in. $1\frac{5}{16}$ in. $1\frac{1}{16}$ in.
S 5036



S 5222 $1\frac{8}{8}$ x $1\frac{8}{8}$ in.
With Pins on Back



S 5221 $1\frac{1}{2}$ x $1\frac{3}{16}$ in.
With Pins on Back




S 5058 $1\frac{1}{4}$ x $1\frac{8}{8}$ in.



S 5021 $1\frac{8}{8}$ x $1\frac{1}{8}$ in.
With Pins on Back



S 5412 $1\frac{3}{16}$ x $1\frac{9}{16}$ in.
With Pins on Back



S 5045 $1\frac{1}{4}$ x $1\frac{5}{8}$ in.
With Pins on Back



* S 5027 $1\frac{7}{16}$ x $1\frac{5}{8}$ in.
With Pins on Back




S 5074 $1\frac{1}{4}$ x $1\frac{1}{2}$ in.



S 5092 $1\frac{1}{2}$ x $1\frac{13}{16}$ in.




S 5625 $1\frac{5}{8}$ x $1\frac{3}{4}$ in.
Key Tag



S 5040 $1\frac{11}{16}$ x $1\frac{5}{8}$ in.
S 5041 $1\frac{5}{8}$ x $1\frac{5}{8}$ in.



S 5627 $1\frac{1}{2}$ x $1\frac{1}{2}$ in.
Key Tag



S 5091 $1\frac{1}{8}$ x $1\frac{5}{16}$ in.



S 5026 $1\frac{1}{16}$ x $\frac{7}{8}$ in.



S 3482 $\frac{7}{8}$ x $1\frac{1}{16}$ in.



S 5083 $\frac{7}{8}$ x 1 in.



S 5037 $2\frac{1}{4}$ in.
With Pins on Back




S 5246 2 in.




S 5564 $1\frac{8}{4}$ in.
With Pins on Back




S 5242 $1\frac{11}{16}$ x $1\frac{13}{16}$ in.




S 5264 $1\frac{1}{2}$ x $1\frac{1}{2}$ in.




S 5218 $1\frac{11}{16}$ x $1\frac{5}{8}$ in.



S 3247 $4\frac{1}{4}$ x $5\frac{1}{4}$ in.




S 5017 3 in.
With Lugs on Back



S 5217 $1\frac{7}{8}$ x $3\frac{1}{2}$ in.




S 1626 $1\frac{15}{16}$ x $2\frac{3}{4}$ in.



S 5081 $2\frac{1}{4}$ x $2\frac{7}{8}$ in.
With Pins on Back

* Curved



S 5251 2¼ in.



S 5067 1⅜ x 1 7/16 in.



S 5209 1⅛ x 1¼ in.
With Pins on Back



* S5082 1¼ x 1 5/16 in.
With Pins on Back




* S 5210 ⅞ x 1 3/16 in.




S 5253 ¾ x 1 3/16 in.
S 5254 1 3/16 x 1⅜ in.
S 5266 1 1/16 x 1 1/16 in.




S 5257 1 in.
Apostrophe to Match
No. 250 Letters




S 5039 2⅜ x 3 in.
With Lugs on Back




S 5068 2 3/16 x 2½ in.
With Pins on Back




S 5078 2 3/16 x 2⅝ in.
With Pins on Back




S 5228 2⅛ x 1 5/16 in.
With Pins on Back




S 5233 2 x 2¼ in.
With Pins on Back




S 5754 2½ in.




S 5457 2½ in.
With Shank ⅝ in. Off Center




S 5968 2½ in.




S 5252 2¼ in.



S 5223 2½ in.



S 5055 Emblem
on 780-22 Knob, 2¼ in.



S 5038 Monogram
on 776-22 Knob, 2¼ in.




S 5216 Monogram
on 974-22 Knob, 2¼ in.

* Curved



S 5288 *
1¼ x 1⅜ in.
(on 778-22 Knob)
Covers Knob and Mono.
Complete



S 5482
1⅜ in.
With Pins on
Back



S 5259 *
1 x 1¼ in.
(on 778-22 Knob)
Covers Knob and Mono.
Complete




S 5274
1¼ x 1¾ in.



S 5272
1⅛ x 1⅜ in.




S 5831
1⅜ in.




S 5271
1¾ in.




S 5078 2 3/16 x 2⅝ in.
With Pins on Back




S 6103 2⅛ in.
(Used with S 6102 Knob)




S 5280 2 in.
Cylinder and Collar with Drop
To Match S5277 Rose




S 5762
Rose 1¼ in.
Knob 1⅜ in.
Heighth 1¼ in.




S 5486 2¼ in.
As S 5754




S 6102 1¾ in.
Made from 778-22




S 5888 1⅜ in.




S 6105 2¼ in.




S 5275 2 x 1⅛ in.



S 5499 2¼ in.
on 1519⅓ Knob




S 5285 1⅜ in.
Mono. only
S 5287 2⅛ in.
Mono. on 779-20 Knob



S 5273 2¼ in.
on 776-22 Knob



S 5268 2¼ in.
on 778-22 Knob



S 5483 2¼ in.
on 1519⅓ P Y Knob

* Curved

ACDEGHIJKLMNOPRSTUVWXYZFB

S 3233 $\frac{3}{4}$ in.

ABNK

S 3822 $5\frac{1}{2}$ in.

BCEDIKNOTY PUSH LR

S 3041 $1\frac{1}{4}$ in.

AILNOT

S 3821 3 in.

PUSH L

S 3075 2 in.

ACDEFGHILNRº OPRSTUWY&4

S 3858 $1\frac{3}{4}$ in.

S 3859 (4 only) $1\frac{3}{4}$ in.

CELKORW

S 4683 $1\frac{1}{2}$ in.

EILMNORSUY&

S 4000 7 in.

AHIDMNOS

S 4689 $2\frac{1}{4}$ in.

STEPHN

S 4009 $1\frac{3}{8}$ in.

ABCDEFGHIJKLMNOPQRSTUVWXYZ. 79

S 3856 $1\frac{1}{16}$ in.

S 1254 $2\frac{1}{4}$ in.

BCEFINOR

S 1239 8 in.

1/8

S 1469 $1\frac{3}{8}$ in.

ACHLNO MSY

S 2831 10 in.

½

S 1481 $1\frac{3}{8}$ in.

ABER

S 4690 $2\frac{1}{2}$ in.

ACDEGILP MRSTUW

S 1450 5 in.

CLABDENOTRVYFI

S 1283 1 in.

A B C D E F G H J K L M N R S T V

S 834 3 in.
S 1287 $2\frac{1}{4}$ in.

123457890

S 1278 $5\frac{1}{2}$ in.

12

S 895 2 in.

A B C D E F G H & W I J K L M N O P Z Q R S T V W X Y U

†

S 1490 $2\frac{5}{8}$ in.
S 1601 $1\frac{1}{2}$ in.


†

* W— S 1490 only
† W, Z, S 1601 only


*

570

S 2878 $3\frac{5}{16}$ in.




S 2095 $1\frac{7}{8}$ in.
with $1\frac{3}{8}$ Rose




S 410 $1\frac{1}{4}$ x $1\frac{1}{2}$ *
on $2\frac{1}{2}$in. Knob




S 149 $1\frac{3}{4}$ x $2\frac{1}{8}$
on 1518 Knob




S 4030 $1\frac{3}{8}$ x $1\frac{1}{2}$ *
on 1519 Knob




S 4538 (S 4614 $\frac{3}{4}$ x $\frac{7}{8}$
on 1540$\frac{1}{4}$ Knob)




S 4038 $\frac{7}{8}$ x 1 *
on 77522 Knob




S 4045 $1\frac{3}{4}$ x $1\frac{3}{4}$
on S 4017 Knob



S 4052 $1\frac{1}{4}$ x 1 *
on 1519$\frac{1}{2}$ Knob




S 4050 $1\frac{1}{8}$ x $1\frac{1}{8}$ *
on 82322 Knob




S 3459 $1\frac{3}{4}$ in.
Orvieto


* Curved




S 114 1⅛ x ⅞
on 2½ in. Knob




S 1282 ⅝ x ⅞
on 2½ in. Knob
S 1427 ⅝ x ⅞
on 2¼ in. Knob




S 1456 1¼ x 1⅜ *
on 81920 Knob




S 617 1⅞ in. Dia.
on 81220 Knob




S 845 1⅜ x 1⅜ *
on 81220 Knob
S 846 1⅜ x 1⅜ *
on 81222 Knob



S 3019 1¼ x 1¼ *
on 2½ in. Knob
S 3021 1 x 1 *
on 2 in. Knob




S 676 ⅞ x ⅞
on 2¼ in. Knob




S 285 1⅜ x 1¼ *
on 2½ in. Knob




S 1284 1⅝ in. Dia.
on 2½ in. Knob
S 1286 1½ in. Dia.
on 2¼ in. Knob




S 2201 ⅝ x ⅞
on 2½ in. Knob




S 221 1¼ x 1¼
on 2½ in. Knob
S 228 1¼ x 1¼
on 2½ in. Knob




3049 ⅞ x 1
on 2¼ in. Knob




S 1697 ⅞ x 1
on 2055¼ Knob




S 3578 ⅞ x 1⅛
on 2067 Knob




S 1259 1⅛ x 1¼
on 2¼ in. Knob




S 3818 1¼ x 1 *
on 77622 Knob




S 752 2½ in.




S 3793 2¼ in.




S 3621 2¼ in.




S 4167 2½ in.
S 4168 2¼ in.




S 3217 2¼ in.




S 2077 2¼ in.



S 3940 for Elk Dial
2½ in. Knob
S 3746 1⅝ in Dial
2½ in. Knob




S 3227 1¼ x 1½ in. *
on S 471 Knob




S 151 2¼ in.

* Curved



S 146 Knob 2½ in.



S 157 Knob 2¼ in.
S 158 Knob 2½ in.




S 3419 2⅛ in. Dia. *
on S 285 Knob



S 634 Knob 2½ in.




S 1421 2 in. Dia.*
on 2¼ in. Knob




S 429 Knob 2½ in.
S 441 Knob 2¼ in.



S 3040 2⅛ in. Dia.




S 134 Knob 2¼ in.




S 247 2⅝ in. Dia.
on 2½ in. Knob




S 3206 2 in. Dia.
for Plate




S 3453 2 in. Dia. *
on 2½ in. Knob




S 3007 2¼ in.
on S 134 Knob




S 1628
on S 1896 Knob 2½ in.




S 222 Knob 2½ in.



S 282 Knob 2¼ in.
S 318 Knob 2½ in.




S 242 1¼ in. Dia.
on 87522 Knob




S 147 1⅛ x 1¼ on 9524½ Knob 2½ in.
—— 1⅛ x 1⅛ on 3 in. Knob




S 3275 1⅝ x 1½ *
on 81220 Knob




S 1163 1 x 1
on 2½ in. Knob
S 1164 1 x 1 on 2¼ in. Knob




S 335 Knob 2⅝ in.




S 836 1½ x 1½ *
on 77220 Knob



S 122 1⅝ in. Letters on 1518½ Knob
S 123 1½ in. Letters on 1518¾ Knob




S 431 Knob 3 in.



S 125 1¼ x 1⅝ on 81620 Knob
S 126 1⅝ x 1½ on 81620 Knob 3 in.



S 312 1⅜ x 1⅜ *
on 2¼ in. Knob




S 613 1¼ x 1¼
on 2¼ in. Knob



S 400 1½ x 1½ *
on 97020 Knob
S 401 1½ x 1⅜ *
on 97022 Knob



S 1491 1½ x 1½ *
on S 400 Knob



S 3632 1⅛ x ⅝ *
on 2¼ in. Knob




S 135 1⅓ x 1⅛ *
on 81620 Knob
S 499 1⅓ x 1⅛ *
on 2½ in. Knob




S 2042 1⅜ x 1⅜ *
on S 471 Knob




S 444 1⅓ x 1⅝
on 2¼ in. Knob



S 288 1⅛ x 1¼ *
on 2½ in. Knob
S 289 1⅛ x 1¼ *
on 2¼ in. Knob



S 19 1⅝ x 1½ *
on 2¼ in. Knob



S 272 Knob 2½ in.
S 273 Knob 2¼ in.




S 127 1⅜ x 1⅜ *
on 77222 Knob
S 128 1½ x 1½ on 17220 Knob




S 218 1⅜ x 1½
on 2¼ in. Knob




S 3644 Knob 1¾ in.




S 152 Knob 2¾ in.




S 137 1¼ x 1⅜
on 77422 Knob




S 249 1¼ x 1⅜ *
on 77422 Knob




S 138 1⅜ x 1½
on 77420 Knob




S 3631 1⅛ x 1½ *
on 1518 Knob



S 4146 1⅛ x 1⅝ *
on 01519½ Knob




S 346 1¾ x 1⅞ *
on 2½ in. Knob
S 347 1¾ x 1⅞ * on 2¼ in. Knob




S 1639 1⅛ x 1¼ *
on 1519½ Knob



S 1441 1⅜ in. Dia.
on 1519½ Knob




S 466 1¾ in. Dia.
on 2¼ in. Knob




S 3649 1½ x 1¼ *
on 1519½ Knob


* Curved




S 447 $1\frac{1}{8}$ x 1
on $2\frac{1}{2}$ in. Knob



S 195 $1\frac{1}{8}$ x $\frac{5}{8}$
on $1\frac{1}{8}$ in. x $2\frac{1}{8}$ in. Knob




S 1800 Knob $2\frac{1}{4}$ in.




S 469 1 x $1\frac{3}{8}$ *
on $2\frac{1}{4}$ x $2\frac{1}{8}$ in. Knob



S 3499 $2\frac{1}{2}$ x $\frac{7}{8}$
on $1\frac{5}{8}$ x $2\frac{3}{4}$ in. Knob
S 3601 $2\frac{1}{2}$ x 1
on $1\frac{7}{8}$ x 3 in. Knob




S 4450 $\frac{5}{8}$ x $1\frac{3}{8}$ *
on 1607 Knob



S 1479 $3\frac{1}{8}$ x 2 in. Knob




S 2879 1 x $1\frac{7}{8}$ *
on S 1479 Knob




S 227 Knob 4 in.



S 635 $1\frac{5}{8}$ x 3
on $3\frac{1}{4}$ in. Knob




S 4666 Knob $1\frac{5}{8}$ x $2\frac{5}{8}$




S 2859 $\frac{5}{8}$ x 3
on Oval Knob




S 1257 $\frac{5}{8}$ x 1 *
on $2\frac{5}{8}$ x $1\frac{5}{8}$ in. Knob




S 4033 $1\frac{1}{8}$ x $1\frac{1}{2}$ *
on 1517$\frac{3}{4}$ Knob




1504 $1\frac{1}{2}$ x $2\frac{3}{4}$ *
on $1\frac{3}{4}$ x $3\frac{1}{2}$ in. Knob




S 3815 $\frac{5}{8}$ x $1\frac{3}{8}$ *
on 1611 Knob




S 3361 Knob $1\frac{3}{4}$ in.




S 1711 Knob $1\frac{11}{16}$ in.



S 3214 $1\frac{1}{2}$ x $2\frac{1}{2}$
on 1607 Knob




S 4096 Knob $2\frac{1}{4}$ in.
S 4635 Rose 2 in.




S 3237 Knob $1\frac{1}{4}$ x $2\frac{3}{8}$




S 473 $1\frac{5}{8}$ x $1\frac{3}{4}$ *
on $2\frac{1}{4}$ in. Knob




S 1967 $1\frac{1}{2}$ x $1\frac{5}{8}$
on $2\frac{1}{2}$ in. Knob



S 142 $1\frac{1}{2}$ x $1\frac{3}{4}$ *
on $2\frac{1}{2}$ in. Knob




S 2026 $\frac{1}{2}$ x $1\frac{3}{8}$ *
on $2\frac{1}{2}$ in. Knob
S 2027 $\frac{1}{2}$ x $1\frac{3}{8}$ *
on $2\frac{1}{2}$ in. Knob
S 219 $\frac{1}{2}$ x $1\frac{3}{8}$ Mon., for Esc.




S 148 $1\frac{7}{8}$ x $1\frac{7}{8}$
on S 2292 Knob


* Curved



S 150 Mono. $1\frac{1}{16}$ x $1\frac{5}{16}$ in. on 1518½ Knob, 2½ in.




S 132 Mono. $1\frac{1}{16}$ x $1\frac{1}{2}$ in. on 772-22 Knob, 2¼ in.
S 133 Mono. $1\frac{1}{8}$ x $1\frac{5}{8}$ in. on 772-20 Knob, 2½ in.




S 3657 Emblem ½ in. on 812-20 Knob, 2½ in.




S 3658 2½ in.




S 2682 2½ in.
S 2683 2¼ in.




S 2685 2¼ in.



S 1246 2½ in.



S 2134 2¼ in.




S 4786 2½ in.



S 2429 Mono. $\frac{9}{16}$ in. on 772-22 Knob, 2¼ in.
S 2428 Mono. $\frac{11}{16}$ in. on 772-20 Knob, 2½ in.




S 2832 2½ in.



S 2456 Mono. $1\frac{1}{4}$ x $1\frac{3}{8}$ in. on 970-22 Knob, 2¼ in.
S 2451 Mono. $1\frac{1}{4}$ x $1\frac{3}{8}$ in. on 970-20 Knob, 2½ in.




S 1463 Mono. $\frac{3}{4}$ x 1 in. on 5320 (old) Knob




S 474 2½ in.




S 2830 2½ in.




S 1305 2 x 2¾ in.




S 4569 2¼ in.




S 2245
Rose, 1¾ in. Knob, 2¼ in.




S 4017 2¼ in.
Inside Knob for Unit Lock




S 4029 2¼ in.




S 2534 2 x 4 in.




S 4016 2½ in.
Cap for Unit Lock Knob




S 1413 2¼ in.




S 4820 2¼ in.
Cap to go on 1825 Knob




S 4868 2½ in.




S 4844 2¼ in.




S 3043 Mono. ⅝ x ⅝ in.
on S 2202 Knob, 2¼ in.




S 3656 2¼ in.




S 3655 2¼ in.



S 4687 2¼ in.




S 4829 2¼ in.




S 4887 2¼ in.




S 3871 1⅝ x 2⅜ in.



S 4770 1 x 2 in.




S 557
Rose, 1 in.
Knob, 1 x 1⅛ in.




S 3258 2½ in.



S 4880 1¼ x 2⅛ in.
on S 4096 Knob, 2¼ in.




S 4936 2½ in.




Knob, 2½ in.



S 3104




Rose, 2¼ in.




S 4898 Mono., 1 x 1⅛ in.
on 778-22 Knob, 2¼ in.




S 4885, 2½ in.




S 1799 1 5/16 in.
on 821-22 Knob, 2¼ in.



S 3240 Mono., 1⅜ in.
on 1519½ Knob, 2¼ in.




S 2431 Mono.
on 2055¼ Sparta Knob,
2¼ in.




S 5011 Mono., 1⅛ x 1 in.
on 812-22 Knob, 2¼ in.
S 5010 Mono., 1¼ x 1⅛ in.
on 812-20 Knob, 2½ in.




S 4274 2¼ in.




S 4448 Mono., ⅞ x 1 in.
on 776-20 Knob, 2½ in.




S 4449 Mono., ⅞ x 1 in.
on 776-22 Knob, 2¼ in.




S 4839 Mono., 1 x 1⅛ in.
on 811-22 Knob, 2¼ in.



S 4815 Mono., 1¼ x 1¼ in.
on 776-22 Knob, 2¼ in.




S 4822 1⅝ in.
on 776-22 Knob, 2¼ in.




S 2432 Mono.
on 2067 Sparta Knob, 2¼ in.




S 4824 1⅜ in.
on 776-22 Knob, 2¼ in.




S 5087 Mono.
On S 4096 Knob 2¼ in.




S 5749 Mono.
On 891-25 Knob 2¼ in.




S 5561 2½ in.




S 5018 Mono.
On 1512 Knob 2¼ in.




S 5020 Mono.
On 1519½ Knob 2¼ in.




S 5016 Mono.
On 1511 Knob 2½ In.




S 5019 Mono.
On 1518½ Knob 2½ in.




S 5025 Emblem
On 823-22 Knob 2¼ in.




S 5065 Mono.
On 1519½ Knob 2¼ in.




S 5053 Mono.
On Sparta 2055½ Knob 2¼ in.




S 5059 Mono.
On S 1241 Knob 2¼ in.




S 5595 Disk
On 780-22 Knob 2¼ in.




S 5373 Emblem
On 1519½ PY Knob 2¼ in.




S 5207 Letter C on 974-20 Knob 2½ in.
S 5208 Letter C on 974-22 Knob 2¼ in.




S 5536 2½ in.
2067 Unit Knob




S 5061 Disk
On 2067 Knob 2½ in.




S 5060 Disk
On 2067 & 2055½ Knob 2½ in.




S 5076 Emblem
On 778-20 Knob 2½ in.




S 5066 Emblem
On 1518½ Knob 2½ in.



S 5243 Emblem
on 779-22 Knob, 2¼ in.




S 5046 Emblem
on 778-20 Knob, 2½ in.




S 5249 Emblem
on 779-22 Knob, 2¼ in.




S 5205 Emblem
on 1518½ Knob, 2½ in.




S 5035 Knob Cap, 2¼ in.




S 5023 Monogram
on 901-20 Knob, 2½ in.




S 5616 2½ in.




S 5071 Monogram
on S 4096 Knob, 2½ in.




S 5255 Monogram
on 779-22 Knob, 2¼ in.



S 5056 Monogram




S 5063 Monogram
on 974-20 Knob, 2½ in.




S 5064 Monogram
on 974-21 Knob, 2¼ in.




S 5057 Monogram
on 778-20 Knob, 2½ in.




S 5238 Emblem
on 1519½ Knob, 2¼ in.



S 4821 Monogram
on 776-22 Knob, 2¼ in.



S 5600 2½ in.




S 5601 2¼ in.




S 5236 Emblem
on 1519½ Knob, 2¼ in.




S5237 Emblem
on 779-22 Knob, 2¼ in.




S 5069 Emblem
on 1519½ Knob, 2¼ in.




S 4671 Cap on
2067 America Knob, 2¼ in.



S 5339 Monogram
on 776-20 Knob, 2½ in.




S 5225 Monogram
on 1519½ Knob, 2¼ in.




S 5245 2¼ in.




S 5259 Monogram
on 778-22 Knob, 2¼ in.




S6350 2¼ in.




S 6349 2¼ in.




S 6228 2¼ in.
S 5082 Emblem on S 1421 Knob




S 6014 Knob, 1⅜ x 2⅝ in.
S 6015 Rose, 2 in.
(Bourne Job)




S 6041 2¼ in.




S 6042 2¼ in.
(Hotel Pennsylvania)




S 6049 2¼ in.




S 6193 P. Y. 2¼ in.
(Park Place Terminal)




S 5855 2¼ in.




S 6153 2¼ in.
(International Trust Co.)




S 6018 Knob, 1⅜ x 2⅝ in.
S 6245 Rose, 1¼ in.
(Milburn House)




S 6372 2¼ in.
S 3485 Mono. on No. 1512 Knob)



S 5289 1¼ in.
Disc. for No. 2467
2¼ in. Unit Knob
(Park Place Terminal)




S 6032 2¼ in.
(Mono. Disc on No. 1519½ Knob)




S 6030 2¼ in.
(Hamilton Co. Court House)




S 6024 2¼ in.
(Missouri State Capitol)




S 5291 2¼ in.
(1⅜ in. Disk on S 2026 Knob)




S 5294 2¼ in.




S 5295 2¼ in.




S 5298 2¼ in.




S 6003 2¼ in. with Pins
S 6005 2 " " "
Numbers Cover Seal Only




1518½ Knob, 2½ in.
S 1409 Esc., 3½ x 10⅜ in.




1519½ Knob, 2½ in.
S 1706 Esc., 2⅜ x 7¼ in.




S 1707. 2⅜ x 7¼ in




S 4585, 1⅜ x 3 in.
Esc. for 226½ Lock



S 2881, 2⅜ x 4¼ in.




S 2882, 1⅜ x 4⅞ in.




* 2045 Nurnburg
* 2067 Nurnburg
Knobs, 2½ in. Escs. 3⅛ x 10⅜ in.

Push Plate illustrated on page 2


* State Hand.




S 2270 4⅛ x 7¼ in.




S 2280 Lever Handle
S 2269 Esc. 4⅛ x 7¼ in. for 1365 Lock




273 Glass Knob 2¼ in.
S 2401 Esc. 4⅛ x 9 in. for 229½ Lock
S 2454 Esc. 2⅜ x 6⅜ in. for 785 Lock.



S 2268 Knob 1⅝ x 3 in.
S 2379 Esc. 4⅛ x 9 in. for 1339 Lock




S 2268 Knob 1¼ x 3 in.
S 2267 Esc. 4⅛ x 9 in.
For 1345 Lock, inside.




S 2268 Knob 1¼ x 3 in.
S 2389 Esc. 4⅛ x 9 in.
For 1345 Lock, outside.


Additional Cuts of This Design on page 53




S 2299 1½ x 2½ in.




S 2289 3½ x 5⅛ in.




S 2290 2⅛ x 4 in.




S 1792 1⅝ x 3¼ in.




S 421 1⅝ x 2½ in.




1518½ Knob 2½ in.
S 232 Esc. 4⅛ x 11⅜ in.
S 65 Esc. 3 x 12 in.
S 233 Esc. 3 x 9½ in.
S 1127 Esc. 3 x 6½ in.




S 415 3 x 7¾ in.




S 234 1¾ x 3 in.




S 3048 1⅞ x 4⅝ in.




S 4531 1⅞ x 4⅝ in.




S 4584 3½ x 16 in.



S 3409 2 x 8 in.



S 3049 Knob, 2¼ ~~in.~~
S 1692 Knob, 2½ in.
S 3157 Esc., 3 x 10¼ in.
S 3410 Esc., 2¼ x 6½ in.




S 4705 2¼ x 6½ in.




S 3046 Letter Box Plate, 3 x 9⅛ in. S 3046 Hooded Back Plate, 3 x 9⅛ in.


Push Plates illustrated on pages 4 and 7A Additional cut of this design on page 55




S 4497 2½ x 3 in.




2067 Lock
S 1690 Knobs 2½ in. S 1689 Escs. 3 x 10⅛ in.
2055¼ Lock
S 1697 Knobs 2½ in. S 1696 Escs. 3 x 10⅛ in.




2067 Lock
S 3155 Knobs 2½ in. S 3159 Escs. 3 x 11 in.
2045 Lock
S 3155 Knobs 2½ in. S 3045 Escs. 3 x 11 in.



S 3049 Knob 2½ in.
S 1692 Knob 2½ in.
S 1691 Esc. 3 x 10⅛ in.




S 1694 2 x 7¾ in.




S 1695 Letter Box Plate 3 x 8⅜ in.
S 1695 Hooded Back Plate 3 x 8⅜ in.


Push Plates illustrated on page 7A




1518½ Knob, 2½ in.
S 3804 Esc., 2⅜ x 9½ in.
S 4942 Esc. 2¾ x 10 in.




1519½ Knob, 2½ in.
S 3998 Esc., 2⅞ x 8½ in.
S 3431 Esc., 4 x 6¾ in.




S 2274, 3⅜ x 6½ in.




S 2275, 1½ x 3⅛ in.




S 4319, 1⅜ x 6⅝ in.




S 4566, 1¾ x 6 in.



S 4308, 2¾ x 5⅝ in.




S 2369, 1¾ x 4½ in.




S 2276, 1⅜ x 4½ in.


Push Plates illustrated on page 6




S 464 Knob, 2½ in.
S 462 Esc., 3 x 12¼ in.
for 572 and 567 Locks.
S 4118 Esc., 3 x 12¼ in.
for any Lock.




S 464 Knob, 2½ in.
S 482 Esc., 2½ x 7½ in.




S 3674, 2½ x 7¾ in.




S 3675, 1¼ x 5¼ in.




S 3672, 1½ x 3¾ in.



S 3673, 1½ x 5¾ in.




S 4128, 2⅜ x 3¼ in.




S 594 Letter Box Plate, 2½ x 7½ in.
S 594 Hooded Back Plate, 2½ x 7½ in.


Push Plates illustrated on page 2
Door Pull illustrated on page 23




S 3201 Knob, 2¼ in.
S 3202 Esc., 2½ x 9⅛ in.




S 3517, 2½ x 9⅛ in.




2067 Lock
S 3078 Knobs, 2¼ in. S 3077 Escs., 3 x 10⅜ in.




S 3269, 2 x 6 in.



S 3207, 2½ x 8¼ in.




S 3518, 2½ x 5⅝ in.




S 3332 Letter Box Plate, 3 x 10⅜ in.
S 3332 Hooded Back Plate, 3 x 10⅜ in.


Store Door Handle illustrated on page 17




S 2480, 2 x 9⅛ in.



S 2479 Letter Box Plate, 4 x 8 in.
S 2479 Hooded Back Plate, 4 x 8 in.




S 3003, 2 x 5⅝ in.




S 2488 Knob, 2¾ in.
S 2667 Esc. for 155¼ Lock, 3½ x 11¾ in.

Push Plates illustrated on page 7B




S 2488 Knob, 2¾ in.
S 2475 Esc., 3½ x 11¾ in.

Store Door Handle illustrated on page 15
Additional cuts of this design on page 60




S 2488 Knob, 2¾ in.
S 4453 Esc., 3½ x 11¾ in.


Plate illustrated on page 34




S 2749 1 Light, 3½ x 8 in.
S 2848 2 Light, 3½ x 11⅛ in.




2067 Lock *
S 2477 Knobs, 2¼ in. S 2476 Escs., 3½ x 11⅛ in.



2067 Lock
S 3057 Knobs, 2¼ in.
S 3056 Escs.. 3½ x 8⅞ in.




S 3189 Knob, 2¼ in.
S 3198 Esc. for 155¼ Lock, 2½ x 6¼ in




S 3073, 1¾ x 7 in.



S 3300, 1¾ x 1¾ in.




S 3189 Knob, 2¼ in.
S 3193 Esc., 2½ x 7 in.
S 3199 Esc., 3¼ x 12 in.
S 4478 Esc., 2½ x 12 in.




S 3071, 2½ x 9¾ in.

Push Plates illustrated on page 4


* State Hand




S 19 Knob 2¼ in.
S 17 Esc. 3⅜ x 12⅞ in.
S 20 Esc. 2¼ x 8½ in.




S 517 2⅞ x 9⅝ in.



S 166 2¼ x 5¾ in.




S 13 1½ x 5¾ in.




S 14 Letter Box Plate 2⅞ x 9¾ in.
S 14 Hooded Back Plate 2⅞ x 9¾ in.


Push Plate illustrated on page 5 Store Door Handle illustrated on page 15 Door Pull illustrated on page 22



S 2875 Knob, 2½ in.
S 212½ Esc., 2½ x 11¼ in.
S 212 Esc., 2½ x 9⅝ in.



S 912, 3⅜ x 11⅞ in.
S 2877, 2⅛ x 7¼ in.



2045 Warwick
Knobs, 2¼ in. Escs., 2½ x 10¾ in.


2067 Warwick
Knobs, 2¼ in. Escs., 2½ x 10¾ in.




S 2876 Knob, 2¼ in.
S 215 Esc., 2⅛ x 7⅞ in.



S 167, 2⅛ x 5½ in.




S 217, 1⅜ x 5¼ in.




S 78 Letter Box Plate, 2½ x 9⅜ in.
S 78 Hooded Back Plate, 2½ x 9⅜ in.
S 39 Letter Box Plate, 2½ x 8¼ in.
S 39 Hooded Back Plate, 2½ x 8¼ in.

Door Pull illustrated on page 22


Hinge Plates illustrated on page 34




S 3316 Knob 2¼ in.
S 3084 Esc. 2½ x 7¾ in.




S 3537 2½ x 7¾ in.




S 3538 2½ x 6 in.



S 3086 2⅛ x 6 in.




S 3087 2 x 9⅛ in.



2045 Lock *
S 3083 Knobs, 2¼ in. S 3341 Escs. 3⅜ x 11⅜ in.

2067 Lock *
S 3083 Knobs, 2¼ in. S 3082 Escs. 3⅜ x 11⅜ in.


S 3089 Monogram




S 3085 Letter Box Plate 2¾ x 8¾ in.
S 3085 Hooded Back Plate 2¾ x 8¾ in.

* State Hand


Store Door Handle, illustrated on page 17




S 1451 Knob 2¼ in.
S 1453 Esc. 2¼ x 11⅝ in.
S 1964 Esc. 3 x 15 in.




S 2969 2½ x 8¼ in.



2045 Lock
S 1430 Knobs, 2½ in. S 1429 Escs, 3⅛ x 15 in.
2067 Lock
S 1430 Knobs, 2½ in. S 1429 Escs. 3⅛ x 15 in.
2055¼ Lock
S 1437 Knobs, 2½ in. S 1443 Escs. 3 x 13⅝ in.




S 1432 2⅛ x 10 in.




S 1431 Letter Box Plate 3 x 13½ in.
S 1431 Hooded Back Plate 3 x 13½ in.


Door Pull illustrated on page 22




773-22 Knob, 2¼ in.
S 161 Esc., 2¾ x 8 in.




S 407, 2¾ x 2¾ in.




S 299, 3½ x 6 in.




S 72, 2⅞ x 10¼ in.




S 518, 1¼ x 6⅝ in.
Esc. for 229 Lock



773-22 Knob, 2¼ in.
S 1 Esc., 2 x 6½ in.
S 387 Esc., 2½ x 7½ in.




S 869, 2½ x 4 in.
S 870, 4 x 4½ in. 2 Light
S 871, 4 x 6½ in. 3 Light




2045 Lock
S 1804 Esc., 2¾ x 6½ in.


Push Plates illustrated on pages 1 and 6 Hinge Plates illustrated on page 31 Kick Plate illustrated on page 36
Sectional Store Door Handle illustrated on page 20



S 2835 Knob 2¼ in.
S 2834 Esc. 2½ x 9 in.
S 2894 Esc. 3½ x 10 in.




S 2738 Letter Box Plate, 2¾ x 8⅞ in.
S 2738 Hooded Back Plate, 2¾ x 8⅞ in.




2055¼ Lock
S 2720 Knobs, 2¼ in. S 2741 Escs., 2¾ x 10⅜ in.
2045 Lock
S 2719 Knobs, 2¼ in. S 2836 Escs., 2¾ x 10⅜ in.
2067 Lock
S 2719 Knobs, 2¼ in. S 2836 Escs., 2¾ x 10⅜ in.
2058 Lock
S 2720 Knobs, 2¼ in. S 2732 Escs., 2¾ x 10⅜ in.




S 4779 Knob, 2¼ in.
S 4775 Esc., 2⅝ x 9 in.



S 4773 Knob, 2¼ in. S 4776 Esc. 3⅛ x 10⅞ in.




S 4774, 3⅛ x 11 in.




S 4774, 3⅛ x 11 in.


Push Plates illustrated on pages 6 and 7B Store Door Handle illustrated on page 19A




S 3092, 2¾ x 3½ in.




1519½ Knob, 2¼ in.
S 3094 Esc., 2¾ x 4½ in.




S 3093, 2¾ x 4½ in.
S 3096, 2¼ x 3 in.




S 622, 1¾ x 3⅞ in.




S 371, 1 x 2⅛ in.




S 1262, 1½ x 3 in.




S 3097 Ring Handle,
S 3095 Esc., 3 x 3 in.




S 1173, 1⅞ x 5¼ in.



1519½ Knob, 2¼ in.
S 3149 Esc., 3¼ x 8 in.
S 2737 Esc., 2½ x 11 in.
S 3337 Esc., 3⅛ x 12 in.
S 2390 Esc., 4 x 12 in.




S 3630, 5⅛ x 5⅛ in.




S 1622, 3¼ x 5 in.


Pull Plates illustrated on page 1 Push Plates illustrated on page 6
Hinge Plates illustrated on page 28




1519½ Knob, 2¼ in.
S 2648 Esc., 2½ x 7¾ in.




S 1268, 1⅜ x 6 in.




S 2713, 2½ x 8 in.




S 763, 2½ x 7½ in.




S 3553, 2⅜ x 5 in.




1518⅓ Knob, 2½ in.
S 2818 Esc., 2 x 10½ in.



1518½ Knob, 2½ in.
S 2817 Esc., 2 x 24 in.




1519½ Knob, 2¼ in.
S 2409 Esc., 3 x 10 in.
S 210 Esc., 2 x 7 in.
S 9 Esc., 1⅞ x 5⅜ in.




S 1280, 2½ x 7⅞ in.


Push Plates illustrated on page 2




S 4605, 3½ x 9 in.
S 4714, 1⅞ x 6⅛ in.
S 2070, 2⅝ x 7½ in.
S 4361, 2⅛ x 11⅞ in.




S 2533, 2⅛ x 2⅛ in.



S 638, 3⅞ x 5⅞ in.




S 639, 3⅞ x 7⅞ in.




2055½ Standish
S 4739 Escs., 4⅝ x 3½ in.




S 4545, 3½ x 9 in.



S 4545, 3½ x 9 in.




S 640, 2½ x 3⅝ in.
S 4149, 3⅞ x 4½ in. 2 Light




S 605, $1\frac{3}{16}$ x $1\frac{13}{16}$ in.



S 293, 1½ x 2⅛ in.



S 4742, 1⅛ in.




2055½ Standish
S 3338 Escs., 2⅜ x 9⅝ in.


Store Door Handle illustrated on page 21A

Push Plate illustrated on page 7B


CAST




S 1846, 3 x 9⅞ in.
S 1847, 2⅜ x 6⅞ in.
S 4513, 3 x 9⅞ in.



S 4513, 3 x 9⅞ in.
For Von Duprin Device
Showing Back of Escutcheon.




1608 Knob, 2¼ in.
S 1121 Esc., 2⅛ x 5⅝ in.




S 1139, 2⅛ x 5⅝ in.


CAST




S 2700, 1 1/16 x 2⅛ in.




S 1943, 2⅛ x 5⅝ in.




S 1817, 2⅛ x 6⅞ in.




771-23 Knob, 2⅛ in.
S 1940 Esc., 3 x 9¾ in.
S 1941 Esc., 2⅛ x 6⅞ in.




S 4181, $2\frac{3}{8}$ x 8 in.




S 4171 Knob, $2\frac{1}{4}$ in.
S 3642 Esc., $2\frac{3}{8}$ x 10 in.




S 882, 3 x $5\frac{3}{4}$ in




S 2358, $1\frac{3}{4}$ in. L. H.
S 3305, $2\frac{1}{2}$ in. L. H.




S 4363, 2 x $4\frac{3}{4}$ in.
To fit 4 in. Round Moulding



S 1931, $1\frac{1}{2}$ x $6\frac{1}{2}$ in.




S 3698, 2 x $3\frac{1}{2}$ in.




S 2279, $3\frac{3}{4}$ x $6\frac{1}{8}$ in.




1532 Knob, 1 in.
S 2421 Esc., $1\frac{1}{4}$ x 4 in.



S 2277, $1\frac{3}{4}$ x $2\frac{3}{4}$ in.




S 2402, $1\frac{1}{2}$ x $4\frac{1}{2}$ in.




273 Glass Knob, $2\frac{1}{4}$ in.
S 2278 Esc., $3\frac{3}{8}$ x $4\frac{7}{8}$ in.


Push Plates illustrated on pages 3 and 6




S 2629, $2\frac{7}{8}$ x $10\frac{7}{8}$ in.
Esc. for 295 Lock




S 1867, $2\frac{1}{2}$ x $7\frac{3}{4}$ in.




S 236, $3\frac{5}{8}$ x $7\frac{1}{2}$ in.




S 3511, $2\frac{3}{8}$ x $5\frac{3}{8}$ in.




2149 Thumb Piece
S 40 Plate, 1 x 2 in.




S 213, 1 x 2 in.




S 1806, $1\frac{3}{8}$ x $3\frac{1}{8}$ in.
Cut for 0250 Key




S 214, $1\frac{3}{16}$ x $4\frac{1}{8}$ in.




S 1999, $2\frac{1}{4}$ in.




S 2714 Esc., $2\frac{3}{8}$ x $7\frac{1}{2}$ in.




S 2380, $1\frac{1}{2}$ x 6 in.
Plate for 2427 Hook




S 2377, $1\frac{7}{8}$ x 4 in.



S 758, $1\frac{3}{8}$ x 3 in.




S 2087, $1\frac{3}{8}$ x 3 in.
Plate for 2427 Hook




2149 Thumb Piece
S 1988 Plate. $1\frac{3}{8}$ x 3 in.


Push Plates illustrated on pages 1, 2 and 7 Store Door Handle illustrated on page 12




S 3458, 3½ x 8½ in.




S 3733, 3½ x 8½ in.




S 3468, ⅞ x 2 in.




S 896 Knob, 1¼ in.
S 893 Esc., 1¼ x 4 in.




S 896 Knob, 1¼ in.
S 892 Esc., 1¼ x 6 in.




S 894, 1¼ x 4⅝ in.



S 3950 Knob, 2¼ in.
S 3953 Esc., 3 x 10½ in. for 1364½ Lock




S 3950 Knob, 2¼ in.
S 3952 Esc., 3 x 10½ in. for 155¼ Lock




S 3950 Knob, 2¼ in.
S 3951 Esc., 3 x 10½ in. for 1339 Lock


Push Plate illustrated on page 7A Hinge Plates illustrated on page 31




S 4199, 4 x 20⅜ in.




S 2152, 3 x 10½ in.




1512 Knob, 2¼ in.
S 3180 Esc., 2¼ x 9¼ in.




2055½ Lock
S 2147 Escs., 3 x 11⅞ in.




S 4615, 1½ x 5½ in.



S 3792, 1 x 6 in.




S 3074, 1½ x 6⅜ in.




S 2117 Letter Box Plate, 3 x 12 in. S 2117 Hooded Back Plate, 3 x 12 in.
S 3020 Emblem.

Push Plate illustrated on page 7A


Door Pull illustrated on page 24




S 1896 Knob, 2½ in.
S 1889 Esc., 3 x 10¾ in.




S 2307, 3 x 10¾ in.




S 2014, 3 x 10¾ in.



S 1444, 1⅞ x 5½ in.




S 1404, 2¼ x 8½ in.



S 1407 Letter Box Plate, 3 x 9¼ in.
S 1407 Hooded Back Plate, 3 x 9¼ in.


S 2321 Letter Box Plate, 3 x 10 in.
S 2321 Hooded Back Plate, 3 x 10 in.




* 2067 Lock
S 1403 Knobs, 2½ in. S 1402 Escs., 3 x 10¾ in.
* 2055¼ Lock
S 1405 Knobs, 2½ in. S 1917 Escs , 3 x 10¾ in.

* State Hand


Push Plate illustrated on page 5




1511 Knob, 2½ in.
S 2417 Esc., 3 x 9⅛ in.




S 2578, 3 x 9⅛ in.



2148¼ Knob
S 2866 Esc., 1¼ x 2½ in.




S 3848, 2 x 3⅝ in.




S 3004, 3 x 9⅛ in.



S 628 Knob, 2¼ in.
S 629 Esc., 2¼ x 8⅛ for 1365 Lock
S 629 Esc., 2¼ x 8⅛ for 567 Lock



S 624, 2⅜ x 7⅛ in.




S 627, 1¼ x 6 in.




S 625, 1¼ x 3¾ in.




S 5159, 1⅛ x 2⅛ in.




S 626, 1⅜ x 4½ in.




S 1976, $3\frac{1}{4}$ x $14\frac{5}{8}$ in.




S 875, $2\frac{3}{8}$ x $6\frac{1}{2}$ in.




S 876 Switch Plate, $4\frac{1}{8}$ x $21\frac{3}{4}$ in.
8 Light




S 2282 Knob, $1\frac{3}{8}$ x 3 in.
S 2271 Esc., $3\frac{1}{4}$ x 10 in.



S 877, $2\frac{3}{8}$ x $11\frac{1}{4}$ in.




S 2272, $3\frac{1}{4}$ x $8\frac{1}{2}$ in.




S 2400, $1\frac{3}{4}$ x $4\frac{1}{2}$ in.


Door Pull illustrated on page 22




5200 Knob 2 x 3 in.
5202 Esc. 4¼ x 18¼ in.




882-23 Knob, 2½ in.
S 1721 Esc., 2⅜ x 13½ in.



S 2183, 3⅜ x 16¼ in.




S 906, 3⅜ x 16 in.




S 767, 3 x 12¼ in.

Push Plates illustrated on page 4


Door Pull illustrated on page 24



S 4365, 3 x 12¼ in.




882-25 Knob, 2¼ in.
S 4003 Esc., 1⅞ x 12 in.




2045 Lucca
S 3926 Escs.. 3⅛ x 12 in.


2067 Lucca
S 3926 Escs., 3⅛ x 12 in.




S 2902, 1⅛ x 4½ in.




S 2630, 3⅛ x 11⅞ in.
Esc. for 295 Lock



S 2088, 2⅛ x 7¼ in.




S 1417, 1¾ x 6 in.



S 2420 Letter Box Plate, 4 x 10½ in.


Store Door Handle illustrated on page 14

S 2420 Hooded Back Plate, 4 x 10½ in.




S 2074, 2⅛ x 4½ in.


Push Plates illustrated on page 7B




2149 Thumb Piece
S 2643 Plate, 1⅛ x 3¼ in.




S 2002 Name Plate, 3 x 11¾ in.




S 2157 Name Plate, 2½ x 9 in.




Switch Plate
S 2670, 2½ x 5⅛ in.




Switch Plates
S 3784, 9½ x 4½ in., 3 Light S 2566, 12 x 4½ in. 5 Light




Switch Plate
S 866, 4½ x 5¾ in. 2 Light




Switch Plates
S 867, 10½ x 5¾ in. 5 Light S 868, 8½ x 5¾ in. 4 Light
S 1712, 12½ x 5¾ in. 6 Light S 1560, 6½ x 5¾ in. 3 Light




S 1559, 2½ x 5½ in.
S 865, 2½ x 6⅛ in




S 3117, 2¾ x 9 in.



2055¼ Serilly
S 1818 Escs., 3 x 12 in.




971-25 Knob, 2¼ in.
S 3895 Esc., 2 x 6¼ in.




S 1161, 11/16 x 2⅞ in.




S 60, 11/16 x 2⅞ in.




S 3357, 1⅝ x 4⅜ in.




S 92, 1⅝ x 2¾ in.



S 377, 1⅜ x 4¾ in.




S 1434, 2⅛ x 7½ in.




971-22 Knob, 2¼ in.
S 4999 Esc., 3⅓ x 4¼ in.

S 1256 Esc., 3½ x 7 in.
S 5100 Esc., 3¼ x 5¼ in.




S 2357, 1⅝ x 4⅜ in.




S 863, 2½ x 5½ in.


Push Plates illustrated on page 4




960-20 Knob, 2½ in.
S 2707 Esc., 3 x 14½ in.




S 655, 2½ x 9¾ in.



S 886, 4⅛ x 6⅛ in.




S 3186 Name Plate, 2¼ x 11⅜ in.




S 2747, 4 x 12½ in.

Push Plates illustrated on pages 4 and 5


Store Door Handle illustrated on page 16




S 416, 1⅞ x 4½ in.
Also made as Lock and Lift




S 1918, 1⅛ x 2⅞ in.



S 268, 1½ x 3¼ in.




S 267, 1¼ x 2⅞ in.




S 2258 Knob, 3 in.
S 2265 Rose, 3⅝ in.



S 2248 Knob, 2½ in.
S 2249 Rose, 3⅛ in.




S 2252 Knob, 2¼ in.
S 2254 Rose, 2⅝ in.




S 2250, 2¼ x 2¾ in.




S 2253, 1⅛ x 2 in.




2063½ Lock
S 2251 Knobs, 3 in. S 2256 Escs., 5¾ in.



S 2202 Knob, 2¼ in.
S 2201 Knob, 2½ in.
S 2205 Esc., 2⅝ x 11 in.
S 2204 Esc., 3½ x 15 in.
S 2206 Esc., 2 x 8⅝ in.




S 2207, 2½ x 9⅝ in.




S 2203 Letter Box Plate, 3½ x 13 in. S 2203 Hooded Back Plate, 3½ x 13 in.


Push Plate illustrated on page 3




S 3012 Knob. 2½ in.
S 3010 Esc., 2⅜ x 11 in.
S 4388 Esc., 2¼ x 10 in.
S 3113 Esc., 2½ x 10 in.



S 2618, 3½ x 10 in.




S 2792, 3 x 10 in.




S 2320, 3 x 5 in.


Additional cuts of this design on page 85



S 3011 Knob 2¼ in.
S 3009 Esc., 2⅛ x 8 in.
S 2620 Esc., 2¼ x 8 in.
S 3391 Esc., 2½ x 7 in.




1518½ Knob, 2½ in.
S 2928 Esc., 3 x 8 in.
S 4329 Esc., 3½ x 10 in.
S 4269 Esc., 4½ x 10 in.




2067 Lock
Knobs, 2½ x 2¼ in.
S 3335 Escs., 3 x 12 in.
S 2302 Escs., 4 x 15 in.
S 3395 Escs., 3 x 7½ in.
S 3753 Escs., 2½ x 8 in.

02067 Lock
Knobs, 2½ x 2¼ in.
S 2102 Escs., 3 x 15 in.




02067 Lock
Knobs, 2½ x 2¼ in.
S 2146 Inside Esc., 2½ x 8 in.
S 2144 Outside Esc., 3 x 10 in.




2045 Lock
Knobs, 2½ x 2¼ in.
S 2781 Escs., 4 x 7 in. S 3395 Escs., 3 x 7½ in.


2055¼ Lock
Knobs, 2¼ in.
S 3395 Escs., 3 x 7½ in. S 3335 Escs., 3 x 12 in.
S 2760 Escs., 3 x 10 in.




760-54 Plate 1⅝ x 4⅜ in.
S 4189 Handle




2149 Thumb Piece
S 3727 Plate, 1⅛ x 3 in.




2045 Lock
Knobs, 2¼ in. S 4561 Escs., 4 x 4½ in.




S 3988, 1⅜ x 4⅜ in.
S 1515, 1⅜ x 6 in.



S 4907, ⅞ x 4 1⅜ in.




S 4765, ⅞ x 4 in.




S 4343, 4¾ x 6⅝ in. 3 Light
S 4342, 4¾ x 4¾ in. 2 Light
S 4341, 4¾ x 3 in. 1 Light


Door Pull illustrated on page 24 Pull Plate illustrated on page 1 Push Plates illustrated on pages 1, 6 and 7B
Store Door Handles illustrated on pages 13 and 21




S 1926, 3 x 10½ in.



S 2948, 1⅜ x 3½ in.




S 4355, 1⅜ x 3⅜ in.
For 3¼ in. Round Post




S 800, 1⅛ x 3¼ in.




S 2664, ⅝ x 1¼ in.




S 3710, 1 x 2⅛ in.



S 2796, 2½ in.
Plates 1⅛ x 2⅛ in.




2045 Puritan
S 2786 Escs., 2¾ x 7⅛ in.




S 4234, 1 x 1½ in.




S 3394, ¾ x 1½ in.




S 3647, 1½ x 2⅜ in.



S 1149, 1 x 1⅞ in.




S 1109, 1⅛ x 1⅝ in.




S 4293, 3⅜ x 11¼ in.


Push Plate illustrated on page 7




S 3345, 2 x 5¼ in.
S 168, 3 x 10½ in.




S 1710, 1⅜ x 3½ in.




S 3712, 2¼ in.




S 1525, 2 x 5¼ in.




S 996, 1½ x 3¾ in.
For ⅜ in. Sash



S 1739, 1⅜ x 1⅛ in.



S 3747, 1½ x 4 in.




S 641, 3¼ x 6⅞ in.




2149 Thumb Piece
S 1200 Plate, 1 x 1½ in.




S 1290, ⅜ x 2 in.




S 2324, 1⅛ x 2⅛ in.



2149 Thumb Piece
S 3783 Plate, 2 in.




S 642, 5½ in.




S 1774 Letter Box Plate, 3⅜ x 11¼ in.

S 1774 Hooded Back Plate, 3⅜ x 11¼ in.


Store Door Handle illustrated on page 21A




2067 Regal S 2060 Escs., 3¾ x 19½ in.
Imperial Des. Knobs, 2½ x 2¼ in.




S 884, 2¾ x 7¼ in.




770-25 Knob, 2¼ in.
S 277 Esc., 2 x 5¼ in.




S 278, 2 x 5¼ in.




S 284, 1½ x 2⅜ in.




S 3119, 2 in.




S 691, 1⅝ x 4⅞ in.




S 820, 2 x 5½ in.




S 254, 1½ x 3¾ in.




S 476, 1¼ x 4 in.




2149 Thumb Piece
S 1216 Plate, 1⅛ x 1¾ in.
S 1217 Plate, 1 x 1⅜ in.



2148 Thumb Knob
S 365 Plate, 1⅛ x 2½ in.



S 1291, ⅞ x 1⅜ in.




S 2160, 1 x 1½ in.




S 660, 1 x 1½ in.




S 2404, ⅞ x 1⅝ in.




S 1401, 1⅜ in.




S 2084, 3½ x 12 in.




S 4237, 2⅛ in.




771-25 Knob, 2¼ in.
S 494 Esc., 3⅜ x 10½ in.




S 237, 3 x 10½ in.




S 2853, 2¾ x 7 in.
Push Plates on page 7




S 2244, 2⅜ x 5⅛ in.



S 2474, 1 x 5 in.




S 3038, 1½ x 3½ in.




S 679, 1 x 2⅛ in.




S 4080, 1¾ x 4⅜ in.




772-22 Knob, 2¼ in.
S 2793 Esc., 2 x 7½ in.
Push Plate on page 4




S 843, 1¾ x 5⅝ in.




2149¼ Thumb Piece
S 1320 Plate. 1 x 1⅜ in.




S 3403 Cyl. Collar
2⅛ in.




S 2326, 1½ x 3⅞ in.




S 496, 2 in.




S 2504, $1\frac{15}{16}$ x 7 in.
Push Plates on page 6
Store Door Handle on page 14
Kick Plates on page 36




2045 Corinth (old)
S 2056 Escs., $2\frac{3}{4}$ x $4\frac{3}{4}$ in.




S 1125, $3\frac{1}{4}$ x $3\frac{3}{8}$ in. (old)



2067 Corinth (old)
S 2520 Escs., $2\frac{3}{4}$ x 10 in.
$2055\frac{1}{4}$ Corinth (old)
S 2540 Escs., $2\frac{3}{4}$ x 10 in.




S 584, $1\frac{1}{2}$ x 3 in.




Candia
815-22 Knob, $2\frac{1}{4}$ in.
S 1100 Esc., 3 x $8\frac{1}{4}$ in.
S 1347 Esc., $2\frac{1}{2}$ x $6\frac{3}{4}$ in.


Additional cuts on page 7



Trojan
814-22 Knob, $2\frac{1}{4}$ in.
S 4731 Esc., 3 x $8\frac{1}{4}$ in.
S 1908 Esc., $2\frac{1}{2}$ x $6\frac{3}{4}$ in.
S 4718 Esc., $2\frac{1}{4}$ x $6\frac{1}{2}$ in.
S 4728 Esc., $2\frac{7}{16}$ x $6\frac{1}{2}$ in.
S 1767 Esc., $2\frac{3}{4}$ x $8\frac{1}{4}$ in.




S 716, 3 x $8\frac{1}{4}$ in.
Push Plate on page 7B




2045 Lock
S 2055 Escs., 4 x 20 in.

2067 Lock
S 2055 Escs., 4 x 20 in.


Push Plates illustrated on pages 3 and 6
Store Door Handles illustrated on page 15




S 2631, 2⅞ x 13 in.
Esc. for 295 Lock



S 2524 Plate, 6⅝ x 6 in. S 2422 Figures



819-22 Knob, 2¼ in. S 770 Esc., 3¼ x 9½ in. S 326 Esc., 4⅛ x 10¼ in.




2067 Lock
S 2896 Knobs, 2¼ in. S 2895 Escs., 3⅝ x 6 in.

2045 Lock
S 2896 Knobs, 2¼ in. S 2895 Escs., 3⅝ x 6 in.

2055¼ Lock
S 3131 Knobs, 2¼ in. S 3136 Escs., 3⅝ x 6 in.




S 2543, ⅝ x 3⅜ in.




S 3190 Letter Box Plate, 3 x 7¼ in. S 3190 Hooded Back Plate, 3 x 7¼ in.


Pull Plates illustrated on page 1




S 1844, 3½ x 14 in.
Store Door Handle on page 21A
Push Plate on page 3




S 4460, 4⅜ x 4 in.
Outside Esc. for 2067 Lock



S 4457, 4⅜ x 4 in.
Outside Esc. for 2067 Lock Reverse Bevel




S 2669, 2⅝ x 6⅝ in.




S 972, 1¼ in. S 973, ⅞ in.




S 826, 1 x 3½ in.




S 2711, 1¾ x 6½ in.
Push Plate on page 4




S 2647, 1¾ x 4⅝ in.




S 1398, 2⅝ x 8⅞ in.




S 1709 Letter Box Plate, 4 x 15½ in. S 1709 Hooded Back Plate, 4 x 15½ in.




S 1423 Knob, 2 x 3 in. S 2557 Esc., 5¼ x 7¾ in.




S 364 Cup Esc., 4 x 18 in.




S 335 Knob, 2¼ in.
S 1285 Esc., 2¾ x 12¼ in.
Push Plate illustrated on page 4




S 1423 Knob, 2 x 3 in.
S 1422 Esc., 5¼ x 11 in.




S 336, 2¾ x 8 in.




S 227 Knob, 4 in.
S 226 Esc., 6¾ x 23 in.




S 229, 3¾ x 11½ in.




S 657 Lever Handle
S 656 Esc., 3⅜ x 13⅜ in.




S 3250 T Handles S 3248 Esc., 6¼ x 23½ in. For 1345 Lock




S 809 Knob, 2¼ in.
S 808 Esc., 3¼ x 12⅞ in.
S 3388 Esc., without seal, 3¼ x 12⅞ in.




S 809 Knob. 2¼ in.
S 4241 Esc., 3¼ x 12⅞ in.



S 816, 3¼ x 12⅞ in.




S 811 Knob, 2¼ in.
S 810 Esc., 3⅜ x 12⅝ in.




S 2688, 8 x 29¾ in.


Push Plate illustrated on page 7




S 813 Knob, 2½ in.
S 3663 Esc., 3 x 14⅛ in.
S 812 Esc., 3 x 13⅛ in.




S 4111, 3 x 13 in.



S 817, 3 x 13⅛ in.




S 3479 Knob, 2½ in.
S 3477 Esc., 3 x 11⅛ in.




S 1203, 7 x 12 in.


Push Plates illustrated on pages 3 and 4




S 809 Knob, 2¼ in.
S 807 Esc., 3¼ x 12 in.




S 848, 4½ x 12¼ in.




S 847, 4⅝ x 12⅝ in.




S 964, 3 x 14¼ in.




S 963, 3 x 14¼ in.




S 1641, 4 x 13⅝ in.




S 1638, 3½ x 13½ in.




S 270, 2⅞ x 7½ in.




S 2174, 2⅞ x 4½ in.




S 3374, 1¼ x 5¼ in.




S 2172, 2⅞ x 7½ in.




1511 Knob, 2½ in.
S 491 Esc., 3 x 9¾ in.
S 436 Esc., 3½ x 8⅞ in.




S 492, 2⅝ x 8 in.
S 424, 2¼ x 6⅝ in.




S 2544, 2¼ x 6½ in.




S 4303, 1¼ x 1¾ in.




S 4302, 1¼ x 1¾ in.




S 2537, 2¼ x 3½ in.




S 3853, 1¼ x 5⅛ in.



2055½ Lock
S 3671 Inside Esc., 2⅝ x 7⅝ in.
Warren Design, Outside Esc., 2½ x 10¾ in.




S 4126, 1½ x 3¼ in.




S 2856, 1½ x 3⅛ in.


Push Plates illustrated on page 2




S 2676 Knob, 2½ in.
S 2639 Esc., 3¼ x 13⅜ in.




S 2241 Knob, 2¼ in.
S 2239 Esc., 2½ x 10⅝ in.
S 3565 Esc., 2½ x 9 in.




S 2236 Knobs for 2055¼ Lock, 2½ in.
S 2230 Inside Knob for 2067 and 2045 Locks, 2½ in.




S 2329, Escs., 3¼ x 12⅝ in.
For 2055¼ Lock




S 2238 Escs., 3¼ x 13¾ in.
For 2067 Lock
S 3567 Escs., 3¼ x 13⅜ in.
For 2045 Lock




S 2231 Letter Box Plate, 3¼ x 14 in.
S 2231 Hooded Back Plate, 3¼ x 14 in.




S 451 Knob, 2¼ in.
S 452 Esc., 2¾ x 10 in.




S 451 Knob, 2¼ in.
S 2263 Esc., 2⅞ x 10⅝ in.




821-20 Knob, 2½ in.
S 448 Esc., 3¾ x 16¼ in.




S 1323, 2¾ x 7½ in.



S 1270, 3 x 6⅝ in.




* S 5170 Escs., 3⅝ x 13½ in.
For 2055¼ Lock
* State Hand




S 1326, 2¾ x 10 in.

Hinge Plate illustrated on page 22




S 1335, 2¼ in.




S 2132, 1⅞ in.




S 1235, 1 x 2 in.
Push Plate on page 4




S 1856, 1¼ x 4¼ in.



S 1863, Name Plate, 2¾ x 11 in.
Push Plate on page 5 Hinge Plates on page 23




S 162, 3⅝ x 10⅝ in.




S 4088 Rose, 2¼ in.




S 4091, 1¼ in.




S 4089 Cyl. Collar, 2¼ in.




S 3705 Switch Plate, 2¾ x 5½ in.
1 Light




S 4390, 1⅛ x 5¼ in.
Push Plates on pages 7 and 7B
Store Door Handle on page 18



S 33, 3⅝ x 14 in.




S 4196 Name Plate, $2\frac{3}{4}$ x 11 in.




S 163, $3\frac{5}{8}$ x $13\frac{1}{2}$ in.

Push Plates on page 3




S 1180, $3\frac{5}{8}$ x $13\frac{3}{4}$ in.



S 4500 Card Plate, $1\frac{5}{8}$ x $4\frac{7}{8}$ in.

S 3008, 2 x $6\frac{1}{4}$ in.



S 257, $1\frac{1}{2}$ x 5 in.




2148 Knob


S 235 Plate, $\frac{7}{8}$ x $4\frac{1}{2}$ in.




S 680 Shutter Knob, $1\frac{1}{4}$ in.




S 681, Plates $\frac{7}{8}$ x 2 in.




S 172, 3 x $13\frac{1}{2}$ in.




S 1465 Switch Plate, 8¼ x 6⅝ in. 4 Light
S 1464 Switch Plate, 6½ x 6⅝ in. 3 Light




S 1815 Knob, 1⅜ in.
S 833 Knob, 2¼ in.




S 266, 2¼ in.




Switch Plates
S 861, 4⅝ x 6⅝ in. 2 Light
S 860, 2⅜ x 6⅝ in. 1 Light
Push Button
S 862, 2⅞ x 6¼ in.




S 950, 3½ x 11 in.
Hinge Plates illustrated on pages 18 and 30




S 1399, 2¾ x 11 in.




2045 Lock
S 2770 Outside Esc., 5¼ x 5¼ in. Columbia Design
S 2901 Inside Esc., 3⅜ x 11 in. Capri Design
3¾ in. to center.




S 2740 Name Plate, 2¾ x 8½ in.




S 4968, 2 x 8½ in.
S 1544, 2⅛ x 9⅝ in.
S 987, 2⅛ x 6⅜ in.



S 3534, 1¾ x 4 in.




S 985, 1⅛ x 1⅝ in.




S 5123, 1⅝ x 6⅞ in.


Push Plate on page 2




1519½ Knob, 2¼ in.
S 1179 Esc., 2⅝ x 9 in.
S 1178 Esc., 4⅛ x 14 in.



1519½ Knob, 2¼ in.
S 1703 Esc., 2¾ x 8¾ in.
Escutcheon on page 7




S 591, 3 x 13 in., R. H.
S 2145, 3 x 15½ in., R. H. and L. H.




S 4909, 1¼ x 5½ in.




S 1798, 1¼ x 4⅞ in.
Hinge Plates on page 28




S 310 Name Plate, 2⅞ x 8¾ in.



S 1245, 3⅛ x 14 in.
Push Plate on page 7A
Door Pull on page 22




S 2754, 3¼ x 13 in.
Esc. for 295 Lock
Push Plates on page 7




S 3646, 5 x 16 in.
S 702, 3½ x 15 in.
S 701, 2⅞ x 10¼ in.




S 4658, 1 1/16 x 2⅝ in.




S 4553, 2⅝ x 12 in.




S 858, 1¾ x 5 in.




S 1975, 2¾ x 11 in.
Push Plate on page 3
Hinge Plate on page 14



S 1220 Knob, 1¼ x 1⅝ in.




S 727, 1⅝ x 3½ in.




S 2776, 1⅛ x 3⅝ in.




S 1745 Rose, 2 in.




S 2672, 2⅜ x 5¼ in.




S 3904. 1⅛ x 4⅞ in.




S 3930, 1⅝ x 4⅛ in.




S 4253, 1⅜ x 2½ in.




S 2141, 2½ x 8⅝ in.




S 2671, 2⅝ x 5½ in.




3¾ x 12½ in.
S 1221 Cup Esc. with R. H. Lever
S 1222 Cup Esc. with L. H. Lever




S 792 3½ x 14 in.
Push Plates on page 6
Store Door Handles on pages 14 and 18




S 926, 3½ x 13½ in.
Hinge Plates on page 24




S 3984, 3⅝ x 11⅝ in.




843-22 Knob, 2¼ in.
S 3187 Esc., 2½ x 9⅝ in.




2149 Thumb Piece
S 2078 Plate, 1⅛ x 2⅝ in.




S 744, 1½ x 6½ in.




S 330, 2½ x 8 in.
Escutcheon for Bell Pull




S 108, 2¾ x 6¼ in.
Escutcheon for Bell Pull




S 4074 Knob, 2¼ in.
S 4073 Esc., 3⅜ x 12⅝ in.




S 4653 Knob, 2¼ in.
S 4652 Esc., 3¼ x 10¼ in.




S 4828 Knob. 1⅝ x 2⅝ in.
S 4827 Esc., 3 x 11⅝ in.
S 4997 Esc., 3 x 12¼ in.
Push Plate on page 7B




S 3030 Knob, 1⅝ x 2¾ in.
S 3031 Esc., 3 x 11 in.
Push Plate on page 4
Push Bars and Plate on page 34




S 3146 Letter Box Plate, 3 x 9¼ in.
S 3146 Hooded Back Plate, 3 x 9¼ in.




S 4964, 2½ x 7½ in.
S 4965, 3 x 12 in.




2149 Thumb Piece
S4591 Esc., 1½ x 2⅞ in.




S 4486, 1 5/16 x 3⅛ in.




S 4610, 1½ x 3⅛ in.
HB – 1½ ea list 2/k- 4/25/11




S 4609, 2½ x 4 in.
HB – 3682a net 4/25/11




S 4574, 3⅛ x 11¾ in.




772-20 Knob, 2½ in.
S 430 Esc., 3¾ x 10⅜ in.




1518½ Knob, 2½ in.
S 672 Esc., 5⅝ x 11¾ in.
R. H. and L. H.
Hinge Plate on page 32




S 4109, 4⅛ x 7¾ in.




S 3854 Knob, 2¼ in.
S 3855 Esc . 3½ x 7¾ in.
Push Plate on page 2




1519⅓ Knob, 2¼ in.
S 2863 Esc., 2⅞ x 6¾ in.




S 1392 Knob, 2½ in.
S 1393 Esc., 3⅜ x 14½ in.
Push Plate on page 5




S 198, 2⅜ x 4⅝ in.
Push Plate on page 2
Store Door Handle on page 19




S 1761, 3 x 13½ in.
Push Plate on page 3




S 4158, 2¾ x 6¼ in.




S 3285 Esc., 3¼ x 12½ in.
S 3287 Cyl. Collar and Rose
S 3290, Letter L
S 3291, Fleur De Lis
S 3825 Esc., as S 3285 without
Fleur De Lis and Letter L




S 4334, 3⅜ x 4 in.




S 1479 Knob, 2 x 3⅛ in.
S 1480 Esc., 4 x 14 in.




S 649, 2⅞ x 7½ in.
Store Door Handle on page 15
Hinge Plates on page 30



1607 Knob. 2½ in.
S 1648 Esc., 9¼ x 10½ in.




1518½ Knob, 2½ in.
S 2858 Esc., 4⅜ x 10¼ in.




S 4084 Name Plate, 3¼ x 6¼ in.




S 116, 3⅛ x 8⅞ in.
Store Door Handle on page 14




S 114 Knob, 2½ in.
S 115 Esc., 3¼ x 9 in.




S 5824
$2\frac{15}{16}$ x $5\frac{5}{16}$ in.
Cosmos.




S 6177
$2\frac{7}{8}$ x 8 x $\frac{3}{16}$ in. High.
30 Degrees Bevel.




S 5872 $2\frac{1}{4}$ x 7 in.
Thimble Cast On.
(For Y. and T. 1500 Lock.)




S 6170
$2\frac{1}{2}$ x $8\frac{1}{8}$ x $\frac{5}{16}$ in. High.
for 3000 Lock.




S 5560
3 x $12\frac{3}{8}$ in.




S 6156
$3\frac{1}{16}$ x $10\frac{1}{2}$ in.
for 572 Lock.




S 5247 3 x 16 in.
Combined Esc. and Letter Box Plate.
Opening 1 x $5\frac{1}{8}$ in.






S 4043 Knob, 2½ in.
S 4042 Esc., 3⅜ x 12 in.




S 3498 Knob, 2½ in.
S 3497 Esc., 3½ x 9¾ in.




S 2871 Knob, 2½ in.
S 2870 Esc., 3 x 8¾ in.




S 3851 Knob, 2 x 3 in.
S 3852 Esc., 3⅜ x 14¾ in.




S 4642, 2¼ x 6¼ in.
Push Plate on page 7A




1519½ Knob, 2¼ in.
S 2938 Esc., 2¼ x 12 in.




S 3359 Knob, 2¼ in.
S 274 Esc., 2⅜ x 9 in.




S 3969, 2½ x 8 in.



S 612 Knob, 2½ in.
S 613 Knob, 2¼ in.
S 610 Esc., 3½ x 9⅝ in.
S 611 Esc., 2½ x 7 in.




881-22 Knob, 2¼ in.
S 3379 Esc., 2¼ x 6½ in.




2067 Lock
S 3380 Knobs, 2¼ in. S 3376 Escs., 3 x 8¼ in.
With Mono. F on inside knob

2045 Lock
S 3380 Knobs, 2¼ in. S 3592 Escs., 3 x 8¼ in.
With Mono. F on inside knob


2055¼ Lock
S 3381 Knobs, 2¼ in. S 3390 Escs., 2¼ x 6½ in.
With Mono. F




S 3377, 2 x 6⅜ in.




S 614 Letter Box Plate, 2½ x 7⅛ in.
S 614 Hooded Back Plate, 2½ x 7⅛ in.



S 3375 Letter Box Plate, 2¼ x 6½ in.
S 3375 Hooded Back Plate, 2¼ x 6½ in.




S 3132, 4½ x 4 in.




2067 Lock
S 3001 Knobs, 2¼ in. S 2899 Escs., 4½ x 4 in.


2055¼ Lock
S 3126 Knobs, 2¼ in. S 3122 Escs., 4½ x 4 in.




S 3002, 2 x 7¼ in.




S 186 Knob, 2¼ in.
S 189 Esc., 3 x 8¾ in.




S 188 Knob, 2½ in.
S 191 Esc., 3½ x 10¾ in.
S 192 Esc., 3⅝ x 10¾ in.
With Center Ornamentation Raised




S 187 Knob, 2½ in.
S 194 Esc., 3½ x 14 in.
S 193 Esc., 3½ x 11¼ in.




S 190, 3¼ x 10 in.




810-22 Knob, 2¼ in.
S 631 Esc., 2⅜ x 8 in




S 837 Esc., R. H., 13 x 21½ in.
S 844 Esc., L. H., 13 x 21½ in.




S 151 Knob, 2¼ in.
S 3701, Esc , 2⅜ x 10⅓ in.
S 3599, Esc., 3⅜ x 16 in.




S 3700, 2⅜ x 10⅓ in.




S 4676, 3¼ x 9⅜ in.




1504 Knob (Hammered) 2¼ in.
S 3254 Esc., 3¼ x 8 in.
S 4514 Esc., 3¼ x 10 in.




S 1630, 1½ x 2 in.




S 255, 1½ x 5½ in.




S 4078 Escs., 5⅜ x 6¾ in.
For 2045 Lock




S 3616, 3¾ x 7¼ in.




S 3255, 3 x 7 in.




S 2126, 3 x 13⅝ in.




S 1623, 1⅝ x 6⅞ in.
Push Plate on page 4




S 2127, 1⅞ x 6⅞ in.




S 1336, 2½ x 6⅝ in.




S 3401 Knob, 2¼ in.
S 3400 Knob, 2½ in.
S 3298 Esc., 2½ x 9⅝ in.
S 3299 Esc., 2½ x 6½ in.




S 1852, 1¾ x 2 in.




S 590 Name Plate, 2⅝ x 11¼ in.
Store Door Handle on page 15




S 3296, 2 x 6 in.




S 1374, 4⅛ x 8¼ in.




S 1868, 4 x 5 in.




2045 Lock
Knobs, 2½ x 2¼ in.
S 2679 Escs., 3½ x 8¼ in.
S 2485 Escs , 3½ x 10 in.




1518½ Knob, 2½ in.
S 693 Esc., 4 x 12 in.




1518½ Knob, 2½ in.
S 2164 Esc., 3 x 9½ in
S 2163 Esc., 3 x 6½ in.




S 3492, 3 x 10½ in.
S 3264, 3 x 8½ in.
S 3491, 3 x 16 in.




1518½ Knob, 2½ in.
S 159 Esc., 3½ x 14 in.
S 160 Esc., 2¾ x 9 in.
Push Plates on page 2
Store Door Handle on page 12




S 4638 Escs., 3¼ x 4¼ in.
For 2067¼ Lock




S 4154, 3 x 5 in.




S 1644, 1⅛ x 1⅜ in.




S 4087 Escs, 4 x 5½ in.
For 2045 Lock




1607 Knob, 2½ in.
S 3252 Esc., 2¾ x 10 in.




1608 Knob, 2¼ in.
S 3263 Esc., 2¼ x 7¾ in.




S 3612, 2 x 4½ in.
Store Door Handle on page 20




2149 Thumb Piece
S 3098 Plate, 1⅝ x 2⅞ in.




S 3283 Cyl. Collar
2¼ x 3 in.




2149 Thumb Piece
S 3289 Plate, 1⅝ x 2½ in.




S 4670 Escs., 2⅞ x 4¼ in.
For 2064 and 2088½ Locks



S 4720, 1½ in.




S 4661, 2 in.




* 2045 Lock
Warwick Des. Knobs, 2½ x 2¼ in. (page 62)
S 4663 Escs., 3¼ x 8½ in.

* 2055¼ Lock
Warwick Des. Knobs, 2¼ in. (page 62)
S 4663 Escs., 3¼ x 8½ in.


* State Hand



S 4662, 1½ in.



S 4075, 1⅜ x 3⅜ in.




S 4044, 3 x 4¾ in.




S 4668, 2½ x 7¾ in.


Store Door Handle on page 19A Hinge Plates on page 29




S 3885 Escs., 3 x 10 in.
For 2067 Lock




S 3882, 3 x 10 in.
S 3883, 3 x 8 in.
S 3889, 2¼ x 7¼ in.
Push Plate on page 5



S 3683 Knob, 2½ in.
S 3684 Knob, 2¼ in.
S 3687 Esc., 3 x 8⅛ in.
S 3680 Esc., 3 x 10 in.
S 3685 Esc., 2 x 6 in.



S 3451, 3⅛ x 14 in.




S 3886, 3⅛ x 8⅛ in.




S 3789, 1⅞ x 5 in.
Paper Weight




S 3682, 2¾ x 8¼ in.
Door Pull on page 23




S 3244, 1 x 1½ in.




S 3516 Esc. and Drop, 1⅛ x 1⅛ in.
S 3243 Cup Esc. 2 9/16 x 4 7/16 in.




S 5113 4 x 16 in.
Outside Esc. for 2045 Lock
Cosmos.




1519½ Knob 2¼ in.
S 1409½ Esc. 3⅝ x 10 in.




S 697 Rose 1½ in.
S 698 Esc. 2⅜ x 4⅜ in.
For Lever Handle.



S 5162 2¼ x 6⅝ in.




S 4816 1¼ x 5 in.
Cup Esc.




S 5120 3 x 7 in.
Push Plates on Page 7A
Cosmos.


S5329 3 1-2 x 5 1-4



1518½ Knob 2½ in.
S 4636 Esc., 2½ x 8⅝ in.




S 4974 1⅜ x 5⅝ in.




S 2993 2¼ x 9⅛ in.
(Concave Beveled Edge)




S 3234
Cup Esc. 7¼ x 7¼ in. Ring Handle, 5⅝ in.




S 2246 Cup Esc 4 x 6½ in.
S 2247 Handle 3 x 4¾ in.




S 4310 3⅝ x 10¼ in.
For 155½ Lock




S 4311 3⅝ 10¼ in.
For 1365 Lock




S 3810 Knob 2⅛ in.
S 3811 Esc. 3⅝ x 10¼ in.




S 4313 3⅝ x 10¼ in.
Push Plate on Page 4




S 3896 Knob 2½ in.
S 3897 Cyl. Collar 2⅜ in.
S 3898 Esc. 3 x 10 in.



S 3262 Lever Handle 4 in.
S 3261 Esc. 2⅜ x 9¾ in.




S 3259 Lever Handle 4 in.
S 3260 Esc. 2⅜ x 10¼ in.




S 3823 2⅞ x 8⅜ in.




S 688 3½ x 10 in.




2045 Meander Knobs, 2½ x 2¼ in. S 5199 Esc's, 4 x 12 in.
Push Plate on Page 7




S 3899 3 x 14½ in.




S 256 5½ x 27 in.
5¼ in. offset




S 4708 Mouth Piece, Washer and Disk
S 4626 Emblem
823-29 Esc., 3½ x 15 in.
1911½ Ring, 4½ in.
Corfu




S 3808 Knob 2½ in.
S 3805 Esc. 3½ x 14 in.
Push Plate on Page 3
Door Pull on Page 23




S 4032 $1\frac{3}{16}$ x $6\frac{3}{8}$ in.
Delft




S 1331 Name Plate 3⅛ x 14½ in.
Store Door Handle on page 19
Ravenna




S 3659 Door Knocker
4 x 12½ in.




S 2522 Cup Esc. 5½ x 11½ in.
S 2580 Ring Handle, 4½ in.




S 3879 3 x 11 in.




2067 Lock
S 1617 Esc's 4⅞ x 5⅝ in., L. H.
2055¼ Lock
S 1699 Esc's 4⅞ x 5⅝ in., L. H.




S 243 2½ x 5¼ in.
Plate for Pull




S 4872 2½ x 5⅝ in.
Push Plate on Page 7A
Other goods illustrated on page 73




818-22 Knob, 2¼ in.
S 2977 Esc. 2 5/16 x 7⅛ in.
Corinth
Other goods illustrated on page 90




S 3940 Knob 2¼ in.
S 3763 Esc. 2¼ x 8⅜ in.
S 3473 Esc. 3 x 10⅜ in.
Push Plate on page 7A




S 4427 2¼ x 8¼ in.




S 4426 2¼ x 5½ in.




S 3978 Esc. 4 x 12¼ in.
1911 Ring 4½ in.
Store Door Handle illustrated on page 18




S 3940 Knob 2¼ in.
S 3746 Knob 2½ in.
S 3624 Esc. 2¾ x 10 in.




S 4008 4 x 12¼ in.
Door Knocker
With Tyler's Wicket




S 3061 2⅝ x 9 in.
S 3064 2¼ x 7½ in.
Norfolk
Other goods on Page 68




S 1231 3⅜ x 12 in.
Puritan
Other goods on Page 86




S 2827 1⅜ x 6¼ in.
Regina
Other goods on Page 89




S 296 ⅞ x 4 in.
Esc. for Lever Cup'd Catch




S 5000 1⅜ x 3⅜ in.




2055¼ Royal
Knobs, 2¼ in. S 3398 Esc's, 2⅜ x 10½ in.
Other goods on Page 65




2055¼ Oakland
Knobs, 2¼ in. S 3342 Esc's, 3 x 12 in.
Other goods on Pages 84 and 85




S 5302 2½ x 6½ in. $\frac{9}{16}$ in. High
Other Escutcheons on Page 128A




2067 Oakland
Knobs, 2¼ in. S 4562 Esc's, 4 x 4½ in.




S 200 2½ x 6 in. (curved)
Regal
Other goods on Page 88




S 3256 5⅛ x 5½ in.




2045 Lock, R. H.
Knobs, 2½ x 2¼ in. S 5363 Esc's, 4½ x 13½ in.
Push Plate on Page 7A




S 4749 5 x 8 in.



S 3505 7½ x 12⅝ in.




S 3691 4 Light, 5 x 8⅝ in.
Albany
Other goods on Page 67




S 3729 2¾ x 6⅝ in.
Amiens
Other goods on Page 106




S 1199 1⅛ x 6⅛ in.
Attica




S 3987 1⅛ x 5½ in.
Freiburg




S 3975 1 Light, 3 x 5½ in.
S 3974 3 Light, 4½ x 7⅛ in.
S 3976 4 Light, 4½ x 9 in.
Corfu




S 5358 4 x 11 in.
Meander
Other goods on Page 123




S 3679 Door Knocker 8 x 8 in.
Corfu




2045 Meander
Knobs, 2½ in. S 3716 Esc's, 3⅛ x 3⅝ in.




2067 Meander
Knobs, 2½ in. S 3414 Esc's, 3⅛ x 3⅝ in.




S 8 3⅜ x 16½ in.




2067 Amalfi
Knobs, 2½ x 2¼ in.
S 3935, Esc's, 2¼ x 9½ in.




S 2383 1⅞ x 4½ in.
Other goods on page 83




S 2545 1⅞ x 5¼ in.
St. Denis
Other goods on Page 107




S 4857 Knob, 2½ in.
S 4859 Esc. 3 x 10¾ in.




S 3943 Name Plate, 2¾ x 8⅜ in.
Capri




S 4879 Knob, 2¼ in.
S 4876 Esc., 2¾ x 9 in.




S 4878 2¾ x 8½ in.




S 4878 2¾ x 8½ in.
Push Plate on Page 70



S 5012, 1$\frac{5}{16}$ x 7 in.
Nemours
Other goods on page 80




S 5379 2¼ in.



S 5391 2 in.




S 5354 1⅛ x 2¼ in.




S 5348 1⅝ x 4 in.


Hammered Finish




S 5350
Knob, 1⅛ x 1¼ in. Rose, 1⅝ in.




S 749 1⅞ x 4⅝ in. (curved)
Drop Handle Plate




S 737 1⅛ x 5¼ in. (curved)




S 4866 3 in.




S 4897 2¼ x 3½ in.




S 644 1¾ x 4⅛ in.
Utrecht




S 5343 L. H. and R. H.
4¼ in.




S 4864 Post and Back Plate, 2⅝ x 3¾ in.
S 4863 Ring Handle, 4¼ in.



S 4895 R. H. and L. H.
Rose, 2⅜ in. Lever Handle, 6 in.




S 4535 2¼ x 3⅛ in.




S 2097 1⅝ x 4½ in.




S 3450 5½ x 6⅛ in.




S 98 4¼ x 14⅞ in.
Push Plate on Page 5




2045 Lucca
Knobs, 2⅛ x 2¼ in. S 2293 Esc's, 4 x 18 in.
Other goods on page 79




S 2216
Plates, 1⅛ x 2 in. Bar, 2½ in.
Trianon




1507¼ Knob, 2½ in.
S 3253 Esc., 4 x 9¼ in.




S 4949 4 Light $4\frac{1}{8}$ x $8\frac{3}{16}$ in.
Columbia




S 4948 3 Light $4\frac{1}{2}$ x $6\frac{3}{8}$ in.




S 4344 1 Light 3 x $4\frac{3}{4}$ in.
S 4943 1 Light $2\frac{3}{4}$ x $4\frac{1}{2}$ in.




S 4947 2 Light $4\frac{1}{2}$ x $4\frac{1}{2}$ in.




S 4383 2 Light $4\frac{3}{4}$ x $4\frac{3}{4}$ in.
Washington




S 873 1 Light $2\frac{7}{8}$ x $5\frac{3}{8}$ in.
Granada




S 334 3 Light 4 x 12 in.
S 333 5 Light 4 x 20 in.
Campania




S 1466 3 Light $4\frac{1}{2}$ x $6\frac{1}{2}$ in
Savoy



S 5879
Top Plate for Sect. Hdl.
2 x 4½ in.
Stockton




S 5276 2¼ x 2⅞ in.
Used as Top Plate for
Grip and T. Piece with
S 1630 as Bottom Plate




S 5836
1 x 2½ in.




S 5099
1¼ x 2¼ in.




S6128
As 2117⅛
1 x 2⅛ in.




S 6139 6½ x 4 in.
Arco




S 5823 1⅝ x 3⅜ in.
Cosmos For 444½ Lock




S 5854
1⅛ x 2 in.
Cosmos




S 5492 6⅛ x 3 in.
Duxbury For 906 Lock




S 5491
Used for Top and Bottom Plates
and Cyl. Collar for Sect.
Handle Trim.
Corfu 2⅝ x 3⅝ in.




S 5835
As 2117 ⅞ x 4½ in.
For 280¾ Lock




S 5808 $2\frac{3}{16}$ x 5¾ in.




S 6144 Switch Plate 7⅞ x $5\frac{7}{16}$ in.
Cosmos




S 6211 2 Light
3 x 8⅜ in.
Navarre




S 6210 1 Light
3 x 4½ in.
Navarre




S 6007 2 Light
4 1/16 x 5 in.
Navarre




S 6204 4 Light
8½ x 5 in.
Atlas




S 6310 3 x 6 in.



S 6290
Emergency Key Acts as Shut Out
For No. 02436‡ Unit
No. Covers Cylinder and Lock Complete




S 6339
No. 251 Cylinder with Lost Motion
Action on Spindle Allowing Key to Make 1 Complete
Turn to ½ Turn of Spindle




S 6400
For Auto Theft Lock
(Miller Chapman Co.)


BEVEL HEAVIER THAN COLUMBIA DESIGN




1519½ Knob, 2¼ in.
S 422 Esc. 3¼ x 8 in.
S 1779 Esc. 2¼ x 7⅞ in.




S 2974 2 x 5 in.




S 1549 3 x 5⅛ in.




S 5185 2¾ x 2¾ in.




S 3165 1¾ x 4⅝ in.




S 1574 2½ x 5 in.




S 2043 5 x 5 in.




S 3166 13½ x 18 in.
S 3167 13½ x 26 in.
Push Plates illustrated on page 7B




S 4884 Knob 2½ in.
S 4883 Esc. 2¾ x 9⅛ in.
S 5331 Esc. 2¾ x 12 in.




S 5307 2⅝ x 9⅞ in.




S 5301 2½ x 6½ in. ½ in. High
S 5306 2½ x 6½ in. 23/64 in. High
S 5191 2½ x 6½ in. ¾ in. High




S 4882 3½ x 18 in.




S 5333 1 in.
Rose for 4240 Knob




S 5326 2 5/16 x 3 in.




S 5328 2 in.




S 3778 2 in.




S 596 1½ in.




S 5303 1⅝ x 3½ in.




S 5321 1⅞ x 3⅜ in.




S 5325 9⅜ x 13⅜ in.
Oakland




2055¼ Camden
Knobs 2¼ in. S 5721⅝ Esc. 3 x 9 in.




S 5785 2¼ x 9¼ in.
Rope




S 5535 2⅜ x 8½ in.
Cosmos




S 5717 2½ x 6½ in.




S 5739 1⅝ x 3½ in.
Cosmos




2055¼ Oakland
Knobs 2¼ in. S 5909 Esc. 3⅜ x 3¼ in.




S 5395 2½ x 8 in.




S 5944 3 x 10 in.
For 2045 Lock, Inside
Puritan




S 5744 2⅜ x 5⅞ in.
Curved, to Fit 4⅞ in. Dia. Post
Puritan




S 5563 2⅛ x 6 in.
Regal




2055¼ Corfu
Knobs 2¼ in. S 5707 Esc. 3 x 10 in.




S 5540 Corfu
4½ x 5¼ in.—2 Lights
S 5542 Corfu
4½ x 10¾ in.—5 Lights




2045 Lyons
Knobs 2½ x 2¼ in. S 5715 Esc. 3 x 10 in.




2067 Corfu
Knobs 2¼ in. S 5574 Esc. 4¼ x 3½ in.
2055¼ Corfu
Knobs 2¼ in. S 5569 Esc. 4¼ x 3½ in.




S 5073 2 x 4⅛ in.




S 5742 1⅝ x 3 1/16 in.




S 5741 1⅝ x 4¼ in.
Lucca




S 5566 2½ x 4⅜ in. ⅜ in. Deep.




S 5586 3⅜ x 7⅛ in. Name Plate.




S 5556 1⅞ x 6⅛ in.
Meander




S 5539 2⅞ x 8½ in.
Delft




S 5919 3⅛ x 10 in.




S 5090 Knob, 2¼ in.
S 5088 Esc., 3 x 8½ in.




S 5090 Knob, 2¼ in.
S 5089 Esc., 2½ x 7⅞ in.




S 5347 2⅞ x 7 in.




S 5758 Letter Box Plate, 3¼ x 9⅜ in.




S 5084 1⅛ x 5¼ in.




S 5758 Hooded Back Plate, 3¼ x 9⅜ in.




S 5777 1⅞ x 3⅞ in.




S 5758 Chute for 1¾ in. Door.




S 5981 2⅜ x 9 in.
Camden




S 4711 2⅜ x 7¼ in.




S 5422 L. B. Plate
3 x 9 in.




S 5422 Hooded Back Plate
3 x 9 in.




S 5422 Chute, 6 in.
For 1⅞ in. Door




S 5433 4½ x 3¾ in.




S 5650 Letter Box Plate
3 x 9 in. Opening, 2 x 7 in.




S 5477 2 x 4 in.
Oakland




S 5676 4⅝ x 5½ in.
Outside Esc. for 2445 Lock




S 5676 4⅝ x 5½ in.
Inside Esc. for 2445 Lock




S 5262 Knocker Handle and Post, 5 in.
S 5263 Lever Handle, 3½ in.
S 5657 Plate, 3 x 12 in.




S 5454 4 x 10 in.
Cosmos




S 5943 2½ x 8 in.




S 5635 2⅝ x 8 in.
Opening, 1¼ x 5½ in.
Atlas




Drop for S 5635 L. B. Plate




S 5994 1⅛ x 5 in.
Atlas




S 5364
1 5/16 x 6 in.




S 5560 3 x 12⅝ in.




S 5098 2½ x 12 in.




S 5434 3¼ x 10⅛ in.
Hammered Finish




S 5456 3 x 9⅞ in.
Corfu




S 5607 2⅞ x 4⅛ in.
Meander




S 5606 2⅛ x 8 in.




S 5634 Knob, 2⅜ in.
S 5265 Esc., 2¼ x 8 in.
S 5672 Esc., 3 x 10 in.




S 5044 5⅜ x 6½ in.
Granada




S 5963 3⅜ x 10¾ in.
For 2045 Lock Outside Esc. Only




S 5447 2⅜ x 8 in.
Inside Esc. for 2445 Lock
Oakland




S 5693 4½ x 7⅜ in.
Stockton




S 5902 L. H. 2¾ x 12 in.
Outside Esc. for 2045 Lock
Hampden




S 5401 2⅜ x 8½ in.
Puritan




S 5688 1 Light, 2¼ x 4⅜ in.
S 5689 2 " 4⅛ x 4⅝ in.
Candia




S 5684 1 Light, 2¾ x 4½ in.
S 5685 2 " 4½ x 4½ in.
S 5686 3 " 4½ x 6⅝ in.
Cosmos




2045 Cosmos
Knobs, 2⅛ x 2¼ in. S 5617 Escs., 4⅛ x 4 in.




2055½ Cosmos
Knobs, 2¼ in. S 5450 Escs., 4¼ x 3¼ in.




2045 Brighton
Knobs, 2½ x 2¼ in. S 5955 Escs., 2⅝ x 7⅞ in.




2055½ Atlas
Knobs, 2¼ in. S 4577 Escs., 4¼ x 3¼ in.
2045 Atlas
Knobs, 2½ x 2¼ in. S 4578 Escs., 4¼ x 3¼ in.




2045 Hampden, R. H. and L. H.
Knobs, 2½ x 2¼ in. S 5907 Escs., 2¾ x 8¾ in.




2045 Lock
Knobs, 2½ x 2¼ in. S 5611 Escs., R. H. 3 x 10¾ in.




2455½ Lock
Knobs, 2¼ in. S 5610 Escs. R. H. 3 x 10¾ in.




2445 Cosmos
Knobs, 2½ x 2¼ in. S 5972 Escs., 3 x 8½ in.




2445 Atlas
Knobs, 2½ x 2¼ in. S 5982 Escs., 3 x 8½ in.




2067 Standish
Knobs, 2½ x 2¼ in. S 5423 Escs., 2⅝ x 7½ in.




2045 Atlas
Knobs, 2½ x 2¼ in. S 5997 Escs., 3 x 15 in.




2045 Corfu
Knobs, 2½ x 2¼ in. S 5709 Escs., 3½ x 15 in.




2455¼ Sparta
Knobs, 2¼ in. S 5455 Escs., 2⅝ x 12⅝ in,




S 5485 4½ x 15 in.
for 2045 Lock
Nurnberg.




S 6117 2½ x 8¾ in.
for 2467 Lock
Lyons.




S 5803 3 x 8½ in.
for Coupon Booth Doors.
L. H. Rev. Bevel Lock
Cosmos.




S 6109 4¾ x 4 in.
for 2467 Lock
Arco.




S 6143 4½ x 4 in.
for 2445 Lock
Camden.




S 5891 4½ x 3½ in.
for 2467 Lock
Camden.




S 5894 4½ x 3½ in.
for 2455½ Lock
America.




S 5892 4½ x 3⅛ in.
for 2467 Lock
America.




S 5893 $4\frac{1}{4}$ x $3\frac{1}{4}$ in.
For No. 2455$\frac{1}{4}$ Lock
Camden




S 6226 $2\frac{3}{4}$ x 10 in.
For No. 2467 Lock
R. H. and Outside only




S 6017 $4\frac{3}{4}$ x 4 in.
For No. 2467 Lock
Arco
(Frances Bldg)




S 6309
Case, 3 x 4 in.
Front to Center of Hub, $3\frac{1}{4}$ in.
Strike, $\frac{11}{16}$ x 3 x $\frac{3}{4}$ in. High
Lock similar to No. 0524$\frac{1}{2}$ but Plain Case




S 6101 $4\frac{1}{4}$ x $4\frac{1}{16}$ in.
For No. 2455$\frac{1}{4}$ Lock
Cosmos




S 6323
Case, $3\frac{1}{2}$ x 5 x $1\frac{1}{2}$ in. High
Strike, $3\frac{1}{2}$ x $\frac{7}{8}$ x $1\frac{1}{2}$ in. High
Retainer for No. 1456 Latch




S 6270
Case, $3\frac{7}{8}$ x 6 in.
Front to Center of Hub, $4\frac{1}{4}$ in.
Strike, $\frac{7}{8}$ x $3\frac{7}{8}$ x $\frac{11}{16}$ in. High.
Lock similar to No. 0550 but Plain Case.




S 4939 3 x 14 in.




S 1582 3½ x 10 in.



S 2612 3 x 9 in.
For 295 Lock




S 3362 5 x 5 in.




S4369 5½ x 7½ in.


Push Plates illustrated on page 7A




S 86 4 x 9½ in.




S 511 3 x 7¾ in.
S 1154 2⅜ x 6¾ in.




S 531 2⅛ x 6½ in.




S 373 Bar 3½ in.
2687½ Plates




S 4955 3 x 5 in.




S 66 Lever Handle 2¾ in.
S 67 Esc. 1 x 3¾ in.




S 3326 4 x 5 in.




S 1593 2½ x 5 in.




S 1150 1⅛ x 6 in.




S 735 8 x 8 in.




S 2051 4 x 5 in.
Letter Box Chute




S 4960 4 x 5 in.
Back Plate for S 2051 Chute




S 920 5 x 30 in.




S 1332
Plates, 1 x 1¾ in. Bar, 2½ in.




S 5154 4 x 10⅝ in.
Back Plate for 03424½ L. B. Plate.




S 2362 2 x 4 in.
Push Plates illustrated on pages 1, 2 and 6




S 740 5 x 5 in.




S 734 5 x 5 in.




S 4730 $3\frac{5}{8}$ x $3\frac{5}{8}$ in.




S 2757 $1\frac{1}{2}$ x $2\frac{1}{8}$ in.




S 2529 $1\frac{5}{8}$ x $2\frac{3}{4}$ in.




S 170 $2\frac{1}{4}$ x $5\frac{7}{8}$ in.




S 1111 $2\frac{1}{2}$ x $6\frac{7}{8}$ in.
Sunk Letters



S 50 $2\frac{1}{2}$ x 7 in.
Back Plate for $2306\frac{1}{2}$ L. B. Plate




S 331 $2\frac{1}{2}$ x $6\frac{7}{8}$ in.




S 171 $2\frac{1}{2}$ x $6\frac{3}{8}$ in.


Store Door Handles illustrated on page 13




S 3502 3⅝ x 14 in.




S 1315 3¾ x 11⅛ in.




S 929 2⅞ x 9¼ in.




S 1112 Esc. 4 x 15 in.
S 479 Emblem, 2½ x 3⅜ in.




S 1724 1½ x 2½ in.
Rose for 02115½ Lever Handle



S 1777 Esc. 1½ x 4 in.
02115½ Lever Handle




S 2998 3⅛ x 8 in.




S 803 4½ x 8 in.
S 3107 6 x 12 in.


Door Pulls illustrated on pages 22, 25 and 26




1519½ Knob 2¼ in.
S 131 Esc. 2⅞ x 10 in.




1519½ Knob 2¼ in.
S 26 Esc. 2⅜ x 8 in.
S 931 Esc. 3 x 8 in.
S 2511 Esc. 3½ x 8 in.
S 2569 Esc. 3½ x 9 in.
S 2624 Esc. 1¾ x 6 in.
S 2701 Esc. 2½ x 8½ in.
S 2702 Esc. 2½ x 6¾ in.




S 4103 3 x 10 in.




S 2192 3 x 9 in.
S 2736 2½ x 8¾ in.
S 3125 2 x 9¼ in.
S 2745 1½ x 6 in.




S 907 3⅛ x 8 in.




S 2052 2⅜ x 5 in.
Letter Box Chute Plate




S 561 2⅝ x 7 in.




S 4438 2¾ x 7 in.
Chute for 2306½ L. B. Plate.




S 4107 2½ x 2½ in.




1519½ Knob 2¼ in.
S 718 Esc. 2⅜ x 7¼ in. for 237 Lock
S 725 Esc. 2⅜ x 7¼ in. for 1365 Lock
S 726 Esc. 2⅜ x 7¼ in. for 144½ Lock




S 5132 2⅜ x 6¾ in.




1519½ Knob 2¼ in.
S 1101 Esc. 1¾ x 6 in.




S 2693 2½ x 7¼ in.




S 1165 2¼ x 3¾




S 3983 1¾ x 4 in.
S 3138 1 x 3½ in.




S 1929 3 x 5 in.
S 2535 2⅜ x 5 in.




S 1506 2¼ x 4 in.




S 3184 4¾ x 11¼ in.




1518½ Knob 2½ in.
S 4975 Esc. 3½ x 12 in.
S 4976 Esc. 3 x 10 in.
S 4969 Esc. 2⅜ x 6⅞ in.




S 4371 3 x 10 in.




1519½ Knob 2¼ in.
S 2907 Esc. 2¼ x 7½ in.
S 1927 Esc. 2½ x 7½ in.
S 2989 Esc. 3 x 8 in.
S 3171 Esc. 2½ x 10 in.
S 5138 Esc. 2½ x 6¾ in.
S 3598 Esc. 1 x 6⅜ in.
S2610 2⅜ x 8




S 3148 3½ x 15 in.




S 5140 2½ x 6¼ in.



S 704 2⅜ x 7⅛ in.
For 1366¾ Lock




S 5135 2½ x 6¾ in.
For S 5142 Lock




1519½ Knob 2¼ in.
S 3118 Esc. 1⅞ x 6½ in.


Push Plates illustrated on page 6




1519½ Knob 2¼ in.
S 61 Esc. 2½ x 9 in.




S 5134 2½ x 8½ in.
For S 5141 Lock




S 3365 2⅜ x 6¾ in.
For 1364 Lock




S 5137 2½ x 6¾ in.
For S 5143 Lock




S 5129 2 x 2 in.




S 4348 2⅜ x 7¼ in.
For 239½ Lock



S 5139 2½ x 8 in.
Inside Esc. for S 5144 Lock




S 5139 2½ x 8 in.
Outside Esc. for S 5144 Lock




S 5136 2½ x 7⅜ in.


Store Door Handles illustrated on page 13




~~S 4939~~ 4 x 16 in.
S5342




S 2985 1½ x 3½ in.




2067 Lock
S 2181 Outside Esc. 4 x 24 in.



S 4452 2½ x 3⅝ in.




1518½ Knob 2½ in.
S 323 Esc. 3 x 12 in.




S 5158 3½ x 7 in.


Hinge Plates illustrated on pages 19A and 21




2467 Lock
Knobs, 2½ x 2¼ in. S 5727 Escs., 4¼ x 4 in.




S 5403 2 x 5⅝ in.
Solid Back
America




S 5945 1⅞ x 7½ in.




S 5946 3½ x 12 in.




S 5947 2⅜ x 10 in.




S 5408 2½ x 8 in.




1519½ Knob 2¼ in.
S 321 Esc. 2½ x 9 in.
S 322 Esc. 2 x 7¼ in.
S 1155 Esc. 2 x 9 in.
S 3333 Esc. 1½ x 6⅝ in.




S 314 2⅜ x 7⅞ in.
For 1365½ Lock




S 57 1 x 5 in.




S 56 1½ x 4⅜ in




S 1735 2⅛ x 4½ in.




1001 Lever Handle
S 3786 Esc. 1⅛ x 5¼ in.




S 1843 Plate x 1727 Bail
1 x 3⅝ in.




S 1333 Esc. 1⅛ x 3 in.
S 2332 Esc. 1 3/16 x 2½ in.




S 1183 1⅜ x 4 in.
S 1310 2⅛ x 3¾ in.




S 1338
Plates ⅞ x 1⅞ in.
Bar 2½ in.




S 913 2¼ x 6¾ in. Letter Box Plate and Back Plate




S 556 2½ x 6⅛ in.




S 542 3⅛ x 8 in.
Back Plate with Chute




S 556 2½ x 6⅛ in.




S 2571 4 x 12 in.




S 533 3 x 7¼ in.




S 4346 1 x 4½ in.
For 0291 Lock




S 2742 1¼ x 4 in.
¼ in. Thick




S 709
Plates, ⅞ x 1¼ in. Bar, 2 in.




S 4347 1 x 4⅜ in.
For 0291 Lock




S 3570 1⅛ x 4½ in.
Finish Plate




S 4359 Letter Box Plate, 2⅛ x 7⅛ in.



S 4359 Inside Plate, 2⅛ x 7⅛ in.




S 5334 2½ x 7⅛ in.
Letter Box Plate




S 5334 2½ x 7⅛ in.
Back Plate, with Chute




S 780 5⅜ x 23¾ in.
S 2092 3⅜ x 21⅓ in.
S 2790 2½ x 8 in.
S 4113 3¾ x 19½ in.
S 4299 3 x 12 in.
Name Plates




S 375 3⅛ x 3¼ in.




S 2906 5¼ x 8¼ in.
Name Plate




S 52 4 x 6 in.
Latch Plate




S 1944 2¾ x 10¼ in.
Name Plate




S 225 18½ x 34½ in. Mail Box Plate




S 1960 4 x 12 in.




S 4924 4¼ x 10 in.




S 97 2 x 7⅛ in.




S 3306 1½ x 7 in.




2045 Columbia (3¾ in. to C)
Knobs, 2¼ in. S 2769 Esc's
Outside Esc. 5¾ x 5¾ in. Inside Esc. 4 1/16 x 4 1/16 in.




S 4438 2⅞ x 7 in.
Chute, 1¼ x 5 in. For 2 in. Door







S 2784 4 x 4 in.
For 2067 Lock 3¾ in. to C.




S 5380 2½ x 8 in.




S 5901 2 x 7 in.




S 5384 1⅞ x 6½ in.




S 5593 1 x 5½ in.
for 1365½ Lock




S 5528 1¾ x 3¾ in.
Sand Blast Frame for 718-75 Lift.




S 5705 2 x 6¾ in.
⅝ in. Dia. Bar




S 5766 2⅝ x 7 in. Letter Box Chute for 1¾ in. Door




S 5511 1½ x 4⅜ in.




S 5728 2 x $3\frac{13}{16}$ in.




S 5731 1⅝ x 3¼ in.




S 5370 1⅞ x 5 in.




S 4777
Plate $3\frac{7}{8}$ x $13\frac{1}{2}$ in. Ring $4\frac{1}{2}$ x 6 in.




S 3714 Plate 4 x 9 in.
1905 Ring $3\frac{3}{8}$ in.
Sparta




S 3442 Plate $5\frac{5}{8}$ x $6\frac{1}{4}$ in.
1920 Handle 3 x $3\frac{3}{8}$ in.




S 3819
Plate $2\frac{3}{4}$ x $9\frac{3}{4}$ in. Knocker $7\frac{1}{4}$ in. Wide.




S 3850 $6\frac{1}{4}$ x 11 in.




S 618 $2\frac{1}{8}$ x $4\frac{1}{8}$ in.




S 4489 2 x $3\frac{1}{2}$ in.




S 4915 $1\frac{5}{8}$ x 5 in.




S 4564 $1\frac{5}{8}$ x $3\frac{7}{8}$ in.
Without Cup




S 902 $1\frac{5}{8}$ x 4 in.




S 4794 $1\frac{5}{8}$ x 5 in.
Without Cup




S 3738 2 x 4 in.




S 2762 $1\frac{5}{8}$ x 4 in.




S 2635 $1\frac{1}{2}$ x $4\frac{1}{4}$ in.




S 2071 $1\frac{3}{4}$ x $4\frac{1}{4}$ in.




S 265 $1\frac{5}{8}$ x $4\frac{1}{2}$ in.
Also made as Lock and Lift.




S 2575 2 x 4 in.




S 558 3 x $4\frac{5}{8}$ in.




S 2305 $1\frac{5}{8}$ x $5\frac{1}{8}$ in. Projection $\frac{7}{8}$ in.




S 4539 $1\frac{1}{2}$ x 5 in.



S 5131 $1\frac{3}{8}$ x 5 in.




S 4667 $1\frac{3}{4}$ x $7\frac{1}{2}$ in.




$1\frac{1}{8}$ x $4\frac{3}{4}$ in.


S 1309	Projection	$\frac{5}{8}$ in.
S 3554	"	$\frac{7}{8}$ in.
S 4495	"	$2\frac{1}{2}$ in.
S 4508	"	$1\frac{1}{2}$ in.




S 3137 $2\frac{1}{2}$ x 8 in.




S 4672 3¼ in.




S 4616 2¾ in.




S 1996 2⅝ in.




S 4216 2¼ in.




S 1130 2¼ in.




S 576 2⅛ in.




S 951 2¼ in.




S 2596 2 in.




S 2768 2 in.



S 3576 2 in.




S 1842 1⅞ in.




S 4849 2¼ in.




S 4051 2¼ in.




S 4848 2¼ in.




S 994 1⅝ in.




S 1740 1¼ x 2½ in.




S 1189 2⅛ in.
For ½ in. Spindle




S 2 2⅛ in.
For ⅝ in. Spindle




S 2322 2⅛ in.
For $\frac{5}{16}$ in. Spindle




S 2979 1⅞ in.




S 3544 1⅝ in.




S 4575 2 in.




S 1872 1⅞ in.




S 2677 1⅞ in.




S 948 1⅝ in.




S 2991 1⅝ in.




S 477 1⅝ in.




S 1609 3 x 3 in.




S 1746 3½ in.




S 1597 3 in.




S 3770 1⅝ x 1⅝ in.




S 4494 2⅛ in.



S 1611 2 in.




S 1558 2¼ in.




S 4891 2¼ in.




S 3559 1⅞ in.




S 4480 2⅜ in.




S 4854 2¼ in.




S 3844 2⅛ in.




S 4847 2⅛ in.




S 1737 1 1/16 in.
For 1¼ in. Glass Knob




S 2009 1 3/16 in.
For 1⅜ in. Glass Knob




S 2186 1 1/16 in.



S 4467 1½ in.




S 4586 1½ in.




S 4568 1 in.
For Glass Knobs




S 2064 1 1/16 x 1⅝ in.




S 435 1⅝ in.
Rosette for Glass Knobs




S 434 1¼ in.
Rosette for Glass Knobs




S 2506 1⅛ in.
Y Thimble for Esc.



S 4547 1¼ in. Dia.
1 in. High
Thimble for 1123 T. Handle




S 3123 1⅛ in. Dia.



S 4117 13/16 in. Dia.
½ in. Long
Bronze Thimble




S 3382 1 in.
For 1¼ in. Glass Knobs




S 2346 1 in.
For 1¼ in. Glass Knobs


ESCUTCHEON ROSES




S 2391 2 in.




S 2392 1⅝ in.




S 690 1⅝ in.




S 582 1⅝ in.




S 978 1⅜ in.




S 1145 1⅜ in.




S 2638 1¼ in.




S 6242 P.Y. $2\frac{1}{16}$ in.




S 6197 $1\frac{7}{8}$ in.
For Bell Pull to Fit Column $2\frac{3}{4}$ in. Dia.




S 6330 $2\frac{1}{4}$ in.




S 6357 2 in.
Like No. 758-05, but with Aux. Spring




S 6358 $1\frac{3}{4}$ in.
Like No. 758-06, but with Aux. Spring




S 6165 2 in.
Like No. No. 975-05, but with Aux. Spring




S 5755 2 in.
Cancel Drawing this No.
on Page 144B




S 6266 $1\frac{3}{8}$ in.
Old No. $1928\frac{1}{2}$




S 6040 $1\frac{1}{2}$ in.




S 6025 $2\frac{1}{8}$ in.
(Missouri State Capitol)




S 6411 $1\frac{5}{16}$ x $2\frac{1}{4}$ in.
For No. 063 Operator




S 6012 $\frac{7}{8}$ x $1\frac{7}{8}$ in.
No. Covers S 5003
Drop and S 6012 Esc.
Complete



S 6016 1 x $2\frac{1}{8}$ in.
No. Covers Drop
and Esc.
(Bourne Job)




S 6312 $1\frac{5}{8}$ in.
Like No. 2633
but 3 Screw Holes




S 6489
Esc. $1\frac{5}{16}$ in. Dia.
Drop $1\frac{3}{16}$ in. Dia.
Bevelled




S 6046 $1\frac{1}{4}$ x $1\frac{1}{4}$ in.
(Hotel Pennsylvania)




S 6208 $1\frac{1}{16}$ x $1\frac{1}{2}$ in.
Plate for No.
773 Hook $2\frac{1}{8}$ in.




S 6060 $1\frac{5}{8}$ in.




S 5296 $2\frac{3}{8}$ x $3\frac{1}{4}$ in.
(Ida Noyes House)




S 6188 $2\frac{3}{8}$ x $3\frac{1}{4}$ in.
(Ida Noyes House)




S 5299 Rose, $2\frac{1}{4}$ x $2\frac{1}{4}$ in.
S 5293 Lever, $4\frac{1}{4}$ in. to C.
R. & L. H.
(Ida Noyes House)




S 3422 Esc. $3\frac{3}{16}$ x 4 in.
S 3423 Mono. D. N. I. $1\frac{1}{4}$ x $1\frac{5}{8}$ in.




S 4590 $1\frac{1}{2}$ x $3\frac{5}{8}$ in.
For $444\frac{1}{2}$ Lock




S 4631 $1\frac{1}{8}$ x $2\frac{5}{8}$ in.



S 4624 $1\frac{5}{8}$ x $2\frac{3}{8}$ in.



S 1608 $2\frac{3}{8}$ x $2\frac{3}{8}$ in.




S 4855 $1\frac{1}{2}$ x $1\frac{7}{8}$ in.




S 4870 $1\frac{1}{8}$ x $1\frac{5}{8}$ in.



S 1620 $1\frac{1}{4}$ x $2\frac{3}{8}$ in.




S 5117 $1\frac{7}{8}$ in.




S 4853 1 x $2\frac{1}{8}$ in.




S 4850 1 x $2\frac{1}{8}$ in.




S 2721 1 x $2\frac{1}{8}$ in.




S 2920 $\frac{3}{4}$ x 2 in.



S 4398 1 x $2\frac{3}{4}$ in.




S 4796 $1\frac{1}{4}$ x $2\frac{1}{4}$ in.




S 4892 $1\frac{1}{8}$ x $2\frac{5}{8}$ in.



S 3826 $\frac{11}{16}$ x $1\frac{1}{2}$ in.
Hinged Drop




S 4485 $\frac{7}{8}$ x $1\frac{1}{4}$ in.
Drop for Covering
Key-way of Small Cylinder.



S 5351 $1\frac{1}{4}$ x $2\frac{9}{16}$ in.
For $444\frac{1}{2}$ Lock



S 2722 $1\frac{5}{16}$ x $2\frac{1}{8}$ in.




S 5001 $1\frac{1}{16}$ x $2\frac{1}{8}$ in.




S 4899 1 x $1\frac{7}{8}$ in.



S 5003 $\frac{3}{4}$ x $1\frac{3}{4}$ in.
Drop for Esc.




S 3693 $2\frac{1}{4}$ in.



S 5004 $1\frac{7}{8}$ in.



S 93 $1\frac{5}{8}$ in.




S 3519 $1\frac{1}{8}$ in.
Thimble for Glass
Knob Rose

S 3318 $1\frac{3}{8}$ in.

S 327 $1\frac{1}{2}$ in.


S 2570 $1\frac{5}{16}$ in.




S 3771 $2\frac{1}{8}$ x $3\frac{1}{2}$ in.




S 3018 $1\frac{1}{2}$ x $3\frac{1}{8}$ in.




S 3288 2 x 2 in.




S 2617 $1\frac{1}{4}$ x 2 in.




S 5340 2 x 2 in.




S 3743 $1\frac{3}{8}$ x $1\frac{3}{8}$ in.




S 2886 $4\frac{3}{8}$ x $4\frac{3}{8}$ in.




S 3420 $3\frac{1}{8}$ in.



S 3523 $2\frac{3}{4}$ in.



S 3441 3 x 3 in.



S 5382
$\frac{5}{8}$ x $1\frac{3}{8}$ in.
Curved, with Pins, to be Riveted on 01519$\frac{1}{2}$ Knob



S 5051
$\frac{5}{8}$ x $2\frac{1}{8}$ in.
Flat



S 5072
$1\frac{1}{16}$ x $\frac{15}{16}$ in.
Flat



S 5013
$1\frac{1}{8}$ x $1\frac{5}{8}$ in.
Flat




S 5042
$1\frac{1}{2}$ x $1\frac{1}{2}$ in.
Flat



S 5582
$1\frac{9}{16}$ x $1\frac{5}{8}$ in.
Flat




S 5015
2 x $2\frac{1}{8}$ in.
Flat



S 5075 $1\frac{1}{8}$ x $1\frac{13}{16}$ in.



S 5385 $\frac{11}{16}$ x $1\frac{5}{8}$ in.




S 5750 $1\frac{1}{4}$ x $1\frac{1}{2}$ in.




S 5515 $1\frac{1}{4}$ x $2\frac{1}{4}$ in.




S 4852 1 x $2\frac{1}{16}$ in.




S 4851 1 x $2\frac{1}{16}$ in.




S 5512 $1\frac{1}{8}$ x 3 in.




S 5514 $\frac{15}{16}$ x $1\frac{5}{8}$ in.




S 5522 $\frac{15}{16}$ x $1\frac{1}{4}$ in.




S 5524 $1\frac{1}{4}$ x $2\frac{1}{4}$ in.




S 5760 $\frac{3}{16}$ in. Spindle




S 5929 $2\frac{1}{2}$ in.




S 5554 2 x 2 in.
For PY Glass Knob




S 5755
Rose for $2\frac{1}{2}$ in. Knob




S 5543 $1\frac{13}{16}$ in. Dia.




S 5747 2 x $2\frac{1}{4}$ in.







S 5795 $2\frac{1}{8}$ in.
Rose with Concealed Screws




S 5796 $2\frac{1}{8}$ in.
Cylinder Collar with Concealed Screws




S 5031 Rose, 2 in. Dia.







S 5526 $1\frac{1}{4}$ in. Dia. $\frac{7}{8}$ in. High




S 5995 1¾ in.
P. H. Rose with
Concealed Screws




S 327 1½ in.




S 5984 1¼ in.
Rose for Button Indicator




S 5406 1¼ in.



S 5047 1½ in.
Knob Rose for
S 5035 Knob



S 5048 $1\frac{5}{16}$ in.




S 5722 1⅞ in.
Cylinder Collar




S 5666 1¾ in.
Cylinder Collar




S 5232 1½ in.
Cyl. Head for Small
Rim Cylinder




S 5667 1⅝ in, Dia., ½ in. High
Adjustable Cyl. Collar for
S 5232 Cyinder




S 5651 1⅝ in. Dia.
⅝ in. High
Cylinder Collar



S 5230 2⅝ in.
Cylinder Collar




S 5975 2¼ x 2¼ in.
No. 387-84 Cyl. Collar
for Large Cylinder




S 5628 2¼ in.
Adjustable Cylinder
Collar




S 5213 2¼ in.
Cylinder Collar to Match
S 5095 Rose




S 5620 1⅞ in.
Cylinder Collar




S 5414 1⅝ x 5¼ in.
Key Class 149, ⅝ in. longer
than regular



S 5070 $1\frac{7}{16}$ x 4⅛ in.



S 5953 $\frac{15}{16}$ x $1\frac{13}{16}$ in.
Key for Screwing Cylinder
into Locks



S 5682
Special Key No. 82½, Grand Master
No. 40, without groove as made
regular, to clear the bullet in
the keyhole. End of bit hardened.




S 5779 1 x 2⅛ in.



S 5290 $1\frac{1}{16}$ x $1\frac{1}{8}$ *




S 5297 $1\frac{1}{4}$ x $1\frac{5}{8}$ in.
With Pins on Back



S 6011 $1\frac{3}{4}$ x $2\frac{1}{16}$ in.
With Pins on Back



S 6013 $1\frac{7}{8}$ in. Dia.
With Pins on Back



S 6010 $\frac{13}{16}$ x $1\frac{1}{8}$ in.
With Pins on Back




S 6000 $1\frac{1}{16}$ x $\frac{15}{16}$ in.




S 6019
$\frac{15}{16}$ x $3\frac{1}{2}$ in.
With Pins on Back




S 6020
$1\frac{1}{2}$ x $1\frac{7}{8}$ in.
With Pins on Back




S 6031
$1\frac{3}{4}$ x 2 in.
With Pins on Back



S 6055
$1\frac{3}{8}$ x $2\frac{1}{4}$ in.
Type of
No. $127\frac{1}{2}$ Figures




S 6056
$1\frac{3}{8}$ x $2\frac{1}{8}$ in.
Type of
No. $127\frac{1}{2}$ Figures




S 6051
$1\frac{3}{4}$ x $1\frac{3}{8}$ in.
With Pins on Back



S 6021
$1\frac{5}{16}$ x $1\frac{3}{8}$ in. *




S 6258 $1\frac{1}{4}$ in.
For Plug Cyl.




S 6332 2 in.




S 6043 $1\frac{5}{16}$ x $1\frac{1}{4}$ in.
No. Covers Emblem only
(Shown on No. S 5086 Plug Cyl. Collar)




S 6045 $2\frac{3}{16}$ x $2\frac{3}{16}$ in.
For No. $253\frac{1}{2}$ Cyl.
(Hotel Pennsylvania)




S 6355 $2\frac{1}{4}$ in.




S 6384 $2\frac{1}{8}$ in. Dia.
$\frac{9}{32}$ in. High
For No. $253\frac{1}{2}$ Cyl.




S 6392
Collar, $2\frac{1}{4}$ in. Dia., $\frac{1}{4}$ in. Thick
Drop, $2\frac{3}{16}$ in. Dia.



S 6412 $2\frac{5}{8}$ x $2\frac{5}{8}$ in.
For No. $253\frac{1}{2}$ Cyl.
Cosmos




S 6430
2 in. Dia., $\frac{5}{8}$ in. High
(Missouri State Capitol)




S 6453 $1\frac{9}{16}$ in. Dia.
As Regular Wrot. Collar,
but $\frac{5}{8}$ in. High
For No. 253 Cyl.

* Curved




Cast Collars for Regular and Master Keyed Cylinders. (No Number)


Master Keyed Cyl.	Dia.,	1⅝ in.	1⅝ in.	1⅞ in.	1⅞ in.
	Depth,	⅛ in.	3/16 in.	¼ in.	⅜ in.
Regular Cyl.	Dia.,	1⅛ in.	1½ in.	1½ in.	1½ in.
	Depth,	⅛ in.	3/16 in.	¼ in.	⅜ in.




S 4717 2⅛ in.
For Master Keyed Cyl.




S 4560 2 in.
For Master Keyed Cyl.




S 1317 1⅞ in.
⅝ in. Deep
For Master Keyed Cyl.




S 3902 2 in.
For Master Keyed Cyl




S 185 1⅞ in.
½ in. Deep
For Master Keyed Cyl.




S 4395 1¾ in.




S 47 1½ in.
½ in. Deep.




S 3551 1⅞ in.




S 4104 1½ x 1½ in.




S 4258 2⅛ x 2⅛ in.
For Master Keyed Cyl.




S 564 2⅛ in.




S 4259 2¼ in.




S 4423 2⅝ in.




S 4273 2 in.
Cylinder Collar with Drop




S 1610 4⅜ x 4⅜ in.




S 3437 2¾ in.




S 621 4⅛ in.
For Master Keyed Cyl.




S 5231 3½ in.




S 5669 2⅝ x 2⅜ in.




S 5615 1⅞ in.



S 5428 2¼ in.
Rosette




S 5988 1¼ x 2½ in.




S 5990 1⅛ x 2⅛ in.



S 5613 1¼ x 1⅛ in.




S 5442 1¼ x 2 in.




S 5448 2 in.




S 5439 1$\frac{5}{16}$ in.
Solid Back




S 5029 1¼ in.
Thumb Piece Rose




S 5503 1⅝ x 3¼ in.
Inside Esc. for 0239½ Lock




S 5320 2⅛ x 2¾ in.
Solid Wrought




S 5583 1⅝ x 2¾ in.
For 444½ Lock




S 5941 2 x 2 in.




S 5979 2 x 2 in.




S 5969 1¼ x 2¼ in.
Thumb Piece Plate




S 5095 Rose, 2 in.
S 5096 Lever Handle, 4¼ in.




S 5203 4 in.
With Glass Handle




S 5094 Lever Handle and Rose
Lever Handle, 3⅛ in. Rose, 1½ x 2¼ in.




S 5227 3½ in.




S 463
Rose 1¼ in.
Lever Handle 6½ in.




S 240
Rose 2½ in.
Lever Handle 6¼ in.




S 463 Rose 1¼ in.
S 383 Lever Handle, 6 in.
Wood Grip.




1519¼ Rose 2⅛ in.
S 3417 Lever Handle, 5⅜ in.
With Ebony Grip.




S 3287 Rose 1¼ in.
S 3286 Lever Handle 5¾ in.




S 463 Rose 1¼ in.
S 1207 Lever Handle 4¾ in.




S 2628
Rose 2¼ in.
Lever Handle, 5 in.




S 183
Rose 1¼ in.
Lever Handle 5 in.




S 3231
Rose 1⅜ in.
Lever Handle 4 in.




S 1797 Rose 1⅛ in.
S 1299
Lever Handle 3 in.




S 4860 3¾ in.




S 463 Rose 1¼ in.
S 1233 Lever Handle 4 in.




S 4322 3 in.




1519½ Rose 2⅛ in.
S 3878 Lever Handle 6 in.




S 3569 5½ in.




1005 Rose 1⅜ in.
S 1281 Lever Handle 4 in.
With Glass Grip




S 1874
Rose 1⅜ x 2¾ in.
Lever Handle 3½ in.




S 4807
Rose 2 in.
Lever Handle 4 in.




S 4713 4 in.




S 4966 4⅛ in.
For 2267 Lock




1928½ (old) Rose 1⅜ in.
S 2073 Lever Handle 2½ in.




S 1629
Rose 2 x 2½ in.
Lever Handle 2½ in.




S 1797 Rose 1⅛ in.
S 995 Lever Handle 2⅝ in.




S 4501 2¾ in.




S 4254
2 in. Long 1 1/16 in. Proj.



S 1576
2 in. Long ⅝ in. Proj.




S 1170
2 in. Long 1⅛ in. Proj.




S 1318 2¼ in.
With 3¼ in. Spindle.


ROSES FOR LEVER HANDLES




S 2674
1⅛ x 2⅜ in.




S 2645
1 3/16 x 1¼ in.




S 2794
2¼ in.




S 1196
1½ in.




S 1835
1¼ x 1¼ in.




S 468
1⅛ in.




S 551
1 5/16 in.




S 3266 6½ in.
Esp. Bolt Hdle.




S 3980 5 in.
Hdle. for 1998¼ Esp. Bolt




S 4996 4½ in.
Hdle. for 064½ Esp. Bolt




S 3813 3¼ in.
For Cremorne Bolt



S 3121 2½ in. L. H.
$\frac{3}{16}$ in. Spdle. on the Square




S 3121 2½ in. R. H.
$\frac{3}{16}$ in. Spdle.




S 1543 2⅛ in.
$\frac{3}{16}$ in. Spdle.




S 3777 1⅛ in.
$\frac{3}{16}$ in. Spdle.




S 5372 2 in.
$\frac{3}{16}$ in. Spdle. on the Square




S 4028 5½ in.




S 3628 2 x 5 in.




S 385 3 in. Dia.
Post, 1 in. Dia.



S 3614 3¼ in.




S 3613 3¼ in.



S 4099 2 in.




S 3847 ⅜ in.
Rivet




S 1362 1 in.




S 3960 1⅝ in.
Base for Letter File




S 4905 1⅝ in.
Socket




S 4001 ⅞ x ⅞ in.




S 2507 2 x 2 in.



S 5478 2 in.




S 5474 $1\frac{7}{8}$ Dia.




S 6104 $1\frac{5}{8}$ in.
for S5888 Knob. Concealed Screws.




S 6106 $1\frac{5}{16}$ in.
for 2148$\frac{1}{4}$ Knob. Concealed Screws.




S 5283 $2\frac{1}{4}$ in.



S 5696 2 in. Dia.
Total Height $1\frac{5}{16}$ in.



S 5897
Plate, American Design. $1\frac{3}{16}$ x $2\frac{1}{2}$ in.
Shown with S5895 Lever Handle. $4\frac{1}{4}$ in. to C




S 5887 $\frac{3}{4}$ in. Dia. S 5876 $1\frac{1}{8}$ in.
for S 5844 Esc. $\frac{5}{8}$ in. Square Hole.




S 5269 $\frac{13}{32}$ in. Dia.




S 5865 $\frac{3}{4}$ x $\frac{3}{4}$ in.
Not Made for Riveting.




S 5277 $4\frac{1}{8}$ in.
Gothic.




S 5278 $4\frac{1}{2}$ x $4\frac{1}{2}$ in.
Gothic.




S 5279 $6\frac{5}{8}$ in. to C. $2\frac{1}{2}$ in. Post.
Gothic.




S 5646 $16\frac{3}{4}$ x 34 in. For 6 in. Butt
S5647 $25\frac{9}{16}$ x 64 in. For 10 in. Butt




S 5648 as 4703 $7\frac{3}{8}$ x $9\frac{3}{4}$ in.
For 5 in. Butt




S 4510
1⅞ x 6¾ in.




S 4901
For 1365 Lock (old)
Lip to Center, 1¼ in.




S 4755
For 569 Lock, L. H.
Lip to Center, 2¼ in.




S 4756
For 1345 Lock, R. H.
Lip to Center, 1⅜ in.




S 4754
For 233 Lock, R. H.
Lip to Center, 1⅜ in.




S 4752
For 1365 Lock, R. H. and L. H.
Lip to Center, 1⅜ in.




S 4753
For 1365 Lock, R. H.
Lip to Center, 2¼ in.




S 4986
For 02067 Lock
Lip to Center, 2⅓ in.



S 4982
For 651 Lock
1⅞ x 4 in.
⅝ in. Offset.




S 4761
For 1339 Lock Lip to Center, 2¼ in.
S 4764
For 088½ and 1339 Locks.
Lip to Center, 1⅜ in.




S 4511
1⅞ x 2¼ in.




S 5906 1 x 5 in.
$\frac{9}{16}$ in. Offset
For 1718$\frac{3}{4}$ Lock



S 5737 $\frac{15}{16}$ x 5$\frac{1}{8}$ in.
For 560$\frac{1}{4}$ Lock




S 5774 1$\frac{3}{8}$ in. to C
$\frac{3}{8}$ in. Offset




S 5708 1$\frac{1}{4}$ x 4 in.
$\frac{7}{8}$ in. to C For 1$\frac{3}{4}$ in. Door
For 1336 Lock




S 5763 $\frac{15}{16}$ x 4$\frac{1}{2}$ in.
1 in. to C
For 885$\frac{7}{8}$ Lock




S 5922 R H 1$\frac{5}{8}$ x 5$\frac{1}{2}$ in.
$\frac{1}{2}$ in. Offset 1$\frac{3}{4}$ in. to C
For 1345 Lock



S 3761 1$\frac{11}{16}$ x 5 in.
1$\frac{3}{8}$ in. to C $\frac{5}{8}$ in. Offset
For 564 Lock




S 5712
1$\frac{7}{8}$ in. to C
For S 3580 Lock




S 5924 L H 1$\frac{1}{2}$ x 4$\frac{1}{2}$ in.
1$\frac{3}{4}$ in. to C $\frac{1}{2}$ in. Offset
For 1365 Lock


S 5924 R H 1$\frac{1}{2}$ x 4$\frac{1}{2}$ in.
1$\frac{3}{4}$ in. to C $\frac{1}{2}$ in. Offset
For 1365 Lock




S 5745 8$\frac{1}{4}$ in.
For 1334 Lock




S 5784 8$\frac{1}{2}$ in. Long
$\frac{1}{2}$ in. Rab.
For 2358 Lock




S 5718 R and L H
1$\frac{5}{16}$ x 7$\frac{1}{2}$ in.
Front for 572 Lock




S 5788
1 in. to C
For 290 Lock




S 5921 1$\frac{1}{4}$ x 6 in.
Oval Front for 133 Lock




S 332 1$\frac{1}{2}$ x 5$\frac{1}{4}$ in.
$\frac{1}{2}$ in. Rab.
For 137$\frac{1}{4}$ Lock R H




S 5608
1 in. to Center
For 1365 Lock, with Oval Face having Radius of 3¼ in.




S 5680 R. H. and L. H.
1¼ and 1⅜ in. to Center
For 1366½ Lock




S 5609
1 in. to Center
For 227 Lock, with Oval Face having Radius of 3¼ in.




S 5555 R. H. and L. H.
1½ in. to Center
Box Strike for 1365½ Lock, with Shutter for Latch Bolt and Key Bolt Holes.



S 5660
L. H. R. H.
1¼ in. to Center.
Box Strike for 159¾ Lock




S 5659
L. H. R. H.
1¼ in. to Center.
Box Strike for 0233 Lock




S 5668
L. H. R. H.
1¼ in. to Center.
Box Strike for 1366½ Lock




S 5702
1⅝ x 5²³⁄₃₂ in.
Front for 280¼ Lock.




S 5464
1⁵⁄₁₆ x 5⅝ in.
1½ in. to Center.
Strike for 561 and 1339 Locks to Fit Mortise of 571 Lock




S 5460 R. H. and L. H.
1⅜ x 9½ in., 1⅞ in. to Center
For 0539½ Lock for Electric Switch.




S 2338 R. H. and L. H.
Front, 1⅛ x 7 in., in. Rabbet
Strike 1¼ in. to Center
for 1367½ Special Lock.




S 5670
1¼ x 6⅝ in.
Box Strike for 133 Lock




S 5112 Reversible
1½ x 6¾ in.
1½ in. to Center
for 0567⅜ Lock.




S 5596
⅞ x 6¾ in., 1⅛ in. High
For S 5187 Lock




S 1820
For 2278¼ Catch.




S 1571
For 2271¼ Catch
1 x 1¼ in.
⅝ in. Offset.




S 4484
For 2270½ Catch
1¼ x 1½ in.
$\frac{7}{16}$ Offset.




S 3905
For 1378 Catch
Lip to Center, ⅝ in.




S 1561
For 2278¼ Catch.
Lip to Center, 2⅝ in.




S 3997
For 341½ Catch
Lip to Center, 1⅝ in.
$\frac{3}{16}$ in. Thick.




S 3948
For 013278½ Catch
Lip to Center, 2 in.




S 1717
For 2278½ Catch
Lip to Center, 1 in.




S 1715
For 3278¼ Catch
Lip to Center, 1⅛ in.




S 778
For 2456 Catch
Lip to Center, 1½ in.




S 4716
For 02276½ Catch
Lip to Center, 1¼ in.




S 4990
For 03279½ Catch
Lip to Center, 1 in.




S 2059
For 02276½ Catch
Lip to Center, ⅝ in.




S 4952
For 02178½ Catch
Lip to Center, 1⅝ in.




S 1785
For 13278 Catch
Lip to Center, 3½ in.




S 3188
2 x 2$\frac{1}{16}$ in.




S 4908
For 2275½ Catch
Lip to Center, 2 in.




S 4415
For 02275½ Catch
Lip to Center, 1⅝ in.




S 3515
Lip to Center, 1⅛ in.




S 2308
For 2279¼ Catch
Lip to Center, 2⅛ in.




S 4207
For 2277½ Catch
1⅝ x 3⅞ in.
Lip to Center, 2⅞ in.




S 4462
Rev. Bev. Strike for 2278¼ Catch
1¼ x 2¾ in.
¼ in. Offset.




S 540
For 2279⅝ Catch
$\frac{15}{16}$ x 2⅛ in.
½ in. Offset.




S 4735
1½ x 2 in.
⅝ in. Offset.




S 4582
For 3259½ Door Fastener.
$1\frac{5}{16}$ in. x $2\frac{1}{4}$ in.
$\frac{3}{4}$ in. High.




S 4787
Dust Proof Strike.
For 2360 Bolt.
$\frac{3}{4}$ x 2 in.




S 4790
For 4252½ 8 in. Bolt.
$2\frac{1}{8}$ x $2\frac{1}{4}$ in.
$\frac{5}{8}$ in. Offset.




S 3963
For 158 3 in. Bolt.
$1\frac{3}{16}$ x $2\frac{1}{8}$ in.
Lip to Center, $\frac{1}{2}$ in.




S 4913
For Cement Floor
2 in. Dia.
$1\frac{3}{8}$ in. High.




S 4760
Guide and Strike for 1023 Bolt.
$1\frac{1}{8}$ x $2\frac{3}{8}$ in.
$\frac{1}{2}$ in. Rabbet.




S 1875
Top and Bottom Strikes for 1993 Bolt.
Top, $1\frac{5}{8}$ x 2 in. $\frac{7}{8}$ in. Offset.
Bottom, $1\frac{5}{8}$ x $2\frac{1}{4}$ in. $\frac{5}{8}$ in. Offset.




S 2673
For 1993 Bolt.
$1\frac{3}{4}$ x $2\frac{3}{4}$ in.
$\frac{1}{4}$ in. Thick




S 2551
For 1993 Bolt.
$1\frac{3}{4}$ x $2\frac{1}{4}$ in.
$\frac{5}{8}$ in. Offset.




S 4757, S 4758 and S 4759
For 1023 and 2659 Bolts.
$\frac{1}{2}$ in. Rabbet
S 4757 $1\frac{3}{8}$ in. C to C
S 4758 $1\frac{1}{2}$ in. C to C
S 4759 $1\frac{7}{16}$ in. C to C




S 3927
For 1998¼ Bolt.
$2\frac{1}{4}$ x $3\frac{7}{8}$ in.
$\frac{1}{2}$ in. Rabbet.




S 4734
Top Strike for 2359
Anti-Panic Door Bolt
$1\frac{3}{4}$ x $3\frac{3}{8}$ in.
Lip to Center, $2\frac{1}{8}$ in.




S 4998
Top Strike for 2359
Anti-Panic Door Bolt
$1\frac{3}{8}$ x $3\frac{3}{8}$ in. $\frac{5}{8}$ in. Stop.
Lip to Center, $1\frac{3}{4}$ in.




S 4537
For 2358 Anti-Panic
Door Bolt
$1\frac{1}{4}$ x $3\frac{7}{8}$ in.
Lip to Center, $2\frac{1}{2}$ in.




S 4710
For 2358 Anti-Panic Door Bolt
$3\frac{7}{8}$ x $8\frac{1}{4}$ in.




S 4703
For 2358 Anti-Panic
Door Bolt
$1\frac{1}{4}$ x $3\frac{7}{8}$ in.
Lip to Center, 1 in.




S 4904
For 2359 Anti-Panic
Door Bolt
$2\frac{1}{4}$ x $3\frac{1}{8}$ in.
1 in. Offset.




S 5723 5¼ x 5¼ in.
2⅛ in. to C
Strike for 2358 Bolt




S 5736 1⅝ x 4⅛ in.
½ in. Offset
Strike for 626 Lock




S 5734 1¼ in. to C
Strike for 1336 Lock
for 2¼ in. Double Acting Doors




S 5789
1⅝ to C ⅜ in. Offset
for 2459¼ Unit Lock




S 5743 1⅝ x 3¾ in. Lip 8¾ in.
Bottom Strike for 2359 Bolt, with Stop on Opposite Side from Regular




S 5576 1⅞ in. to C
Top Strike for 2359 Bolt
for ¾ in. Stop




S 5579 1¼ x 3¾ in.
Lip 5¼ in. Bottom Strike for 2359 Bolt




S 5521 1¼ x 3¾ in.
Lip 3⅞ in. Bottom Strike for 2359 Bolt




S 5368
$2\frac{9}{16}$ x 4 in.
Top Strike for 2359 Bolt.




S 5387
$2\frac{1}{4}$ x $7\frac{1}{2}$ in. $1\frac{1}{2}$ in. Offset.
Top Strike for 2359 Bolt.




S 5772
$1\frac{1}{4}$ x 3 in. $1\frac{1}{16}$ in. Offset.
Strike for No. 3000 Lock.




S 5445
L. H. R. H.
$\frac{7}{8}$ x $3\frac{7}{8}$ in.
Strike for No. 3000
Three Point Lock.




S 5687
$\frac{7}{8}$ x $5\frac{1}{8}$ x $1\frac{9}{16}$ in.
Rim Strike for 1334 Lock, when used in S 5590 Lock Retaining Box for Grille Door.




S 5691 Strike
$3\frac{1}{4}$ x $4\frac{1}{4}$ in. $\frac{3}{4}$ in. Offset.
Bottom Strike for 2359 Bolt.
S 5692 Bracket
$1\frac{1}{2}$ x $1\frac{7}{8}$ in. $\frac{7}{8}$ in. Offset
Bracket for supporting S 5691 Strike.




S 5443
2 x $3\frac{3}{4}$ in.
For 2358 Bolt.




S 5604
$1\frac{5}{8}$ x $4\frac{5}{8}$ in.
$\frac{7}{8}$ in. Offset.
For 2359 Bolt.




S 5365
$1\frac{3}{4}$ x $3\frac{3}{4}$ in. Lip, 7 in.
Bottom Strike for 2359 Bolt.




S 5962
$1\frac{3}{4}$ x $3\frac{7}{8}$ in. Lip, 5 in.
Special Strike for 2358 Bolt.



S 5626 R. H.
$1\frac{11}{16}$ x $4\frac{1}{4}$ in.
Bottom Strike for 2359 Bolt.




S 5966
2 x $3\frac{3}{4}$ in. Lip, $8\frac{7}{8}$ in.
Bottom Strike for 2359 Bolt.




S 5407
$\frac{15}{16}$ x $4\frac{1}{8}$ in. $1\frac{1}{8}$ in. Offset.
Lip, 4 in.
Bottom Strike for 2359 Bolt.


S 5730
2 x $3\frac{5}{8}$ in. Lip, 4 in.
Bottom Strike for 2359 Bolt.




S 6209
$1\frac{5}{16}$ x $2\frac{1}{2}$ x $\frac{1}{2}$ in. High
For No. 1991 Bolt
Type "F"




S 6227
$2\frac{1}{8}$ x 1 x $\frac{3}{4}$ in. High
For No. 1991 Bolt




S 6233
$1\frac{7}{32}$ x $1\frac{9}{32}$ x $\frac{7}{8}$ in.
High
For No. $067\frac{1}{4}$ Bolt




S 6235
$\frac{7}{8}$ x $1\frac{3}{8}$ x $1\frac{3}{8}$ in. Offset
For No. $067\frac{1}{4}$ Bolt
R. and L. Hand




S 6239
$\frac{7}{8}$ x $1\frac{7}{16}$ x $\frac{15}{16}$ in.
High
For No. 1991 Bolt




S 6274
$\frac{15}{16}$ x 2 x $2\frac{3}{8}$ in. Deep
For No. 2659 Bolt



S 6348
$\frac{11}{16}$ x $4\frac{5}{32}$ in.
For No. $067\frac{1}{4}$ Bolt



S 6301
$2\frac{3}{4}$ x $\frac{15}{16}$ x $\frac{7}{16}$ in.
Type of No. $3988\frac{1}{2}$ Bolt
Strike but with Top Bevelled




S 6442
$1\frac{1}{2}$ x $1\frac{7}{8}$ x $\frac{3}{8}$ in.
For R. & E. No.
$0789\frac{1}{4}$ Bolt




S 6303
$\frac{7}{8}$ x 2 in.
For No. $1580\frac{1}{2}$
Bolt




S 6305
$\frac{3}{4}$ x 2 x $\frac{1}{2}$ in. High
For No. $1580\frac{1}{2}$
Bolt




S 6353
$1\frac{5}{16}$ x 2 in.
For No. 741
Bolt




S 6415 1 x $1\frac{1}{2}$ in.
$\frac{3}{8}$ in. Offset
Edge of Angle to
C. of Hole, 1 in.
For No. 2859 Bolt




S 6315
$\frac{7}{8}$ x $1\frac{7}{16}$ x $\frac{1}{2}$ in. High
For No. $1580\frac{1}{2}$
Bolt. Type "F"




S 6281 $2\frac{1}{8}$ x $3\frac{1}{4}$ in. For $\frac{7}{16}$ in. Saddle
Bot. Strikes for No. 2359 Bolt
R. & L. Hand




S 6377
$3\frac{7}{8}$ x $1\frac{1}{2}$ in.
Lip to C. 5 in.
For No. 2358 Bolt




S 6279 Shutter Locking Device
Strikes, $\frac{5}{8}$ x $1\frac{1}{4}$ in.
Lip Projection, $\frac{5}{8}$ in.
Locking Member, $1\frac{3}{8}$ x $\frac{3}{4}$ x $\frac{7}{8}$ in. High
For Use with R. & E. No. 748 Bolt




S 6272 $1\frac{5}{8}$ x $2\frac{3}{8}$ in.
For No. 1579 Bolt




S 6219
Guide and Strike for S 4900 Bolt
Guide, $\frac{7}{8}$ x 2 x $\frac{5}{8}$ in. Offset
Strike, $1\frac{3}{8}$ x $\frac{5}{8}$ x $\frac{1}{2}$ in. Rabbet




S 6220
Guide and Strike for S 4900 Bolt
Guide, $\frac{7}{8}$ x 2 in.
Strike, $\frac{3}{4}$ x 2 x $\frac{1}{2}$ in. Offset




S 1885
For 1993 Bolt
1⅜ x 2⅛ in.
⅝ in. Offset.




S 4243
For 1991¼ Bolt
2⅛ x 2⅜ in.
1 in. Offset.




S 3964
For 1991 Bolt
2⅜ x 2⅜ in.
¾ in. Rabbet.




S 4747
Strike and Guide
1⅜ x 2¼ in.
½ in. Rabbet.




S 1876
For 1993 Bolt
1¼ x 1⅜ in.
⅞ in. Offset.




S 4115
For 3988½ Bolt
2 x 2⅜ in.
1¼ in. Stop.




S 4114
For 3988½ Bolt
2 x 2⅜ in.
1 in. Stop.




S 2133
For 1993½ Bolt
1 x 2¼ in.
¾ in. Rabbet.




S 2608
Guide and Strike for
2859 Bolt
1½ x 2½ in.
½ in. Rabbet.




S4433
For 1991¼ Bolt
1½ x 1½ in.
⅝ in. Offset.




S 2753
Bottom Strike for 1995 Bolt
1⅝ x 2⅜ in.
⅛ in. Rabbet.



S 2085
For 1994 Bolt
1⅛ x 2⅜ in.
¼, ⅝ and ⅞ in. Rabbet.




S 1970
Top Strike for 1993 Bolt
1¼ x 2⅜ in.
⅝ in. Offset.




S 2072
For 1994 Bolt
1¼ x 2⅜ x ⅜ in.




S 1948
For 1994 Bolt
⅞ x 2⅜ in.
⅝ in. Offset.




S 2196
Strike and Guide for
1993 Bolt
Strike, 1¼ x 1⅜ in.
Guide, ⅛ x 2⅛ in.




S 3112
For 1991¼ Bolt
Top Strike, ½ x 1⅝ in.
Bottom Strike, ¾ x 1⅜ in.




S 2550
For 1994 Bolt
1⅝ x 1½ in.




S 2734
For 1995 Bolt
1⅝ x 2½ in.




S 2750
For 1995 Bolt
1 x 2⅛ x 7/16 in.




S 3965
For 1991 Bolt
¾ x 1⅝ x ⅞ in.




S 2370
For 1993½ Bolt
1⅛ x 1¼ in.
¾ in. Offset.




S 4227
For 1991 Bolt
1⅛ x 2 in.
⅝ in. Offset.




S 4159
For 0158½-3 in. Bolt
1⅛ x 1½ in.
⅞ in. Offset.




S 4221
For 4250½ Bolt
1 x 2⅛ x ¾ in.




S 4101
For 1991⅛ Bolt
1⅜ x 2⅜ x ½ in.




S 3919
For 1991¼ Bolt
1½ x 2⅛ x ⅞ in.




S 3966
For 1991 Bolt
1½ x 2⅜ x ⅞ in.




S 2731
For 1993½ Bolt
1½ x 2⅛ x 1 in.



S 1957
For 1994 Bolt
½ x 2 in. 5 in. Radius.




S 6393
1½ x 3½ in. 1 in. Offset
Angle Bracket for No. 3000 Lock
R. & L. Hand




S 6275
1 7/16 x 1⅝ in.
⅝ in. Offset
No. 02278½ Catch




S 6364
1 x 3⅝ x ¼ in.
Thick
For S 4651 Fast.




S 6369
⅝ x 3⅝ x ½ in.
Thick
For S 4651 Fast.




S 6402
1½ x ⅝ in.




S 6491
1 1/16 x ⅞ x ⅝ in. Proj.
For No. 341½ Catch




S 6171 1½ in. M x ⅞ in. D.
For No. 356 Lock




S 6195 1¾ in. M x 1⅛ in. D.
For No. 360 Lock
Open Out




S 6194 1⅝ in. M x 1⅛ in. D.
For No. 360 Lock
Open In




S 6265 1⅛ in. M x 1⅛ in. D.
For No. 456¾ Lock




S 6225 1½ in. M x 1⅝ D.
For No. 256½ Lock




S 6427 W. C. Strike
1¼ x 2½ x 1 1/16 in. Stop
Back Curved to Fit 1⅝ in. Dia. Tubing
Acts as Stop only
R. & L. Hand




S 6495
Like No. 356 Strike
But with 1¼ in. Flange
For Screw Holes




S 6223
15/16 x 3⅝ x 1 in. Proj.
For S 4461 Fast.




S 6334
For 1⅞ in. Door
For No. 3000 Lock




S 6413
For 1¾ in. Door
For No. 3000 Lock
(Bowling Green Tel.)




S 6452
For 1 9/16 in. Door
For No. 3000 Lock




S 6264
4 x 1⅝ in.
Lip, 1 17/32 in. Wide
For No. 02467 Lock




S 6294
4 x 1⅝ in.
Lip, 2 1/32 in. Wide
For No. 02467 Lock




S 6483
⅞ x 2⅛ in.
⅝ in. Offset
For No. 64
Latch




S 6473
1 x 2⅛ x ½ in.
Cast Rev.
Bevel Strike
For No. 356 Latch




S 6450
1½ x 2 in.
⅝ in. Offset




S 4910
For 599 Latch
Opening Out
$1\frac{3}{8}$ in. Marble $\frac{7}{8}$ in. Door



S 4738
For 156 Bolt
Opening Out
$1\frac{1}{4}$ in. Marble $\frac{3}{4}$ in. Door




S 1527
For 156 Bolt
$1\frac{1}{4}$ in. Door
$2\frac{1}{4}$ x $2\frac{3}{8}$ in.




S 111
For 156 Bolt
$\frac{3}{4}$ in. Door
$1\frac{3}{4}$ x $2\frac{1}{4}$ in.




S 1759
For S 1758 **W. C.** Latch
$\frac{7}{8}$ **x** $3\frac{3}{4}$ **in.**




S 3724
For 156 W. C. Bolts
$1\frac{9}{16}$ x $2\frac{3}{8}$ in.




S 1334
For 599 Latch
Staple, $1\frac{1}{4}$ in. High
Plate, $1\frac{3}{8}$ x 3 in.




S 971
For 599 Latch
Staple, $1\frac{1}{4}$ in. High
Plate from 599




S 1110
W. C. Strike
For $1\frac{1}{8}$ in. Door
$1\frac{1}{2}$ x $2\frac{7}{8}$ in.




S 1992
For 1830$\frac{1}{2}$ Fastener
2 x $2\frac{3}{4}$ in.




S 3991
For 1833 Fastener
$1\frac{3}{8}$ x $3\frac{1}{4}$ in.




S 1952
For 1830$\frac{1}{2}$ Fastener
$1\frac{1}{8}$ x $2\frac{3}{4}$ in.




S 4518
For 4313$\frac{1}{2}$ Fastener
$1\frac{1}{4}$ x $1\frac{7}{8}$ in.
$\frac{1}{2}$ in. Offset.




S 1743
For 1525$\frac{1}{2}$ Fastener
$\frac{7}{8}$ x $3\frac{1}{2}$ in.
$\frac{5}{16}$ in. Thick




S 4503
For 1830 Fastener
$\frac{5}{8}$ x $2\frac{3}{4}$ in.




S 1912
For 01263$\frac{1}{2}$ Fastener
$1\frac{3}{4}$ x $2\frac{5}{8}$ in.




S 981
For 733 Fastener
$\frac{9}{16}$ x $3\frac{3}{4}$ in.
$\frac{9}{16}$ in. Offset




S 4971
For 02164$\frac{1}{2}$ Fastener
$\frac{15}{16}$ x 4 in.
1 in. Offset




S 5429
$1\frac{3}{16}$ x $2\frac{5}{16}$ x $\frac{7}{8}$ in.
Rim Strike for
$144\frac{1}{2}$ Lock.




S 5618
$\frac{3}{4}$ x $2\frac{3}{16}$ in.
Rim Strike for
132 Lock.




S 5383 R. H. and L. H.
$1\frac{1}{4}$ x $2\frac{3}{8}$ x $1\frac{1}{4}$ in.
Rim Lock Strike.




S 5769
$\frac{5}{8}$ x $3\frac{1}{4}$ in. Strike for
01835 Sash Fastener.




S 4291
$1\frac{3}{4}$ x $3\frac{1}{8}$ in.
Reversible Strike for
02164 Casement
Fastener.




$1\frac{3}{4}$ x $2\frac{1}{2}$ in.
Stops and Strike for W. C. Bolt.




S 1358
$1\frac{1}{2}$ x $1\frac{5}{8}$ in.
$\frac{1}{4}$ in. Offset.




$1\frac{1}{2}$ x $1\frac{5}{8}$ in.




S 2922
2 in. $\frac{3}{4}$ x $1\frac{1}{4}$ in.
Top and Center Strikes
For $067\frac{1}{2}$ Bolt.




S 2924 2 x 2 x $1\frac{1}{16}$ in.
Strike for $599\frac{1}{2}$
W. C. Latch.




S 5465
For $456\frac{3}{4}$ Latch
Opening in.
2 in. Marble.
$1\frac{3}{8}$ in. Door.




S 4521
For 256 Latch
Opening in.
$1\frac{3}{8}$ in. Marble.
$\frac{7}{8}$ in. Door.




S 5432
$1\frac{1}{4}$ in. to Center.
For $1\frac{3}{4}$ in. Door.
For 0558 Lock.



S 5603
$1\frac{1}{2}$ x $2\frac{7}{16}$ in. $\frac{1}{2}$ in. Offset.
$\frac{7}{8}$ in. to Center.
For $85\frac{1}{2}$ Lock.




S 5444
$1\frac{1}{3}$ x $3\frac{1}{3}$ in. $\frac{15}{16}$ in. to Center.
For 179 Lock with Roller.




S 5960
$\frac{3}{4}$ x $2\frac{5}{8}$ in. $\frac{3}{4}$ in. Offset.
For 64 Latch.




S 5446
$\frac{3}{4}$ x $2\frac{5}{8}$ in.
For 116 Lock.




S 5386
$1\frac{3}{8}$ x $2\frac{5}{8}$ in.
$2\frac{1}{4}$ in. to Center.
Rab. Strike for 02067
Unit Lock.




S 5681
$1\frac{1}{3}$ x $4\frac{1}{2}$ in.
$1\frac{3}{8}$ in. to Center.
For 2267 Unit Lock.




S 5440
$2\frac{1}{4}$ x 4 in.
$1\frac{1}{3}$ in. to Center.
Box Strike for 01339 Lock
with Bull Nosed Latch Bolt.




S 5614 R. H.
$2\frac{5}{8}$ x $4\frac{5}{16}$ in.
$1\frac{3}{4}$ in. to Center.
For $2\frac{1}{4}$ in. Double
Acting Doors.
For S 4304 Lock.




S 5392 R. H. and L. H.
$1\frac{3}{8}$ x $4\frac{3}{8}$ in.
1 in. to Center.
For Double Acting Doors.
Box Strike for $0567\frac{3}{4}$ Lock
with Bull Nosed Latch Bolt
Oval Face, $1\frac{5}{8}$ in. Radius.




S 5397 R. H. and L. H.
2 x $4\frac{3}{8}$ in. $1\frac{3}{8}$ in. to Center.
For 2 in. Single Acting
Doors For $0567\frac{3}{4}$ Lock.
Oval Face, $1\frac{5}{8}$ in. Radius.




S 544
For 1366 Lock
Lip to Center, $1\frac{3}{8}$ in.




S 3909
For 239½ Lock
L. H.
Lip to Center, $1\frac{1}{4}$ in.




S 3911
For 444½ Lock
L. H.
Lip to Center, $1\frac{1}{4}$ in.




S 3908
For 239½ Lock
R. H.
Lip to Center, $1\frac{1}{4}$ in.




S 4903
For 1364 Lock
Lip to Center, 2 in.




S 4902
For 1339 Lock
Lip to Center, $1\frac{3}{4}$ in.




S 85
L. H.
Lip to Center, $1\frac{3}{4}$ in.




S 3910
For 444½ Lock
R. H.
Lip to Center, $1\frac{1}{4}$ in.




S 4482
R. H.
Lip to Center, $\frac{7}{8}$ in.




S 4483
R. H.
Lip to Center, $1\frac{1}{4}$ in.




S 4930
For 695¾ Lock
R. H. and L. H.
Lip to Center, $1\frac{3}{4}$ in.




S 936
For 1365 Lock
Lip to Center, $2\frac{1}{4}$ in.




S 2604
Lip to Center, $1\frac{7}{16}$ in.




S 2048
For 181 Lock
$\frac{3}{16}$ in. Thick
Lip to Center, $1\frac{1}{2}$ in.




S 4393
For 1366½ Lock
Lip to Center, $1\frac{1}{4}$ in.




S 2008
For 1365½ Lock
Lip to Center, $1\frac{1}{4}$ in.




S 3917
For 233 Lock
L. H.
Lip to Center, $1\frac{1}{4}$ in.




S 3913
For 233 Lock
R. H.
Lip to Center, $1\frac{1}{4}$ in.




S 3906
For 1365 Lock
R. H.
Lip to Center, $1\frac{1}{4}$ in.



S 908
Lip to Center, $1\frac{1}{8}$ in.




S 3915
For 1366½ Lock
R. H.
Lip to Center, $1\frac{1}{4}$ in.




S 2106
For 1365 Lock
Lip to Center,
$1\frac{1}{2}$ in.




S 2107
For 90 Lock
Lip to Center,
$1\frac{1}{2}$ in.




S 389
For 1363 Lock
Lip to Center,
$\frac{7}{8}$ in.




S 532
For 1364 Lock
Lip to Center,
$1\frac{3}{4}$ in.




S 3970
Lip to Center, $1\frac{5}{8}$ in




S 62
Lip to Center, 1 in.




S 2756
Lip to Center, $1\frac{1}{8}$ in.




S 3916
For 1366½ Lock
L. H.
Lip to Center, $1\frac{1}{4}$ in.




S 91
For 1345 Lock
L. H.
Lip to Center, 1½ in.




S 505
For 1345 Lock
R. H. and L. H.
Lip to Center, 1½ in




S 504
For 1345 Lock
R. H.
Lip to Center, 1½ in.




S 3526
For 1339 Lock
Lip to Center, 1½ in.




S 3535
For 1619 Lock
Rev. Bev.
1 x 5 in.




S 328
Lip to Center,
1¼ in.




S 49
For 155¼ Lock
Lip to Center, 2 in.




S 2128
For 732 Lock
1½ x 4⅞ in.




S 968
For 1365 Lock
Lip to Center, 1¼ in.



S 2775
Lip to Center, 1⅛ in.




S 3755
$1\frac{3}{16}$ x $4\frac{9}{16}$ in.
¼ in Thick



S 3932
For 1452 Lock
$1\frac{3}{16}$ x $4\frac{7}{16}$ in.




S 515
For 133 Lock
1¼ x 3⅞ in.



S 1553
For 135 Lock
1 x 4⅛ in.



S 4540
For 145 Lock
$1\frac{3}{16}$ x $4\frac{3}{16}$ in.




S 4129
Dust Proof Strike
For 593 Lock
1 x 4 in.




S 4983
For 651 Lock
¾ x 4 in.
½ in. Offset




S 1356
For 280¼ Lock
$\frac{11}{16}$ x 3⅝ in.
⅜ in. Offset




S 3914
For 90 Lock
Lip to Center, 1¼ in.



S 388
1⅝ x $3\frac{3}{16}$ in.
⅝ in. Offset




S 3344
For 2462 Catch
1¼ x 3 in.




S 1838
For 302 Latch
¾ x 2¾ x 1⅞ in.







S 1859
For 356 Latch
Base, 1⅞ x 2½ in.
2½ in. Flange



S 2691
For 1292 Lock
Base, 1⅞ x 2 in.
Flange, 2 in.



S 1354
For 356 Latch
2⅛ x 2⅜ in.




S 4541
For 132 Lock
1⅛ x 2⅜ in.



S 4251
For 256 Latch
1⅛ x 2¼ in.
⅝ in. Offset




S 1704
For 2392 Lock
1¼ x 2½ in.




S 3360
For C40 Latch
Lip to Center, 1⅛ in.




S 4526
For 558½ Latch
1⅛ x 1⅜ in.




S 3350
For 1345½ Lock
R. H.
Lip to Center, 1¾ in.




S 4958
Strike Lip for 2359 Strike
2⅜ x 17¼ in.




S 90
For 1351 Lock
L. H.
Lip to Center, 1⅜ in.




S 509
For 1339 Lock
R. H. and L. H.
Lip to Center, 1⅝ in.




S 3367
For 567 Lock
Lip to Center, 1¼ in.




S 4531
For 141 Lock
1½ x 7¼ in.




S 4321
For 133 Lock
1¼ x 7 in.




S 398
Lip to Center,
1⅜ in.




S 1932
For 141 Lock
⅞ x 6⅞ in.




S 2341
For 1365 Lock
1⅛ x 6½ in.




S 753
For 570 Lock
R. H. and L. H.
Lip to Center, 1¾ in.




S 4314
For 239½ Lock
R. H. and L. H.
Lip to Center, 1⅝ in.




S 5118
For 572 Lock
L. H.
Lip to Center, 2 in.




S 3550
For 188 Lock
R. H. and L. H.
Lip to Center, 1½ x 2 in.




S 3550
For 188 Lock
R. H. and L. H.
Lip to Center, 1½ x 2 in.




S 55
For 228 Lock
R. H. and L. H.
Lip to Center, 2 in.




S 54
For 1364 Lock
Lip to Center, 2⅜ in.




S 2626
For 2064 Lock
2½ x 10½ in.




S 2625
For 02067¼ Lock
Lip to Center, 2 in.




S 3590
For 2045 Lock
Lip to Center, 2¾ in.




S 3728
For 02067 Lock
Lip to Center, 2 in.




S 2546
For 2067 Lock
Lip to Center, 2 in.




S 2532
For 2045 Lock
Lip to Center, 1¾ in.




S 2531
For 2045 Lock
Lip to Center, 2¾ in.




S 3331
For 2067 Lock
Lip to Center, 2 in.




S 3739
For 2392 Lock
¾ x 4⅛ in.



S 1159
For 1365 Lock
⅞ x 4⅝ in.



S 1133
For 2393 Lock
Strike, 1 x 4 in.
Latch, 1⅛ in. wide.




S 4214
For 141 Lock
3 x 4 in. ½ in. Rabbet




S 5145
1 x 4½ in.




S 5142
1¼ x 3¾ in.




S 4764
For 1339 Lock
Lip o Center, 1⅞ in.




S 25
For 1339 Lock
Lip to Center, 2⅛ in.




S 76
Lip to Center, 1⅞ in.




S 300
Lip to Center, 2 in.




S 4931
For 736½ Lock
Flat Strike, 1⅝ x 3⅛ in.
Box Strike, ¾ x 2⅞ in.




S 342
For 156 Bolt
1⅝ x 3¼ in.




S 1810
Rim Strike for 85½
Lock, ⅞ x 2⅜ in.
½ in. Flange.




S 2013
Lip to Center, 4 in.




S 1361
For 156 Bolt
1¾ x 2½ in.




S 708
For 555 Lock
Lip to Center, 1¼ in.




S 1355
For 356 Latch
1 1/16 x 2⅜ in.




S 3912
For 045 Latch
Lip to Center, 1 in.




S 4527
For 65 Latch
Lip to Center, 1½ in.




S 1837
For 65 Latch
Lip to Center, 1⅜ in.




S 10
Strike Front
2 x 7⅞ in.
For 1308 Lock




S 1532
Strike Front
1½ x 7⅞ in.




S 370
Strike Front
1½ x 7⅞ in.
For 1308 Lock




S 51
Strike Front
2 x 7⅞ in.




S 2965
Front Strike
1⅛ x 9¾ in. ⅝ in. Rabbet
For 1292¾ Lock, R. H.




S 592
Strike Front
1½ x 7½ in.
For 1308 Lock




S 4208
Strike Front
1⅛ x 7⅞ in. ¼ in. Rabbet
For 1300 Lock




S 940
Strike Front
1¾ x 7½ in. 7/16 in. Rabbet
For 1338 Lock, R. H.




S 4331
1½ x 7⅞ in.
Lip to Center, 1⅝ in.
For 1338 Lock, R. H.




S 4206
Strike Front
⅝ x 2⅝ in. ⅛ in. Rabbet
For 68¾ Lock




S 1592
Front Strike
1 1/16 x 4¼ in. Lip to Center, ⅞ in.
For 89 Latch




S 2339
Strike Front
1¼ x 4½ in. ⅜ in. Rabbet
For 130½ Lock, R. H.




S 4248
Bev. Front
1⅜ x 5⅜ in.
For 1364 Lock




S 2360
Front Strike
1½ x 7 in. 5/16 in. Rabbet
For 141 Lock, L. H.



S 423
For 239¾ Lock
Lip to Center, 1⅜ in.




S 5180
For 396½ Lock
1 x 7⅜ in.




S 4579
For 01339½ Lock
Lip to Center, 1⅛ in.



S 2716
Lip to Center, 1¼ in.




S 795
Lip to Center, 1⅜ in.




S 307
Lip to Center, 1½ in.




S 949
Lip to Center, 1 in.




S 751
Lip to Center, 1 in.



S 1104
Lip to Center, 1½ in.




S 597
Lip to Center, 2⅛ in.




S 1113
Lip to Center, 1⅜ in.




S 4572
For 303 Latch
½ x 2½ in.
⅜ in. Offset.




S 4588
Dust Proof Strike and Guide
1 x 3 in.
⅜ in. Rabbet




S 4587
Dust Proof Strike and Guide
1⅛ x 3 in.
$\frac{5}{16}$ in. Rabbet



S 4589
Dust Proof Strike and Guide
1⅛ x 3 in.
⅜ in. Rabbet




S 4549
For 356½ Latch
1 x 2¼ in.




S 3399
For 456 Latch
1½ x 2¼ in.
⅜ in. Offset




S 4641
⅝ x 2 in.
⅜ in. Offset




S 486
¾ x 1⅞ in.
¾ in. Offset




S 455
Staple Strike
2 x 2¾ in.
⅜ in. Thick




S 426
Staple Strike
2 x 2¾ in.
$\frac{13}{16}$ in. Thick




S 433
Staple Strike
2 x 2½ in.
⅜ in. Thick




S 458
Staple Strike
2⅛ x 2¾ in.
$\frac{5}{16}$ in. Thick




S 1925
Flat Strike, 1⅜ x 2⅜ in. Flat Guide, 1⅛ x 1⅜ in.
Rab. Strike, 1⅛ x 1⅜ in. Rab. Guide, 1⅛ x 1⅜ in.
½ in. Rabbet




S 1998
Guide and Strike,
1¼ x 2 in.
¼ in. Rabbet



S 1997
Guides, 1⅛ x 2 in.
Strikes, 1⅛ x 2 in.
⅛ in. Rabbet




S 957
Flat Strike, 1⅜ x 1⅝ in. Flat Guide, 1 x 1⅝ in.
Rab. Strike, 1⅜ x 1⅝ in. Rab. Guide, 1⅜ x 1⅝ in.
⅜ in. Rabbet




S 2933
Guide and Strike,
1¼ x 2 in.
½ in. Rabbet

S 3346
Guides, 1⅛ x 2 in.
Strike, 1⅛ x 2 in.
⅜ in. Rabbet




S 2086
Guide, 1⅛ x 2 in.
Strike, 1⅛ x 2 in.
¼ in. Rabbet


S 3503
Guide, 1⅛ x 2 in.
Strike, 1⅛ x 2 in.
$\frac{5}{16}$ in. Rabbet




S 1879
For 1993¾ Bolt
Top Strike, 1⅝ x 2⅜ in.
½ in. Rabbet
Bottom Strike, $1\frac{9}{16}$ x 2⅜ in.
$\frac{5}{16}$ in. Rabbet



S 2632
Guide and Strike,
1⅛ x 2 in.
½ in. Rabbet




S 4198
Top Strike Bottom Strike
1¼ x 2¾ in. 1¼ x 2¼ in.
For Cremorne Bolts




S 4954
For 1991 Bolt
1⅜ x 2½ in.
½ in. Offset




S 1971
Bottom Strike for
1993 Bolt
1¼ x 2⅜ in. ¾ in. Offset




S 4488
For 1991¼ Bolt
1⅜ x 2 x ⅝ in.




S 4722
1⅜ x 1⅞ in.




S 3593
For 2275½ Catch
2 x 2⅛ in.




S 4723
1⅜ x 2⅜ in.




S 4525
Strike and Face Plate
For 0655½ Bolt
1 x 1¾ in.



S 961
Guides
For Flush Bolt
⅞ x 1⅜ in.



S 2746
Strike Back Plate
1¼ x 2 in. 1¼ x 1¼ in.




S 3722
Strike and Face Plate
For 0654½ Bolt
1 x 1⅞ in.



S 3959
End and Center Strikes
For Espagnolette Bolt
½ x 1⅛ in. ½ x 1⅜ in.




S 1552
For Flush Bolt
⅝ x 1½ in.




S 1343
S 1344
Guide
1⅛ x 2⅜ in.

S 1345
Guide
⅞ x 2⅛ in.


S 1343
S 1344
Strike
1⅜ x 2¼ in.




S 1345
Strike
1¼ x 1⅞ in.




S 1343
S 1344
S 1345
Guide
1 x 2⅛ in.



S 1345
Strike
1⅜ x 1¾ in.




S 1343
S 1344
Strike
1⅜ x 2¼ in.



S 2165
For 1995 Bolt
¾ x 1 x 1½ in.




S 3147
For 1551 Bolt 3 in.
½ x 1½ in.




S 2712
For 1259 Bolt
1½ x 3⅜ in.




S 570
For 728 Mortise Bolt
¾ x 3½ in.
⅝ in. Offset



S 998
1 x 3 in.
$\frac{5}{16}$ in. Offset




S 4194
For 2986½ Bolt
2 x 2⅝ in.
¾ in. Rabbet




S 771
For Flush Bolt
2 x 3 in.
⅜ in. Thick




S 3756
1 x 2⅜ in.
⅜ in. Thick




S 2946
Top and Bottom Strikes for
1988 Bolt
1⅛ x 2⅞ in. 1¼ x 2⅞ in.
⅝ in. Offset. ¾ in. Offset




S 329
1 x 5¼ in.




S 1909
1 x 5 in.




S 3325
⅞ x 3½ in.
⅝ in. Clearance
For S 1949 Bolt




S 2654
For Espagnolette Bolt
1⅛ x 1½ in.
1⅛ x 2 in.




S 4326
For 1995 Bolt
Top or Bottom
1⅜ x 2½ in.
1⅛ in. Offset




S 5105
1⅛ x 2½ in.
⅝ in. Offset




S 1415
Guide, 1⅜ x 2⅝ in.
Strike, 1⅜ x 2⅝ in.
$\frac{3}{16}$ in. Rabbet




S 1416
1⅜ x 2 in.
$\frac{37}{16}$ in. Rabbet




S 849
R. H. Guide for Flush Bolt
1¾ x 2 in.
⅜ in. Rabbet




S 850
L. H. Guide for Flush Bolt
1¾ x 2 in.
⅜ in. Rabbet




S 851
R. H. and L. H. Strike
For Flush Bolt
1¾ x 1¾ in.
⅜ in. Rabbet




S 897
For Flush Bolt
1⅛ x 1¼ in.
1⅛ in. Offset




S 4751
For 067⅜ Bolt
Base, 1 x 1⅜ in.
Proj. 1⅜ in.




S 2692
For Espagnolette Bolt
Base, 1¼ x 2¼ in.
Proj. ⅞ in.




S 3321
For Espagnolette Bolt
Base, 1 x 1⅞ in.
Proj. 1¼ in.




S 1537
For 064½ and 064⅜ Bolts
Base, 1⅛ x 1¼ in.
Proj. 1¼ in.




S 2613
For 066½ Bolt
Base, $\frac{13}{16}$ x 1⅞ in.
Proj. 1⅜ in.




S 2653
For Espagnolette Bolt
Base, ½ x 1⅜ in.
Proj. 1⅜ in.



S 1201
For 2360 Bolt
$\frac{15}{16}$ x 1$\frac{15}{16}$ in.



S 855
For Flush Bolt
1 x 2 in.




S 1202
For 2362 Bolt
1 x 2 in.




S 4284
Dust Proof Strike
For 2859 Bolt
$\frac{13}{16}$ x 1⅛ x 1¼ in.




S 4741
For 4252⅛ Bolt
⅞ x 2⅛ in. ⅝ in. Offset



S 104
For 1259½ Bolt
$\frac{11}{16}$ x 1⅜ in.
$\frac{9}{16}$ in. Offset




S 103
For 1259½ Bolt
$\frac{9}{16}$ x 1⅜ in.
½ in. Offset




Lip to Center, 4¼ in.




1¼ x 2⅛ in.
½ in. Rabbet




1¼ x 2⅜ in.




1¼ x 2⅜ in.




1¼ x 1⅛ in.
$\frac{7}{16}$ in. Rabbet



1⅛ x 1½ in.



1¼ x 1¼ in.




1¼ x 1¼ in.

No. S 483 Strikes and Guides.




S 1352
For 02160 Casement Fastener
⅜ in. 1$\frac{13}{16}$ in. ½ in. Proj.




S 1993
For 1830½ Sash Fastener
1⅛ x 2⅜ in.




S 3977
For 1830½ Sash Fastener
⅝ x 2⅜ in.




S 4487
For Casement Fastener
1 x 1⅞ in.




S 2659
Top and Bottom Strikes
for 1999¼ Bolt
⅜ x 4⅜ in. 1½ in. Offset




S 2694
Top and Bottom Strikes for
Espagnolette Bolts
½ x 3⅞ in. 1⅛ in. Offset




S 2921
Top and Bottom Strikes for
Espagnolette Bolt
½ x 3⅞ in. 1⅛ in. Offset




S 2149
Top and Bottom Strikes for
S 1864 Bolt
⅝ x 4¼ in. 1 in. Offset




S 2364
Top and Bottom Strikes
for S 1864 Bolt
½ x 4¼ in. 1⅛ in. Offset




S 1949
Top and Bottom Strikes
for 1998¼ Bolt
⅝ x 3⅞ in. ⅞ in. Offset




S 2926
For Espagnolette Bolt
1⅞ x 4⅝ in. 1 in. Offset




S 2919
For Espagnolette Bolt
1 5/16 x 4⅝ in. 1 in. Offset




S 2081
Top and Bottom Strikes for
Espagnolette Bolts
½ x 3⅞ in. 1⅛ in. Offset




S 4318
Bottom Strike
Face, ¾ x 5 in. 2¼ in. Offset




Top Strike
Face, ¾ x 5 in. 2¼ in. to Stop




S 4323
Strike for 1998¼ Bolt—L. H.
2 x 4⅝ in. ½ in. Rabbet



S 4707
Bottom Strike for Panic Bolt
1¾ x 3¾ in. Lip, 6¾ in.




S 4529
1¾ x 3¾ in. Lip, 3⅞ in



S 4767
Top Strike for 3986½ Bolt
2⅛ x 2⅞ in.
¾ in. Offset




S 2614
For 067½ Bolt
⅝ x 3 in. ¾ in. Offset




S 4923
For 1991 Bolt
1½ x 1¾ in.




S 2752
Top Strike for
1995 Bolt
1 x 1¾ in.




S 3106
For 067½ Bolt
Base, 1 x 1⅜ in. ⅝ in. Proj.




S 5174
For 1991 Bolt
1⅛ x 1⅝ in. ⅝ in. Thick




S 5175
For 1991 Bolt
1¼ x 1⅝ in.
½ in. Thick



S 3814
Top and Bottom Strikes for
Cremorne Bolt
1¾ x 1⅞ in. 1½ x 1⅝ in.
¼ in. Thick ⅞ in. Thick




S 506
$\frac{5}{8}$ x 2 in. 1 x 2 in.
Mail Box Striker and Lock






S 1182
For 158 Bolt, 4 in.
$\frac{3}{4}$ x $1\frac{5}{8}$ in.



S 3731
$1\frac{3}{8}$ x $1\frac{1}{2}$ in.



S 2611
For $1251\frac{1}{2}$ Bolt
$1\frac{1}{4}$ x $1\frac{1}{2}$ in.




S 96
Transom Stop and Strike,
$\frac{5}{8}$ x $1\frac{5}{8}$ in.




S 736
For $2144\frac{1}{2}$ Bolt
$\frac{5}{8}$ x $1\frac{1}{8}$ in.



S 4904
For $1445\frac{1}{2}$ Bolt
$\frac{5}{8}$ x $1\frac{1}{2}$ in.



S 2193
For Transom Catch,
$\frac{3}{4}$ x $1\frac{5}{8}$ in.




S 2094
For $02275\frac{1}{2}$ Catch
1 x $3\frac{1}{2}$ in.




S 3323
Angle Strike for S 747 Catch
1 x $3\frac{1}{8}$ in. $\frac{3}{8}$ in. Offset




S 81
For Sash Fastener
$\frac{3}{4}$ x $3\frac{1}{8}$ in.




S 2333
For $2278\frac{1}{2}$ Catch
$1\frac{3}{16}$ x 3 in.




S 2000
For 2462 Catch
Rev. Bev.,
$\frac{5}{8}$ x $3\frac{1}{4}$ in.
Lip, $1\frac{1}{8}$ in.




S 3384
For $2279\frac{1}{2}$ Catch
Lip to Center, $1\frac{3}{8}$ in.




S 2730
For $2279\frac{1}{2}$ Catch
Lip to Center, $\frac{1}{2}$ in.




S 4414
For $02275\frac{1}{2}$ Catch
Lip to Center, $2\frac{1}{8}$ in.




S 934
For $2278\frac{1}{2}$ Catch
Lip to Center, $1\frac{7}{8}$ in.




S 4300
For $2279\frac{1}{2}$ Catch
Lip to Center, $1\frac{1}{2}$ in.



S 4267
For $02275\frac{1}{2}$ Catch
2 x $2\frac{5}{8}$ in.
Lip to Center, $1\frac{1}{2}$ in.



S 3393
For 02279 Catch
2 x $1\frac{3}{4}$ in.
Lip to Center, $\frac{3}{4}$ in.




S 4279
For $02276\frac{1}{2}$ Catch
$1\frac{3}{4}$ x 2 in.
Lip to Center, $\frac{5}{8}$ in.




Strike for S 2986 Turn
1 x $2\frac{1}{8}$ in.






S 512
Ring and Strike for
$2279\frac{1}{2}$ Catch
$\frac{3}{4}$ x $2\frac{5}{8}$ in.




Strike for S 1535
Catch, $\frac{5}{8}$ x $1\frac{7}{8}$ in.



S 958
For $2278\frac{1}{2}$ Catch
$1\frac{1}{4}$ x $1\frac{5}{8}$ in.




S 2689
For $2271\frac{1}{2}$ Catch
1 x 1 in.




S 1905
For 351 Latch
$\frac{7}{8}$ x $1\frac{3}{8}$ in.




S 4385
For 4316 Lift
$\frac{1}{2}$ x $\frac{7}{8}$ in.




S 3579
For French Window Bolts
$1\frac{1}{4}$ x $1\frac{1}{2}$ in.



S 1787
For French Window Bolts
$1\frac{1}{8}$ x $1\frac{1}{4}$ in.



S 4726
For Casement Fasteners
$\frac{9}{16}$ x $1\frac{5}{8}$ in.



S 960
For 02160 Casement Fastener
$1\frac{1}{4}$ x $1\frac{3}{8}$ in.



S 3114
For 733 Casement Fastener, $\frac{7}{8}$ x $3\frac{1}{4}$ in.



S 1114
For $733\frac{1}{2}$ Casement Fastener
$\frac{9}{16}$ x $3\frac{3}{4}$ in.



S 2665
For Turnbuckle
$\frac{5}{8}$ x $3\frac{3}{4}$ in.
$\frac{3}{8}$ in. Offset



S 3713
For 2165 Casement Fastener
1 x $3\frac{3}{8}$ in.
$\frac{3}{4}$ in. Offset



S 2563
For Casement Fastener
$\frac{11}{16}$ x $2\frac{3}{8}$ in.
$\frac{5}{8}$ in. Offset



S 1945
For 733 Casement Fastener
$\frac{5}{8}$ x 3 in.

S 4367
For $2164\frac{1}{2}$ Casement Fastener
$\frac{1}{2}$ x $2\frac{5}{8}$ in.
$1\frac{1}{8}$ in. Offset

S 4328
For $02163\frac{1}{4}$ Casement Fastener
$\frac{1}{2}$ x $2\frac{5}{8}$ in.
$1\frac{1}{8}$ in. Offset

S 4301
For $02163\frac{1}{2}$ Casement Fastener
$1\frac{1}{2}$ x $2\frac{1}{2}$ in.

S 3320
For 02161 Casement Fastener
$\frac{1}{2}$ x $2\frac{3}{8}$ in.
$1\frac{1}{8}$ in. Offset

S 1946
For 733 Casement Fastener
$1\frac{1}{2}$ x $2\frac{3}{8}$ in.


S 2036
For 02162 Casement Fastener
$1\frac{3}{8}$ x $2\frac{3}{8}$ in.

S 3152
For $043\frac{1}{4}$ Casement Adj.
$1\frac{1}{4}$ x 2 in.


S 3392
For 02160 Casement Fastener
$1\frac{3}{8}$ x $1\frac{3}{8}$ in.
$1\frac{1}{8}$ in. Offset

S 3979
For 40 Casement Adj.
$1\frac{1}{4}$ x $1\frac{1}{2}$ x 1 in.


S 3560
For Casement Fastener
1 x $1\frac{3}{8}$ in.
$\frac{3}{4}$ in. Offset




S 2655
For Turnbuckle
$\frac{1}{2}$ x $3\frac{3}{4}$ in.



S 1982
$\frac{5}{8}$ x $3\frac{3}{4}$ in.
$\frac{1}{2}$ in. Offset




S 4940
For 02275$\frac{1}{2}$ Catch
1 x $3\frac{1}{2}$ in. $\frac{5}{16}$ in. Thick




S 4941
For 02275$\frac{1}{2}$ Catch
$\frac{3}{4}$ x 3 in.
Lip to Center, $\frac{5}{8}$ in.




S 4384
For 1278$\frac{3}{4}$ Catch
$\frac{5}{8}$ x $2\frac{3}{8}$ in.




S 1115
$1\frac{7}{8}$ x $3\frac{3}{4}$ in.
Lip to Center, $3\frac{1}{2}$ in.




S 2505
For 3276$\frac{3}{4}$ Catch
$\frac{7}{8}$ x $2\frac{1}{8}$ in.
Lip to Center, $1\frac{3}{4}$ in.




S 974
$\frac{13}{16}$ x $1\frac{15}{16}$ in.
Lip to Center, $1\frac{3}{8}$ in.




S 4187
For 3278$\frac{3}{4}$ Catch
$\frac{3}{4}$ x $2\frac{1}{8}$ in.
Lip to Center, 1 in.




S 2198
For 13278 Catch
$\frac{7}{8}$ x 2 in.
Lip to Center, $\frac{1}{2}$ in.




S 1324
For 2278$\frac{1}{2}$ Catch
$1\frac{1}{8}$ x $1\frac{5}{8}$ in.
Lip to Center, $1\frac{3}{4}$ in.



S 2910
For 13278 Catch
$\frac{3}{4}$ x $1\frac{7}{8}$ in. $\frac{1}{4}$ in. Thick
Lip to Center, $1\frac{1}{2}$ in.




S 513
For 3278 Catch
1 x $1\frac{3}{8}$ in.
Lip to Center, $\frac{1}{2}$ in.



S 503
For 2278$\frac{1}{2}$ Catch
$\frac{5}{8}$ x $1\frac{3}{8}$ in.
Lip to Center, $\frac{3}{8}$ in.



S 112
For 13271 Catch
Double Strike
$\frac{15}{16}$ x $1\frac{7}{16}$ in.



S 320
For Transom Catch
$\frac{7}{8}$ x $1\frac{1}{2}$ in.



S 319
For Transom Catch
$\frac{7}{8}$ x $1\frac{1}{4}$ in.




S 502
For 1624 Catch
$\frac{11}{16}$ x $\frac{15}{16}$ in.




S 3968




S 3322



S 4392




S 4190



S 4352




S 59




S 4218

S 59 $\frac{3}{8}$ in. Rabbeted Strike for 189 Lock, $\frac{7}{8}$ x 7 in.
S 3322 Guard for 0567 Lock, $\frac{5}{8}$ x $9\frac{3}{4}$ in.
S 3968 Guard for 1345 Lock, R. H., Rev. Bev., $\frac{5}{8}$ x $11\frac{1}{8}$ in.
S 4190 Guard for 564 Lock, $\frac{5}{8}$ x $8\frac{7}{8}$ in.


S 4218 Guard for 2067$\frac{1}{4}$ Lock, Rev. Bev., $1\frac{1}{4}$ x $3\frac{3}{4}$ in.
S 4352 Guard for 558 Lock, $\frac{5}{8}$ x 7 in.
S 4392 Guard for 1339 Lock, $\frac{5}{8}$ x $9\frac{1}{2}$ in.




S 2523
Front Strike
2¼ x 5¼ in. Lip to Center,
⅝ in. Rab. 1 in.
For 555 Lock




S 555
Front Strike
1 1/16 x 5⅜ in. Lip to Center,
3/16 in. Rab. 1¼ in.




S 583
Front Strike
1 3/16 x 4⅜ in. Lip to Center,
¼ in. Rab. 1¼ in.
For 89 Latch, 1⅜ in. to C.




S 1144
Front Strike
1⅛ x 4¼ in. ½ in. Rab.
For 168½ Lock
R. H. and L. H.




S 797
Front Strike
1 x 4⅛ in. 5/16 in. Rab.
For 76 Turnbuckle
⅝ in. to C




S 943
Front Strike
1⅜ x 6¾ in. Lip to Center,
½ in. Rab. 1¼ in.
For 1367½ Lock, R. H.




S 516
Strike Front
Lip to Center, 1⅜ x 6¾ in.
1¼ in. ⅜ in. Rab.
For 1366½ Lock, R. H. and L. H.




S 4440
Front Strike
1⅛ x 6⅞ in. Lip to Center,
½ in. Rab. 1⅓ in.
For 2930 Lock, R. H.




S 2615
Front Strike
2¼ x 6¼ in. Lip to Center,
¾ in. Rab. 1½ in.
For 1366½ Lock




S 87
Front Strike
1 9/16 x 8¼ in. Lip to Center,
⅞ in. Rab. 1⅝ in.
For 2347 Lock, L. H.




S 1528
Front Strike
1½ x 8 in. Lip to Center,
½ in. Rab. 1⅜ in.
For 569 Lock, R. H. and L. H.




S 757
Front Strike
1⅞ x 7½ in. Lip to Center,
½ in. Rab. 2⅛ in.
For 701 Lock



S 1307
Front Strike
1⅛ x 7 in. Lip to Center,
7/16 in. Rab. 1¼ in.
For 281 Lock, R. H. and L. H.
2 in. to C




S 1526
1½ x 7 in.
½ in. Rab.
Front for 281
Lock, L. H.




S 2516
1½ x 6¾ in.
½ in. Rab.
Front for 741 Lock
To Fit 572 Lock




S 585
1½ x 6⅜ in.
⅜ in. Rab.
Front for 1366½
Lock, L. H.




S 1956
Front Strike
1⅛ in. x 6¼ in. Lip to Center,
½ in. Rab. 1⅜ in.
For 1334 Lock, R. H.




S 1839
1 x 5¼ in.
¼ in. Rab.
Front for 290 Lock
R. H. 1 in. to C




S 1312
1 x 5¼ in.
¼ in. Rab.
Front for 290
Lock, L. H.
1 in. to C




S 1510
⅝ x 5¼ in.
Rib for Lock Strike
For 290 Lock
⅜ in. Rab.




S 4366
Strike Front
Lip to Center, 1⅝ x 9 in.
2 in. ⅜ in. Rab.
For 1346 Lock




S 2958
Front Strike
1½ x 8¼ in. Lip to Center,
$\frac{9}{16}$ in. Rab. 1¾ in.
For 573 Lock



S 367
1⅛ x 7⅞ in. 1½ x 9 in.
¼ in. Rab. ½ in. Rab.
Front for Front for
1338 Lock, R. H. 1346 Lock, R. H.




S 571
Front Strike
2 x 8½ in. ½ in. Rab.
For 573 Lock, L. H.



S 5196
⅞ x 4¾ in.
$\frac{5}{16}$ in. Rab.
Lip to Center, ⅜ in,
For 2456 Lock, L. H.




S 38
1 x 4½ in.
For 169½ Lock




S 5
1 x 4 in.
Lip to Center, $\frac{13}{16}$ in.




S 4953
1½ x 3½ x ½ in.
For 651 Lock




S 3939
Latch and Front
For 136 Lock
Front, ⅞ x 3¾ in.




S 3527
⅞ x 3⅜ in.
½ in. Offset
For 77 Turnbuckle




S 539
1½ x 9⅞ in.
¼ in. Rab.
Front for 1354
Lock, 5 in. to C.




S 2964
Front
1½ x 9½ in.
⅝ in. Rab.
Strike
Lip to Center,
2 in.
For 555¾ Lock. R. H. and L. H.




S 2959
Strike
Lip to Center,
1½ in.
Front
1½ x 9¾ in.
$\frac{9}{16}$ in. Rab.
For 1354 Lock, R. H.




S 1854
2⅛ x 8½ in.
⅝ in. Rab.
R. H. and L. H. Fronts for
1300½ Lock




S 2022
1⅝ x 7⅞ in. ⅝ in. Offset
Lip to Center, 1½ in.
For 188 Lock




S 74
$1\frac{5}{16}$ x 7⅛ in.
Lip to Center, 1⅜ in.
For 1366½ Lock




S 1586
1⅛ x 6 in.
Lip to Center, 1½ in.
For 698 Lock




S 3760
2¾ x 5¾ in.
Lip to Center, 1¾ in.
For 1350½ Lock




S 2972
1⅝ x 5½ in.
Lip to Center, 1½ in.
For 572 Lock




S 3759
1¾ x 5½ in.
Lip to Center, 1⅛ in.
For 905¾ Lock




S 48
1¼ x 5 in.
Lip to Center, 2½ in.
For 1345 Lock




S 3115
$1\frac{5}{16}$ x 6 in.
Lip to Center, 1½ in.
For 572 Lock




S 3718
1⅜ x 4⅝ in.
Lip to Center, 1⅛ in.
For 905¾ Lock




S 3907
$1\frac{1}{16}$ x 4⅝ in.
Lip to Center, 1⅛ in.
For 1365 Lock, L. H.




S 5182
1⅛ x 4⅞ in.
Lip to Center, 1⅛ in.
For S 4295 Lock




S 5190
1 x 4⅛ in.
Lip to Center, 1⅛ in.
For 795 Lock



S 5341
$1\frac{1}{16}$ x $9\frac{1}{4}$ in.
Rim for $\frac{1}{2}$ in. Rab.
To be used with 1038 Lock, acting as Strike For $174\frac{1}{2}$ Lock, L. H.



S 1342
$1\frac{3}{8}$ x 9 in.
Lip to Center, $1\frac{3}{8}$ in.
For 1346 Lock, L. H.




S 3741
$1\frac{5}{16}$ x $8\frac{3}{8}$ in.
Armor Front for 572 Lock




S 2519
$1\frac{5}{16}$ x 7 in.
Front for 1261 Lock




S 575
$1\frac{1}{4}$ x 7 in.
For $1340\frac{1}{2}$ Lock For Electric Connection




S 101
$1\frac{7}{16}$ x $6\frac{3}{8}$ in.
Pulley Front




S 1840
Strike $1\frac{1}{2}$ x $11\frac{3}{4}$ in.
Front $1\frac{1}{2}$ x $11\frac{3}{4}$ in.
For 141 Lock and 741 Bolt




S 3785
Front $1\frac{1}{4}$ x $12\frac{3}{8}$ in.
Strike $1\frac{1}{4}$ x $8\frac{3}{8}$ in.
Lip to Center, 2 in.
For 567 and 141 Locks



S 4376
$1\frac{1}{4}$ x $11\frac{1}{2}$ in.
Front for 133 Lock



S 2935
Strike $1\frac{1}{4}$ x 10 in.
Front $1\frac{1}{4}$ x 10 in.
Lip to Center, $1\frac{3}{8}$ in.
For $137\frac{1}{4}$ x $1339\frac{1}{4}$ Locks



S 4378
1 x 6 in.
Strike for 1405½ Lock
⅛ in. Higher than Reg.



S 105
1⅛ x 5½ in.
Pulley Front



S 2340
1 x 4⅜ in.
Front for 132 Lock




S 4534
1 x 4 in.
Strike for 138 Lock




S 3562
1½ x 4 in.
Sash Pull Plate




S 525
Lip to Center, ⅞ in.
For 1285 Lock




S 4374
1¼ x 4⅛ in.
Guard for 2045 Lock




S 4266
4 x 4½ in.
¼ in. Rab.




S 3366
3 x 3½ in.
For 1⅛ in. Door




S 4175
3⅛ x 4⅛ in., ¾ in. Offset
For 2394 Latch




S 5315
1⅛ x 3⅜ in. Lip to Center, 2⅜ in.
Strike for 2359 Bolt




S 2189
3 x 3½ in.
For S 1949 Bolt




S 4185
Face, 1⅜ x 3⅜ in.
Case, ⅝ x 1¼ x 1½ in.
Dust Proof Strike for 2987½ Bolt




S 3457
2¼ x 3 in.
Strike for 2045 Lock




S 5312
1⅛ x 2⅜ in.
Lip to Center, 2 3/16 in.
For 356 Latch




S 5109
⅝ x 2 in.
Lip to Center, ⅞ in.
For Transom Catch




S 970
Lip to Center, 1⅜ in.




S 4911
1⅝ x 1⅞ in. 1¼ x 1⅛ in
¼ in. Rab.
Plates for 1998¼, Guide and Casing




S 5309
2 5/16 x 6½ in. 7/16 in. Rab.
For 2986½ Bolt




S 1930
2 x 4 in. ⅜ in. Rab.
Used with 4706 Hinge Plate




S 3301
1⅞ x 2½ x ⅝ in.
Strike for S 2306 Bolt




S 3972
1 3/16 x 1⅞ in.
3/16 in. Offset



S 3971
1⅛ x 1½ in.




S 1836
⅞ x 3½ in.
Lip to Center, 1⅛ in.
For 85½ Latch




S 2167
15/16 x 3½ in.
¼ in. Offset
For 728 Lock



S 5337
⅞ x 3½ in.
¼ in. Offset
For 76 Turnbuckle




S 2966
1⅛ x 3 x ¼ in.



S 5110
1½ x 2⅜ in.
For 1993 Bolt




S 1834
⅝ x 2⅜ in.
For 76 Turnbuckle



S 2075
⅞ x 2⅜ in. ¾ x 2⅜ in.
⅜ in. Offset
Top and Bottom Strikes
For 1993 Bolt




S 1117
$\frac{7}{8}$ x 2$\frac{1}{2}$ in.
Strike for
W. C. Latch



S 4935
$\frac{5}{8}$ x 2$\frac{1}{2}$ in. $\frac{3}{4}$ x 1$\frac{3}{4}$ in.
$\frac{1}{2}$ in. Offset
Strike for 256$\frac{1}{2}$ Rev. Bev.




S 1809
$\frac{15}{16}$ x 2$\frac{1}{2}$ in.
For 164 Lock



S 1373
1$\frac{1}{4}$ x 2 in.
For 369 Lock




S 1368
$\frac{1}{2}$ x 1$\frac{3}{4}$ in.
Strike for Cup'd Turn




S 1700
1 x 2$\frac{5}{8}$ in.
Rim Strike for
156$\frac{1}{2}$ Bolt




S 1994
$\frac{7}{8}$ x 2$\frac{5}{8}$ in.
$\frac{3}{4}$ in. Clearance




S 1359
Base, 3 in. Dia.
Height, 2$\frac{1}{2}$ in.
Socket Strike for 2430$\frac{1}{2}$ Bolt




S 5150
1$\frac{1}{4}$ x 2$\frac{1}{4}$ x $\frac{5}{8}$ in.
For 1991 Bolt




S 5149
1$\frac{1}{4}$ x 2$\frac{1}{4}$ x $\frac{1}{2}$ in.
For 1991 Bolt




S 5148
1$\frac{1}{4}$ x 2 x $\frac{9}{16}$ in.
For 1991 Bolt




S 3536
1$\frac{1}{4}$ x 1$\frac{1}{4}$ x $\frac{5}{8}$ in.



S 2772
2$\frac{3}{8}$ x 4 in.
For 356 Latch



S 4506
1$\frac{1}{4}$ x 2$\frac{3}{8}$ in.
1$\frac{1}{4}$ in. High
For 356 New Latch




S 700
2$\frac{1}{8}$ x 2$\frac{1}{8}$ in.
For 356 Latch



S 2368
1$\frac{1}{4}$ x 1$\frac{5}{8}$ in.
1 in. Proj.
For 1075 Latch




S 569
$\frac{5}{8}$ x 1$\frac{5}{8}$ in.



S 2021
$\frac{3}{4}$ x 3$\frac{1}{4}$ in.
For 1838$\frac{1}{2}$ Sash Fastener



S 4503
$\frac{5}{8}$ x 2$\frac{3}{4}$ in.
For 1830 Sash Fastener




S 2777
1 x 2$\frac{1}{8}$ in.
$\frac{3}{4}$ in. High
Strike for 1993 Bolt




S 3521
$\frac{7}{8}$ x 1$\frac{3}{4}$ in.




S 2718
$\frac{5}{8}$ x $\frac{5}{8}$ x 1 in.




S 5308 1$\frac{5}{8}$ x 3$\frac{3}{8}$ in.
Lip to Center, 4$\frac{3}{4}$ in.
For Anti-Panic Bolts




S 5311
For 2 in. Marble 1$\frac{3}{8}$ in. Door
For 456$\frac{3}{4}$ Latch—Open in




S 5323
1$\frac{3}{4}$ x 2 in.
$\frac{11}{16}$ in. Offset
For 1993 Bolt




S 5322
1$\frac{1}{2}$ x 2$\frac{3}{8}$ in.
For 067$\frac{3}{4}$ Bolt




S 5416
1⅝ x 1½ in.
⅞ in. Offset
Top Strike for 067½ Bolt




S 5415
1⅝ x 1½ in.
⅝ in. Offset
Bottom Strike for
067½ Bolt




S 5957
1 3/16 x 2⅜ in.
¾ in. Offset
Bottom Strike for
1993 Bolt




S 5956
1 1/16 x 2⅜ in.
7/16 in. Offset
Top Strike for
1993 Bolt




S 5986
1¼ x 1⅝ in.
For 1580 Bolt




S 5674
Protecting Hood Used
with 71 Dust Proof
Strike, for Cement
Floors




S 5914
2¼ x 4¼ in.
1⅝ in. to Center
for Surface Bolt




S 5983
3 x 3½ x 1¼ in.
For 2987½ Bolt




S 5451
1 x 2⅞ in.
Dust Proof Strike for
1991 Bolt




S 5633
1⅝ x 2 in.
11/16 in. Offset
Top Strike for 1991 Bolt




S 5632
1⅝ x 1⅝ in.
11/16 in. Offset
Bottom Strike for 1991 Bolt




S 5663
1⅝ x 1⅞ in.
⅜ in. Offset
for 13259 Bolt



S 5932
2⅛ x 4⅝ in.
For 1⅜ in. Door
For 0567¾ Lock




S 5977
2½ x 4⅝ in.
For 2 in. Door
For 0567¾ Lock




S 5466
2½ x 4¼ in.
For 1⅜ in. Door
For 0567¾ Lock


S 5471
2⅜ x 4¼ in.
For 1⅞ in. Door
For 02262½ Lock




S 5916
2¼ x 4⅝ in.
For 1⅜ in. Door
For 0567¾ Lock




S 5661
2¼ x 4¼ in.
For 1⅜ in. Door
For 0567 Lock




S 5431
For 1⅜ in. Door
For 3000 Lock




S 5974
2⅞ x 4¼ in.
For 2 in. Doors
For 02262½ Lock




S 5917
2⅝ x 4¼ in.
Reversible
For 1⅞ in. Door
For 02262½ Lock




S 5630
2⅝ x 4⅝ in.
For 1⅞ in. Door
For 0567 Lock




S 5662
2¾ x 4 5/16 in.
For 1⅞ in. Door
For 3000 Lock




S 5629
2 1/16 x 4¼ in.
For 1⅞ in. Door
For 0567¾ Lock




S 6136
1⅛ x 4⅜ in.
1 9/16 in. to Stop
for 3000 Lock L. H.




S 6122
1⅛ x 4⅜ in.
2 1/16 in. to Stop
for 3000 Lock R. H.




S 6111
1¼ x 3⅜ in.
for 1 9/16 in. Door
for 3000 Lock.




S 6121 1½ x 2¼ in.
Depth ⅞ in.
for 3000 Lock




S 5699 1⅛ x 4 in.
Lip to C. 1⅝ in.
for 1336 & 1337 Locks
when used without
Panic Bolt Bar.




S 6141 1½ x 4½ in.
Lip to Center 1½ in.
for 1342 Lock without
Dead Bolt when used
with 2359½ Panic Bolt.




S 5825
2⅝ x 4¼ in.
Bottom Strike
for 2359 Bolt.




S 5826
2⅝ x 4¼ in.
Bottom Strike
for 2359 Bolt.




S 6145
1⅛ x 4⅜ in. Projection ⅝ in.
for 1370 Lock with
2359½ Panic Bar Strike
½ for Double Doors.




S 5837
2⅝ x 3⅜ in.
Bottom Strike for
2359 Panic Bolt L. H.




S 5694
4 x 1⅝ in.
Opening 1¼ x 2 in.




S 5864
1¼ x 3⅞ in.
Lip to Center 2⅜ in.
for 2467 Lock.



S 5856
1⅛ x 4½ in.
Lip to Center 1½ in.
for 2472 Lock.




S 5850
4⅛ x 2⅜ in.
for 1 9/16 in. Door
for 02267 Lock.




S 5496
3¼ x 2½ in.
for 2⅛ in. Door
for 02262½ Lock.




S 5806
1 1/16 x 4⅜ in.
Lip to C. 1⅛ in.
for 1365 Lock.




S 5800
⅞ x 4⅛ in.
Lip to C. 1 in.




S 5818
1 1/16 x 5⅛ in.
Lip to C. 1⅝ in.
R. & L.H. for 233 Lock.




S 5860 2 x 3 in.
Lip to Center 2⅜ in.
for 02467 Lock
Rab. for 1¼ in. Door.




S 5857 2⅜ x 3½ in.
Lip to Center 2⅛ in.
for 2467 Unit Lock
for Rab. Doors in Pairs, 2 in.




S 5858 1⅛ x 3⅞ in.
Lip to Center 2⅛ in.
for 2467 Lock.




S 5859 3 x 2¼ in.
Lip to Center 1⅛ in.
for 2472 Lock
for 2 in. Rab. Doors.




S 5890 1⅛ x 6¼ in.
Lip to Center 1⅛ in.
for 565¼ Lock to fit
Mortise of 155¼.




S 5698 1 x 7 in.
Lip to Center 2 in.
for 1344 Lock.




S 6161
1¼ x 4⅛ in.
1⅜ in. to Center.
for 2½ in. Door.




S 5809
2½ x 3⅜ in.
Lip to Center 1⅜ in.
for 561 Lock.




S 6157
⅜ x 3 in.
Lip to Center 1 in.
for 02275½ Catch.



S 6152
1 in. to Center
for 2044¾
Adjuster.




S 6166
$\frac{9}{16}$ x 2 in.
1¼ in. Projection
for 2164½ Fastener.




S 6167
⅝ x 3 in.
for 1831½ Sash
Fastener.




S 6137 $\frac{15}{16}$ in. Dia.
for 253½ Cyl. with
0567¾ Lock.



S 5814
2½ x 3⅜ in.
1¾ in. to Center.
for 0567¾ Lock.




S 5815
2½ x 3⅜ in.
1¾ in. to Center.
for 90¾ Lock.




S 5816
2½ x 4½ in.
1¾ in. to Center.
for 572 Lock.



S 5817
$1\frac{1}{16}$ x 3¼ in.
Dust Proof Strike.
for 132 Lock.




S 6115
2⅜ x 4⅜ in.
Striker Plate used
with 02467 Strike.




S 6126
1⅝ x 2⅝ in.
Lip for 356¾ Strike for
R. B. 2¼ in. Door.




S 6108
¾ x 2 in.
Flange ⅜ in. High
Hole ⅝ x $\frac{11}{16}$ in.




S 6151
¾ x 2¼ in.
Guide and Strike for
1021 Bolt when used
with $\frac{5}{16}$ in. Spindle only.




S 6129 ⅜ x 2⅜ in.
Lip to Center 3 in.
Transom Lip 3⅝ in. Long.




S 4505
1½ in. M x 1½ in. D.
for 256 Lock.



S 4597
⅜ in. M x ⅜ in. D.
for 156½ Bolt.




S 6113
1¼ x $3\frac{7}{16}$ in.
for S4561 Fastener.
R. and L. H.



S 5811 ⅜ in. x 5 in.
for 695¾ Lock
R. H.




S 5869 ⅜ x 3⅜ in.
⅜ in. Offset
for 280½ Lock
R. H.




S 5489 2 x 2⅞ in.
Bottom Strike for
2987½ Bolt L. H.


S 5490 2⅞ x 2¾ in.
Bottom Strike for
2987½ Bolt R. H.




S 5820
1⅝ x 2 in.
1⅛ in. Offset
for 1991 Bolt.




S 6163
1 7/16 x 2 in.
7/16 in. Rabbet
for 1034 Lock.




S 5802
for 064¾ Bolt.
½ in. Shorter Than Reg.




S 5810
Center Strike for 064¾ Bolt.
Strike ½ in. Longer Than Reg.




S 5877
Front 1 1/16 x 7 29/32 in.
for 5870 Latch.




S 6114
Front 1⅛ x 10⅝ in.
C. of Hub to C. of Cyl. 5¾ in.
For Combined Locks
S 5868 and 5870




S 5878
Front 1 1/16 x 11 13/16 in.
C. of Hub to C. of Cyl. 4 in.
For Combined S 5870
and S5868




S 5487
Front 1¼ x 9⅞ in.
For Combined Locks
S 4459 and 144½.




S 5889
For 155½ Lock R. H. and L. H.
Lip to Center, 1⅛ in.



S 5939
Protecting Frame for Sand
Blasting 72354 Drop Handle Plate




S 6120
1¼ x 6⅞ in. 1⅛ in. to Center
for 741 Lock R. and L. H.




S 5821
5½ x 8 in. 4 in. to Center
For 2359 Panic Bolt R. and L. H.




S 6300
7⅞ in. Long
Rim for No. 2336 Lock Strike
22° Bevel on Rabbet
R. and L. Hand




S 2069
1 x 7 in.
Lip to C. 1¼ in.




S 6337
1 x 4 in.
Lip to C. 1⅛ in.
For No. 1365 Lock




S 6234
1 x 4 1/16 in.
Lip to C. 1¼ in.
For 1365 Lock




S 6448
1 x 3¾ in.
Lip to C. 1 1/16 in.
(Lock Unknown)




S 6320
For 1¾ in. Door
For No. 138 Lock




S 6356 2½ x 1⅝ in.
Lip to C 1⅜ in.
For No. 022751/2 Catch




S 6241
4 5/16 x 1 5/16 in.
Lip to C. 1⅞ in.
For S 4304 Lock
L. H. only




S 6292
Like No. 625
For 2½ in. Door




S 6291
Like No. 625
For 1½ in. Door




S 6229
3¼ x 1 1/16 in.
Lip to C. 1½ in.
For 1270⅞ Lock




S 6410
1⅝ x 4⅜ in.
Lip to C. 1½ in.
Projection ¼ in.
For 1¾ in. Door
For No. 567 Lock




S 6321
For 2¼ in. Door
For No. 288 Lock
L. H.




S 6387
1 x 5 x 7/16 in. Thick
For S 6270 Lock




S 6246
Case, 2¾ x 2 in.
Bolt, ⅝ x ⅝ x ⅝ in. Throw
Strike, 2¾ x ⅞ in.
Lip to C. 1¼ in.




S 6351
Extension Spindle Rotating Arm
For No. 075 Lift




S 6441
1 9/16 x 2¾ x 1 5/16 in. High
Base for 0096½ Post




S 4993 Butt Tips, $\frac{3}{4}$ x 1 in.
S 4995 Butt, 6 x 7½ in. $\frac{5}{16}$ in. Rabbet




S 1006 5 x 5 in.




S 1020 4 x 4 in.




S 4993 Butt Tips, $\frac{3}{4}$ x 1 in.
S 4994 Butt, 6 x 11½ in. $\frac{5}{16}$ in. Rabbet




S 4992 Butt Tips, 1 x 1½ in.
S 4989 Butts, { 7 x 8½ in. / 7 x 9½ in. } $\frac{3}{8}$ in. Thick




S 4991 Butt Tips, ½ x 1½ in.
S 4989 Butt, 7 x 11 in. $\frac{3}{8}$ in. Thick




S 791 3 x 4 in.
1½ in. Offset




S 586 4 in.




S 4209 $4\frac{3}{4}$ x 5 in.




S 4736 6 x 6 in.
$\frac{7}{16}$ in. Rabbet




S 1009 3 x 5 in.




S 4783 $4\frac{1}{2}$ x 5 in. $\frac{1}{2}$ in. Rabbet




S 1000 5 x 4 in. $\frac{1}{2}$ in. Rabbet




S 121 5 x 5 in.




S 3751 3 x 14 in. $\frac{1}{2}$ in. Rabbet




S 1003 $2\frac{1}{2}$ x $2\frac{3}{4}$ in. $\frac{3}{8}$ in. Rabbet




S 1002 $2\frac{1}{2}$ x $1\frac{3}{4}$ in.




S 1011 10 x 5½ in.



S 4164 3 x 8½ in.




S 1022 5 x 8 in. ⅜ in. Rabbet




S 497
2½ in. and 6 in.


S 5111 Hinge, 6⅞ x 8 in. x 2 in.
S 5114 Stud, ⅜ in.




S 1024 4 x 6¼ in.




S 1025 1½ x 2½ in.




S 4570 2½ x 2 in.




S 991 2 x 2½ in.




S 107 2 x 4½ in.




S 1015 1¼ x 2⅜ in




S 4252 1¼ x 1½ in.




S 1014 1½ x 2½ in.




S 4407 1½ x 1½ in.




S 1013 2 x 2½ in.




S 4481 2 x 3½ in.




S 989 2 x 2½ in.




S 990 2 x 2½ in.




S 1007 1½ x 2½ in.




S 1894 1¼ x 4⅜ in.



S 3532 1⅜ x 1½ x ¼ in.
Plate for Special Butt



S 3389 2½ x 4⅜ in.



S 4222 3 in.




S 3552 ½ x ⅝ in.
For 61 Butt 3 x 3 in.




S 4650 ⅝ x 1½ in.

S 4655 5-8 x 1 1-4





S 2510

Center Hinge, 8¼ x 12 in. Bottom Hinge, 4½ x 12 in.
Top Hinge, 5⅛ x 12 in. Back Flaps, 2¼ x 11 in.




S 1010 4 x 3½ in.







S 732 1½ x 2½ in.
1⅞₂in. Offset




S 1016 5 x 4¼ in.
1½ in. Angle







S 4793 6 x 7 in.
3 in. Offset




S 1001 2 x 4 in.




S 5103 5 x 5 in.



S 1017
2 x 1½ in.



S 1019
1½ x 1½ in.




S 1018
1½ x 1¼ in.




S 4841 ⅞ x 1⅛ in.
Tip for S 5103 Butt




S 687 ½ x ⅞ in.
Butt Tip




S 3748 ⅞ in. Dia.
Button Tops for 61¾ Butt




S 454 6 x 4½ in.




S 4368 5 x 5 in.




S 3790 2¾ x 3½ in.
Butt for W. C. Door to be used with 597 Flap




S 3925 2½ x 3¾ in.
Door Stop for 1⅜ in. Door



S 794 Door Holder
1⅛ x 2 in.



S 5314 Door Stop
2½ x 2¾ x ¾ in.



S 675 3 x 3 in.
Corner Brace







Plate
1⅛ x 2⅛ in.




S 5346
Pivot
1½ x 3 in., ½ in. High




S 1120 L. H.
1½ x 2⅜ in.
⅜ in. Thick




S 2929
2 x 2 in., ⅜ in. Thick
Strike for 599½ Latch




S 1758 R. H.
Bar, 1 x 3 in. For 599 Latch




S 5413 $4\frac{1}{16}$ x $6\frac{3}{8}$ in.




S 5949 4 x $6\frac{1}{4}$ in.




S 5426 3 x $6\frac{3}{8}$ in.




S 5427 $3\frac{1}{2}$ x $6\frac{3}{8}$ in.




S 5679 10 x $9\frac{1}{2}$ in.




S 5935 3 x $8\frac{1}{4}$ in.




S 5936 $3\frac{1}{2}$ x $8\frac{1}{4}$ in.




S 5549 2½ x 2 in.
1⅜ in. Offset



S 5532 1¾ x 2 in.



S 5558 1½ x 3 in.
Style of 106, But Extra Heavy



S 5786 1½ x 2½ in.
Style of 120½




S 5258 1⅜ in.
For 61¾. 8 x 6 in.
Butt, Extra Heavy




S 5202 1 in.
For 61½, 4½ x 4½ in.
Butt




S 5234 1 in.
For 61
4 x 4 in. Butt




S 5538 3⅜ x 4½ in.




S 5989 6 in.
Style of No. 774½




S 5683 3½ in.
Bases, Style of 774½, 1⅜ x 1¾ in. Hook, Style of 775½
5 in. Screw for Expansion Bolt




S 5537
Base, 1⅜ x 3½ in. Projection, 5 in.




S 5402
Base, 1¾ x 2⅜ in. Projection, 3½ in.
Spread, 6 in.
Like 3432, But With Prongs Bent 20 Degrees Above Regular.




S 5998
Base, $1\frac{3}{16}$ x $1\frac{7}{16}$ in. Projection, 3½ in.







S 3556 $2\frac{1}{4}$ x $5\frac{1}{2}$ in.




S 541 2 x 5 in.
$\frac{1}{4}$ in. Thick




S 4112 $1\frac{1}{4}$ x 4 in.
$\frac{5}{16}$ in. Thick



S 4463 $2\frac{1}{8}$ x $3\frac{3}{4}$ in.
$\frac{5}{8}$ in. Thick




S 4464 $2\frac{3}{8}$ x $3\frac{7}{8}$ in.
$\frac{1}{2}$ in. Thick




S 2706 $1\frac{1}{2}$ x 6 in.
~~S 2924~~ $2\frac{1}{2}$ x $10\frac{1}{2}$ in.
S 2528 $3\frac{1}{4}$ x $10\frac{1}{2}$ in.
S 2359 3 x $10\frac{1}{2}$ in.

S 2763 $1\frac{3}{4}$ x 6 in.
S 3769 $1\frac{3}{4}$ x 10 in.
S 4967 $2\frac{1}{4}$ x $10\frac{1}{2}$ in.




S 3750 $1\frac{1}{8}$ x $3\frac{3}{4}$ in. $\frac{1}{4}$ in. Thick
S 3302 $1\frac{3}{4}$ x $4\frac{1}{2}$ in. $\frac{5}{16}$ in. Thick




S 789 $\frac{7}{8}$ x $2\frac{3}{4}$ in.


S1786 2 5-8 x 5 x 1-2 thick



S 2101 $2\frac{1}{8}$ x $2\frac{1}{8}$ in.




S 772 $1\frac{1}{2}$ x $2\frac{1}{8}$ in.




S 4601 $\frac{3}{4}$ x $2\frac{3}{16}$ in.
Storm Sash Plate




S 4600 $\frac{5}{8}$ x $1\frac{1}{16}$ in.
Storm Sash Plate




S 4602 1 x $\frac{7}{8}$ in.
Storm Sash Plate




S 4490 1¼ x 11¼ in.
As 2859½ with ½ in. Rabbet
L. H.




S 1360 1¼ x 13 in.
As 2859½ with 2 in. Throw.




S 1501 9⅝ in.
As 2860 with 2 in. Throw
S 2038, 14 in. 3 in. Throw




S 3151 8 in. High
S 4436 4½ in. High




S 1573 2⅝ in. Proj.




S 4142 6 in. Proj. S 4919 5 in. Proj.
S 4360 7 in. Proj. S 4920 8 in. Proj.




S 5317
Frame, 6¼ x 10¼ in. Cup, 3 x 4⅛ in.




S 6124 2¾ x 3⅜ in.
¼ in. Offset
Top Strike for 2359 Panic Bolt.




S 5498 2¼ x 3½ x ⅞ in. High
Bottom Strike R. H. for 2359
Panic Bolt for Stone Sill.
¼ in. Higher Than Regular.




S 5497 1⅛ x 3½ x ⅞ in. High
Bottom Strike L. H. for 2359
Panic Bolt for Stone Sill.
¼ in. Higher Than Regular.




S 6142 ⅝ x 3⅜ x 1⅛ in.
High. ⅝ in. Roller




S 6134 1⅛ x 3⅝ in.
Lip to C. 1½ in.
Dust Proof Strike
for 090 Latch




~~S 5994~~ S5494
Arms for 2359 Panic Bolt
Clearance 4¼ in. 3⅛ in. When Depressed







S6133 2⅛ x 3⅛ in.
Hood Flange 1 in. to C.
for 02359 Panic Bolt.




S 6135
Wheel 1 in. Long x ⅝ in. Dia. like 1649







S 6132 2⅛ x 9⅛ in.
Hood Flange 1 in. to C.
for 02359½ Panic Bolt.




S 6131
Arm and Lever for 2359 Panic Bolt.
Bar to Clear 3½ in. When Depressed.
Heavier Than S 5494.




S 4797 3⅛ in. High
2 Bumpers 2 Hooks




S 4781 3 in. High




S 4296 3½ in. Proj.
As 0369 Door Stop, to fit on 3 in. Pipe




S 1328 2⅛ x 4½ in.




S 4160 1½ x 4 in.
½ in. Thick
Plate for 2859¾ Holder




S 4257 2½ in. High




S 4493 2 in. Proj.
Base, 3 in. Dia.




S 1749 2½ in. Proj.
Base, 1⅝ in. Dia.




S 4795 2½ in. Proj.
Base, 1⅛ x 1¾ in.




S 106 2 x 2¾ in.




S 3742 1⅝ x 1¾ x ½ in.




S 3371 Cabus Clutch
Socket, 1¾ in. Dia. 1 in. Deep
Post, 2½ in. Proj.




S 3372 Cabus Clutch
Socket. 1⅛ x 1⅞ in. 1 in. Deep
Post, ⅞ in. Proj.




S 3370 Cabus Clutch
⅞ x 1¼ in.



S 4396 1⅝ in. Proj.




S 4536 7 in. Proj.




S 4418 5½ in. Proj.




S 5250
Case, $1\frac{1}{8}$ x $7\frac{7}{8}$ in.
Center Guides, $1\frac{5}{8}$ x $4\frac{1}{2}$ in.
End Guides, $1\frac{5}{8}$ x $2\frac{1}{2}$ in.
Rod, $\frac{5}{8}$ in. Wide.
Lever Handle, $4\frac{1}{4}$ in.




S 5580
Plate, $3\frac{1}{2}$ x 7 in. Strike, $1\frac{3}{4}$ x $2\frac{1}{4}$ in., $2\frac{1}{4}$ in. Flange.
Style of $2858\frac{1}{2}$




S 5987
1 x 6 in.
Style of $1339\frac{1}{2}$




S 5235
$\frac{3}{4}$ x 5 in. Projection, 2 in.
Double Acting Door Bumper




S 5654
Projection, 2 in. Hook, $1\frac{1}{2}$ in. Long.
S 5649
Projection, $2\frac{1}{2}$ in. Hook, 2 in. Long.




S 5787
Projection, $4\frac{1}{2}$ in. Hook, $3\frac{1}{2}$ in.




S 1515 $1\frac{5}{8}$ x 8 in.




S 793 $1\frac{3}{4}$ x $6\frac{7}{8}$ in.




S 4799 1 x 6 in.




S 3564 6 in.
Lever for 1996$\frac{1}{4}$ Bolt




S 3369
As 1586 with Bolt 1 in. Longer




S 5169
Center Post for Lever Handle
for 064$\frac{3}{4}$ Bolt
Base, $1\frac{1}{4}$ x $1\frac{7}{8}$ in. $1\frac{3}{8}$ in. Proj.




S 3314 $2\frac{1}{8}$ in. Strike for 066$\frac{1}{2}$ Bolt




S 1546 $3\frac{3}{8}$ in. $2\frac{1}{2}$ in. to C
S 1547 $3\frac{5}{8}$ in. $2\frac{3}{4}$ in. to C
S 1548 $3\frac{15}{16}$ in. $3\frac{1}{16}$ in. to C.




S 1764 $1\frac{1}{4}$ x $1\frac{1}{2}$ in.




S 3872 Lever and Strike for 064$\frac{3}{4}$ Bolt
Lever, $4\frac{1}{2}$ in. Strike, $1\frac{3}{8}$ x $3\frac{3}{4}$ in.







S 4373 $5\frac{1}{2}$ in.
For 1998$\frac{3}{4}$ Bolt




S 1008 $1\frac{1}{2}$ x 8 in.
$\frac{7}{8}$ in. Throw




S 2708 $1\frac{1}{4}$ x 8 in.




S 1012 $\frac{5}{8}$ x 6 in.
R. H. and L. H.




S 4970 for $1\frac{5}{16}$ in. Door



S 1733 for $1\frac{3}{4}$ in. Door
S 1732 for $2\frac{1}{4}$ in. Door
S 1731 for $2\frac{5}{16}$ in. Door




S 3981 for $1\frac{7}{8}$ in. Door
S 1871 for $1\frac{3}{4}$ in. Door
S 1870 for $2\frac{1}{4}$ in. Door
S 2156 for $2\frac{3}{8}$ in. Door
S 1928 for $2\frac{1}{2}$ in. Door




For 069$\frac{1}{2}$ Esp. Bolt


S 1540	$2\frac{3}{4}$ in.	S 2987	$1\frac{7}{8}$ in.
S 73	$2\frac{1}{4}$ in.	S 921	$1\frac{3}{4}$ in.




For 069 Esp. Bolt
S 1829 $2\frac{1}{2}$ in.




S 4746 Handle for 067$\frac{1}{2}$ Bolt, $4\frac{1}{4}$ in.
S 2636 Handle for 067$\frac{1}{2}$ Bolt, $3\frac{3}{8}$ in.




S 4771 1 x $1\frac{3}{4}$ in.
Guide for 069$\frac{1}{2}$ Bolt



S 275 $5\frac{1}{2}$ in.




S 4205 1 in. wide for $1\frac{3}{4}$ in. Door
Bolt for Museum Case




S 4455 $2\frac{3}{4}$ x 24 in.
Bolt Head 1 x $\frac{7}{8}$ in.
S 4509 $2\frac{5}{8}$ x 24 in.


S 4458 $2\frac{1}{2}$ x 12 in. Bolt Head, 1 x $\frac{7}{8}$ in.




S 1148 $1\frac{1}{2}$ x $10\frac{3}{4}$ in. 2 in. Throw
S 2699 $1\frac{1}{8}$ x $11\frac{1}{8}$ in. $2\frac{3}{8}$ in. Throw




S 3163
As 01582 with
4 in. Throw




S 3514
Case and Cap for 1986 Bolt
Case, $1\frac{5}{16}$ x $3\frac{1}{4}$ in.
For $1\frac{3}{4}$ in. Door




S 1004 $\frac{3}{4}$ x 2 in.




S 1119 $1\frac{1}{4}$ x $3\frac{1}{2}$ in.




S 119 $1\frac{7}{8}$ x 5 in.




S 4394 $1\frac{1}{8}$ x $5\frac{7}{8}$ in.




S 1243 Case, 3 x 11 in.



S 1242 Case, $2\frac{3}{8}$ x $9\frac{1}{2}$ in.




S 802 Case, $1\frac{3}{4}$ x $5\frac{3}{4}$ in.




S 1833 Case, $1\frac{3}{4}$ x $5\frac{5}{8}$ in.




S 1959 Case, $1\frac{7}{8}$ x 7 in.




S 4900 Case, $1\frac{3}{8}$ x $2\frac{3}{8}$ in.




S 754 Knob for 02858 Bolt $\frac{7}{8}$ x $1\frac{3}{4}$ in.




S 4925 Case, $1\frac{1}{2}$ x $5\frac{1}{4}$ in.




S 5519 3¼ in.
Handle for 064⅝ Bolt




S 5518 2¼ in.
Handle for 064⅝ Bolt




S 5516
Case, 1⅛ x 7⅞ in. Guide, 2⅛ x 5⅛ in.
T Handle, 3 in. Rod, ⅜ in. Dia.
1½ in. Throw on Bolt
Single Surface Door Bolt




S 5565
Bolt, $\frac{7}{16}$ x ⅝ in., 2 in. Long
Style of 01582




S 5369
Rim Door Bolt,
Plate, 4½ x 5⅛ in.
Bolt, ½ x 1½ in., 35 in. Long




S 5652
as 1986½ with
½ in. Spring Bolt
Top and Bottom




S 553 $1\frac{3}{16}$ x $2\frac{1}{8}$ in.
Opening, $1\frac{1}{8}$ x $2\frac{3}{8}$ in.




S 2973 $1\frac{1}{4}$ x 3 in.
Opening, $\frac{3}{4}$ x $2\frac{7}{16}$ in.




S 2588 $1\frac{5}{16}$ x $3\frac{5}{16}$ in.
Opening, $\frac{11}{16}$ x $2\frac{5}{8}$ in.




S 1521 1 x $3\frac{5}{8}$ in.
Opening, $\frac{5}{8}$ x $2\frac{11}{16}$ in.




S 911 $2\frac{3}{8}$ x $3\frac{3}{4}$ in. Opening, $1\frac{5}{8}$ x 3 in.




S 1529 $1\frac{7}{8}$ x $4\frac{1}{2}$ in. Opening, $1\frac{1}{4}$ x $3\frac{3}{4}$ in.




S 100 $4\frac{1}{4}$ x $4\frac{1}{2}$ in.
Opening, $1\frac{1}{8}$ x $3\frac{1}{2}$ in.




S 372 $1\frac{3}{4}$ x $4\frac{3}{8}$ in. Opening, $1\frac{1}{4}$ x $3\frac{3}{4}$ in.




S 2680 $2\frac{1}{2}$ x $3\frac{3}{4}$ in. Opening, $1\frac{15}{16}$ x 3 in.




S 1911 $2\frac{3}{8}$ x $5\frac{3}{4}$ in. Opening, $1\frac{1}{2}$ x 5 in.




S 2963 $2\frac{3}{8}$ x $3\frac{1}{2}$ in.
Opening, $1\frac{5}{16}$ x $2\frac{3}{4}$ in.




S 428 $3\frac{1}{4}$ x $3\frac{3}{8}$ in.
Opening, $1\frac{1}{4}$ x $2\frac{7}{8}$ in.




S 3764 $3\frac{1}{2}$ x 6 in. Opening, $2\frac{1}{2}$ x $4\frac{7}{8}$ in.




S 4491 $3\frac{1}{2}$ x 6 in. Opening, 3 x $4\frac{7}{8}$ in.




S 4136 $\frac{1}{2}$ x $5\frac{1}{2}$ in. Opening, $\frac{1}{4}$ x 5 in.




S 2954 $2\frac{1}{8}$ x $8\frac{3}{4}$ in. Opening, $1\frac{3}{8}$ x $8\frac{1}{3}$ in.




S 5128 $\frac{3}{4}$ x $9\frac{3}{4}$ in. Opening, $\frac{1}{3}$ x $8\frac{3}{4}$ in.




S 1621 $3\frac{7}{8}$ x $3\frac{1}{8}$ in. Opening, $2\frac{7}{16}$ x $2\frac{1}{16}$ in.




S 2971 $\frac{7}{16}$ in.




S 4677 $\frac{7}{16}$ in.




S 3192 $\frac{1}{2}$ in.




S 519$\frac{1}{2}$ $\frac{5}{8}$ in.




S 4502 $\frac{1}{2}$ in. $\frac{1}{4}$ in. Proj.




S 2961, 1 in. 1 in. Proj.




S 4144 1 x 1$\frac{1}{8}$ in.




S 1103 Nail, $\frac{7}{8}$ in. Nut, 1$\frac{1}{4}$ in.




S 3304 $\frac{7}{8}$ in.



S 4871 $\frac{1}{2}$ x $\frac{5}{8}$ in.



S 2098 $\frac{7}{8}$ in.



S 2582 $\frac{7}{8}$ in.




S 1919 $\frac{3}{4}$ in.




S 4750 1$\frac{5}{16}$ x 1$\frac{5}{16}$ in.
Seat for use with
S 4657 Stud




S 4657 1$\frac{1}{16}$ in.




S 686 1$\frac{1}{4}$ x 1$\frac{1}{4}$ in.




S 3545 1$\frac{1}{8}$ in.




S 4297 1$\frac{3}{8}$ in.




S 3542 1$\frac{1}{2}$ in. $\frac{1}{4}$ in. Proj.




S 3772 2 in.




S 3525 2$\frac{1}{4}$ in.




S 762 2$\frac{1}{8}$ in.




S 1364 2 in.




S 3603 2$\frac{1}{4}$ in.




S 3587 2 x 2$\frac{1}{4}$ in.




S 2361
2 in. 1$\frac{1}{4}$ in.




S 3436 3 in.




S 2577 2$\frac{1}{4}$ in. $\frac{7}{8}$ in. High




S 2960 2$\frac{3}{4}$ in.




S 762 3$\frac{3}{4}$ in.




S 4034
Plate, $2\frac{3}{8}$ x 5 in. 4 in. Spread




S 4978 Plate, 2 x $5\frac{3}{4}$ in.
$2427\frac{1}{2}$ Hook, 3 in. Proj.
S 3472 Emblem.




S 4637
Base, $1\frac{9}{16}$ x $3\frac{1}{2}$ in. $4\frac{1}{2}$ in. Proj.




S 507
4 in. Proj.




S 1821 $3\frac{1}{2}$ in. Proj.




S 259
Plate, 2 x $5\frac{5}{8}$ in. $4\frac{1}{4}$ in. Proj.




S 2918
Plate, $1\frac{3}{4}$ x $6\frac{1}{4}$ in. $2\frac{1}{8}$ in. Proj.



S 4743 775½ Hook, 15 in.




S 4339 6½ in.




S 500 5½ in.



S 4492 1⅛ x 2⅜ in.
Eye Plate for 775½ Hook




S 2190 1½ in.




S 3160
Plate, 1¾ in. Dia. 1½ in. Proj.


S 3524
Plate, 1¾ in. Dia. 2¼ in. Proj.




S 1649
2⅞ in. Spread 2½ in. Proj.




S 3504
2⅝ in. Spread 2¼ in. Proj.




S 5193 16 in.
S 5300 24 in.
For 775½ Hook




S 1750 Base, 1⅝ x 1⅝ in. Length, 14⅝ in.




S 5861 9 in.
Plate 1⅛ x 1¼ in.




S 5476
Hook like 0370½
(Door Stop and Holder Hook)
1 in. C. of Ring to C. of Hook




S 5479
Towel Hook as 1239¼
Base, 2⅛ in.
Projection, 1⅛ in.




S 5475 as 1239¼
Base, 2⅛ in.
Projection, 5⅛ in.




S 5641
Plate 1½ x 3⅝ in. Projection 2½ in.




S 6107
Base 1½ x 3½ in.
Projection 2¾ in.




S 5884 Espagnolette Bolt
Like 067½ but with T. Hdl.
Fastens like 069½




S 5804
Crank for 60 Operator
Clearance 4 in. 4 in. C. to C.




S 5673 Cremorne Bolt
2 x 4⅞ in.
R. and L. Hand




S 3265 5 in.




S 1790 4¾ in.




S 4921 Plate and Post, 2 in.
S 3615 Ring, 3¼ in.




S 1512 Lever and Nut
on 2972 Drop Handle, 2 x 3 in.




S 1288 2½ x 3 in.




S 1304 1⅜ x 3¾ in.




S 4606 1½ in.




S 4069 3½ in.




S 3600 6½ in.




S 1300 2 x 2 in.




S 3652 1⅝ in.




S 1862 1½ in.




S 1319 4 in.




S 2913 4 in. S 4151 3 in.




S 1190 $\frac{7}{16}$ x 4 in.




S 487 $\frac{5}{8}$ x 3$\frac{3}{4}$ in.




S 3455 1$\frac{1}{8}$ x 3$\frac{7}{8}$ in.



S 3185 1$\frac{1}{4}$ x 4$\frac{1}{2}$ in.




S 1346 2$\frac{1}{4}$ x 4$\frac{1}{4}$ in.
Opening, 1$\frac{1}{8}$ x 2$\frac{5}{8}$ in.




S 4832
Plate, 2$\frac{3}{4}$ x 3$\frac{1}{4}$ in. Cup, 1$\frac{1}{2}$ x 3 x $\frac{7}{8}$ in.




S 102 1 x 4$\frac{3}{4}$ in.
As 1360$\frac{1}{2}$ with Cup $\frac{1}{2}$ in. Longer




S 1382 $\frac{3}{4}$ in.




S 3572 $\frac{7}{8}$ in.




S 5319 $\frac{3}{4}$ in.




S 4523 1 in.




S 3539 1$\frac{3}{8}$ x 2$\frac{3}{8}$ in.
As 1289 with Back
S 4202 1$\frac{3}{8}$ x 2$\frac{3}{8}$ in.
Duplicate of S 3539
S 4191 1$\frac{1}{8}$ x 2 in.
As 1287 with Back




S 2912
1$\frac{1}{8}$ x 2$\frac{1}{4}$ in.



S 2997
1 x 1$\frac{3}{8}$ in.
Ring Projects $\frac{7}{8}$ in.




S 4499
$\frac{7}{8}$ x 1$\frac{7}{8}$ in.




S 4656 3 x 5 in.




S 3081 4 x 16 in.




S 3454 1 x 2⅜ in.




S 3273 1 x 2⅜ in.




S 827 2⅜ x 5¼ in.




S 5330 3 x 5 in.




S 5313 8 x 12 in.




S 4766 Foot Scraper
Base, 1½ x 5¼ in. 5½ in. Proj. To be leaded in.




S 4732 Foot Scraper
Base, 1½ x 5¼ in. 5¼ in. Proj.




S 1581 $\frac{5}{8}$ x $2\frac{3}{4}$ in.




Thumb Piece
used with S 705 Plate, 2 in.




S 1587
As 2149 with $3\frac{1}{2}$ in. Spindle




S 1306 $2\frac{1}{2}$ in.




S 1518 As $2149\frac{1}{4}$ with $3\frac{1}{4}$ in. Spindle




S 5106 As 02150 with $3\frac{1}{2}$ in. Spindle




S 534 As $2149\frac{1}{4}$ with 3 in. Spindle




S 1517 As 2147 with $3\frac{1}{4}$ in. Spindle




S 1363 As $2414\frac{1}{4}$, $\frac{5}{8}$ in. High




S 2065 $1\frac{3}{8}$ in.




S 2587 $1\frac{1}{4}$ in. $\frac{5}{16}$ in. Spindle




S 4399 For 2852 Bolt, $1\frac{1}{8}$ in.




S 4664 $1\frac{1}{4}$ in.




S 2850 1 in. $1\frac{3}{4}$ in. Spindle




S 1861 $\frac{7}{8}$ in. Ring $1\frac{7}{8}$ in. Spindle




S 4715 $2\frac{7}{8}$ in.




S 4665 $\frac{3}{4}$ x $1\frac{1}{2}$ in.




S 3575, $1\frac{1}{8}$ x $1\frac{1}{2}$ in. $\frac{7}{8}$ in. Spindle




S 4225, $1\frac{1}{8}$ x $1\frac{1}{2}$ in. $1\frac{3}{4}$ in. Spindle




S 1865, $1\frac{3}{4}$ x 2 in.
Hood for Thumb Piece




S 306 $1\frac{1}{8}$ x $1\frac{3}{4}$ in.




S 1772 $6\frac{3}{8}$ in. Long




S 1892 3¼ in.




S 2110 2½ in.




S 2109 5 in.



S 2179 2¾ in.




S 3597 5 in.




S 587 ⅞ in.
R. H. and L. H.




S 588 1⅛ in.



S 4338 5½ in.




S 2367 2 in.




S 2567 4½ in.


S 3195 4¾ in.




S 4179
Rose, 1¼ in. Knob, 1⅛ in.




S 5002 1¼ in.
$\frac{3}{16}$ in. Spindle




S 4419
2148 Knob x $\frac{3}{16}$ in. Spindle, 2¼ in. Long




S 2840 1⅝ in.
$\frac{5}{16}$ in. Spindle




S 2844 1 in.
$\frac{3}{16}$ in. Spindle




S 17 1¾ in.
$\frac{5}{16}$ in. Spindle
Thumb Piece used with S 17 Esc.




S 2797
Base to Center of Rail, 4⅜ in.




S 2696 3½ in. Square, 3 in. High
Cover for Table Leg




S 4249
Base, 3 in. Dia. Base to Center of Rail, 2⅜ in.




S 3467 1⅜ x 2 in.
Plate for Ink Well




S 4963 1⅛ x 4½ in.




S 4162
Base, 2 in. Dia. Base to Center of Rail, 3½ in.




S 5305 2 in. Cylinder Collar




S 5198 1 x 6¼ in.




S 248 3 x 3 in.




S 2661 3⅜ in.
Cup Esc.




S 368 1⅝ x 3½ in., ⅛ in. Thick
S 2619 1½ x 3¼ in., 3/16 in. Thick
S 3586 1⅜ x 3 in., 3/16 in. Thick
S 3128 1⅜ x 3 in., 3/16 in. Thick




S 4420 1½ x 3 in.
S 4421 2 x 3 in.
S 4422 2¼ x 3 in.




S 386
Lever Handle for 2076½ Turn, 1⅜ in.




S 3144
Ring Handle for 2075½ Turn, 1⅜ in.




S 24
Oval Knob for 2076½ Turn, 1⅛ in.




S 5168
1¾ x 2¾ in.
With Loose Bolt




S 2934 1 x 2⅛ in.
With Upright Ring and Double Spring
S 2955 1¼ x 2⅛ in.
With Upright Ring and Double Spring




S 2903 1 x 2⅛ in. Rev. Bev.
S 2914 1¼ x 2⅛ in. Rev. Bev.
With Upright Ring and Double Spring




S 1535
A 2278¼ ⅞ in. Rev. Bev.
Straight Hook




S 4595 1 9/16 x 2½ in.
With Loose Bolt




S 3111 1¼ x 2⅛ in.
For Use with Chain




S 1913 1¼ x 1¼ in.




S 4403 1 in.
Knob for 13052 Catch




S 2058 1¼ x 10½ in. Quadrant Hinge




S 2986 2⅛ x 2⅛ in.
Operated by Key




S 5161 1 x 1⅛ in.
For 1 in. Stile




S 2657 ⅝ x 14¼ in.
Quadrant, R. H. and L. H.




S 1886 10 in. Quadrant Hinge




S 432 ⅝ x 4 in. Cupboard Latch




S 5355 $1\frac{3}{4}$ x $2\frac{3}{16}$ in.
13052 Case, without Stop
2 Screw Holes for Mach. Screws



S 5101 $1\frac{1}{2}$ x 4 in.
Bolt Case, as 2144$\frac{1}{2}$ $\frac{3}{4}$ in. High



S 109 2 x 2 in.
Transom Catch



S 2554 $1\frac{1}{2}$ x 2 in.
Flush Ring Case




S 799 $1\frac{3}{16}$ in.
For Flush Ring




S 2047 $\frac{3}{4}$ in.
For Flush Ring




S 5357 $\frac{5}{16}$ in. Spdle.
Hub for S 5355 Catch




S 2678 $4\frac{1}{2}$ in.
Top Catch




S 747 2 in.
Strike, $2\frac{1}{4}$ x $3\frac{3}{4}$ in.




S 2942
Lever for 2279$\frac{1}{2}$ Catch,
$\frac{5}{8}$ x $2\frac{3}{8}$ in.




S 1337
Offset Ring for 2279$\frac{1}{2}$ Catch 1 in.




S 1812
Ring for 2279$\frac{1}{2}$ Catch, $\frac{1}{2}$ in.




S 1596 $1\frac{1}{4}$ x $2\frac{1}{8}$ in.
Straight Hook, Double Spring




S 1174
As 02276 Rev. Bev.




S 294 2 x $2\frac{3}{16}$ in.
Transom Hook




S 1175
Knob for 2279$\frac{1}{2}$ Catch,
$\frac{1}{2}$ in. Proj.




S 4375 $2\frac{1}{2}$ in. to C
Grill Catch




S 4263
Plate, $\frac{7}{8}$ x 2 in. $3\frac{1}{2}$ in. to C
Grill Catch




S 3736 3 x 10 in. Esc. for 2267 Lock







S 3546 2½ x 8 in. R. H. and L. H.
2045 Inside and Outside Esc's for Indicator.




S 4981 1⅜ x 2¾ in.
Indicator Esc. for
444½ Lock




S 4558 2⅛ x 3⅜ in.
Indicator Plate for
444½ Lock




S 2999 2½ x 10 in. Esc.
Esc., Lift, Dog and Double Joint for
Indicator for 2039¾ Lock




S 4268
Push Button Indicator for 239½ Lock




S 4203 1⅞ x 2⅞ in.
Indicator for 164 Lock




S 4727 3 x 10 in. Rev. Bev.
Outside Unit Lock Esc. with Indicator for
Coupon Booth Device
Corfu



S 4959 Indicator, 2⅛ in. $\frac{3}{16}$ and $\frac{5}{16}$ in. Spdle.



S 3308 1⅞ x 2⅝ in.
Indicator for 166 Bolt
$\frac{3}{16}$ and $\frac{5}{16}$ in. Spdle.



S 4709 1⅞ in.
Indicator Plate to be Riveted
on Esc. for $\frac{3}{16}$ or $\frac{5}{16}$ in. Spdle.




S 4980 1 x 1⅓ in.
For S 4268 Indicator




S 4242 1¼ in.
Indicator for 234½ Lock
$\frac{3}{16}$ in. Spdle.


ILLUSTRATIONS ONE-HALF SIZE
EXCEPT S 3670




S 3
For Sliding Door Locks
Class 36 Extended.




S 2255 $4\frac{1}{2}$ in.




S 947




S 4122
Key and Hub
For $0167\frac{1}{2}$




S 3929
For 1452 Lock




S 4219
For S 2986 Cup. Turn
For $\frac{5}{16}$ in. Spindle.




S 6




S 521
For Sliding Door Locks
Extension and Solid.




S 4557
For $1144\frac{1}{3}$ Lock



S 2352
$80\frac{3}{4}$ Key with 4004 Bow




S 2348
For 136 Lock




S 2778
For $695\frac{3}{4}$ Lock




S 3670 $10\frac{1}{2}$ x $22\frac{1}{2}$ in.
Sample Key.




S 1598
For $156\frac{7}{8}$ Lock




S 4090
Key for Fountain




S 3044
$2\frac{3}{4}$ x $7\frac{1}{4}$ in.




S 959




S 3140
For 224 Lock




S 2080
For 1700 Lock



S 825 14¾ x 17¾ in. Memorial Plate.




S 1236 12 x 15 in. Memorial Plate.




S 4406 2¾ x 7¾ in. for 1 9/16 in. Door Chute for 002424½ L. B. Plate.




S 3313 1⅝ x 4½ in. Drop for 02338½ L. B. Plate.




S 4286 1¾ x 5 in.
Chute for 002306½ L. B. Plate for 1¾ in. Door




S 4244 1¾ x 5 in.
Chute for 002426¾ L. B. Plate for 1⅝ in. Door.



S 2593 1¾ x 5 in.
Chute for S 556 L. B. Plate for 2 in. Door




S 3236 11 x 11 in. Memorial Plate.




S 2108 1 x 8 in. Name Plate.




S 2175 1 x 8⅛ in. Name Plate.




S 819 3¾ x 8⅛ in.




S 269 3⅜ x 8⅛ in. Name Plate.




S 4811 1⅞ x 3⅝ in.
Frame for S 4809 and S 4810
Push and Pull Plates.




S 3520 Base, 3⅜ x 3⅜ in.
2 in. Deep.
Box for 357½ Door Holder.



S 1005 Bracket, 1⅝ x 3 in.
Projection, 4⅛ in.
Arm Rest for Telephone.




Side View




Front View


S 250 2⅞ x 3⅜ x 6⅛ in. "Nickel in the Slot" Machine for Locking Bicycles.




S 922 2½ in. Dia.
Brush Wheel Hub.




S 1539 3½ in. Dia.
Paper Weight and Pin Cushion.




S 5316
Front, $\frac{13}{16}$ x 5 in.
Wheel, 2 in.




S 4548
Front, $1\frac{1}{4}$ x $5\frac{13}{16}$ in.
Wheel, 2 in.




S 2583
Front, $1\frac{1}{4}$ x 6 in.
Wheel, $2\frac{3}{4}$ in.




S 3596 Pulley Front
$1\frac{1}{2}$ x $6\frac{3}{8}$ in.




S 2116
Front, $1\frac{3}{4}$ x 9 in.
Wheel, 4 in.




S 378
Bevel Front, $1\frac{1}{2}$ x $6\frac{7}{8}$ in.
Wheel, 3 in.




S 1023
Front, $1\frac{3}{8}$ x $6\frac{1}{2}$ in.
Wheel, 3 in.



S 4169
Pulley Case,
Base, $\frac{3}{4}$ x 2 in. For 1 in. Wheel.




S 2303
Face, $\frac{7}{8}$ x $1\frac{3}{4}$ in.
Wheel, $\frac{1}{2}$ in.




S 2995
Clothes Line Pulley
Case, $\frac{7}{8}$ x 2 in. Wheel, $\frac{7}{8}$ in.




S 1936
Telephone Pulley Weight
$1\frac{3}{8}$ x 2 in.




S 1897
Telephone Pulley Weight
Case, $1\frac{1}{2}$ x 3 in. Wheel, 1 in.




S 3595
Pulley Wheel, $2\frac{1}{2}$ in.




S 4956
Pulley Case and Wheel,
$1\frac{3}{4}$ in. Wheel for $\frac{3}{8}$ in. Rope




S 2083
Drawer Roller,
Case, $1\frac{3}{8}$ x $2\frac{3}{8}$ in. Wheel, $1\frac{3}{8}$ in.




S 397
Sheave Pulley Case
$8\frac{1}{4}$ x 11 in. For 7 in. Wheel.




S 3589
Bevel Front, $1\frac{3}{4}$ x 4 in.
Wheel, 2 in.




S 4391
Pulley Case
With Open Top and Detachable Angle Piece.
$4\frac{1}{4}$ x $7\frac{1}{4}$ in.




S 2394
1⅜ x 1⅞ in.
Bracket for 44¾ Adj.




S 2733
1⅝ x 1⅞ in. Proj. ⅞ in.
Bracket for Adj.




S 1131
2 x 2¼ in. Proj. ⅞ in.
Bracket for Adj.




S 4621
2 x 3 in. Proj. 2½ in.
Post for Adj.




S 712
1¼ x 2⅜ in. Proj. 2⅜ in.
Post for 43½ Adj.




S 324 $\frac{15}{16}$ x 3⅜ in. Proj. 1½ in.
S 325 $\frac{15}{16}$ x 3⅜ in. Proj. 1¾ in.
Posts for 43½ Adj.




S 369
1 x 3 in. Proj. 1⅜ in.
Post for 43½ Adj.




S 2194
$\frac{13}{16}$ x 2⅜ in. Proj. 1⅞ in.
Post for 043 Adj.




S 713
$\frac{13}{16}$ x 2¼ in. Proj. 2⅛ in.
Post for Adj.




S 4147
$\frac{13}{16}$ x 2¼ in. Proj. 1⅛ in.
Post for 44 Adj.




S 2564
⅝ x 1¼ in.
Post for Adj.




S 4148
$\frac{13}{16}$ x 2¼ in. Proj. 1⅛ in.
Post for 44 Adj.




S 769
Base, ⅝ x 2¼ in. Proj. 5 in.
Rod Hinge Post for 43½ Adj.




S 768
Base, 1¼ x 2⅞ in. Proj. 5 in.
Rod Hinge Post for 43½ Adj.




S 3141
2⅛ x 2⅜ x 1½ in.
Angle Plate for 46 Adj.




S 2547
1 x 2⅛ in. Proj. 1 in.
Post for 44⅜ Adj.




S 3732
1⅜ x 2 in. Proj. 1⅞ in.
Sill Post for S 3003 Adj.




2 x 4 in. Proj. $1\frac{1}{16}$ in.
Base Plate for $43\frac{1}{4}$ Adj.




S 4317
$1\frac{1}{4}$ x 4 in. Proj. $1\frac{1}{8}$ in.
Post for $43\frac{1}{4}$ Adj.




S 2373
$1\frac{5}{8}$ x $1\frac{1}{16}$ in. Proj. $\frac{7}{8}$ in.
Base Plate for $44\frac{3}{4}$ Adj.




S 2166
$1\frac{5}{8}$ x $2\frac{1}{8}$ in. Proj. $1\frac{1}{8}$ in.
Post for Adj.




S 4454
1 x $1\frac{3}{4}$ in. Proj. $1\frac{1}{2}$ in.
For $44\frac{3}{4}$ Adj.




S 4381
1 x $1\frac{7}{8}$ in. 1 in. High
Sill Post for $44\frac{1}{4}$ Adj.




S 1984
Base $\frac{3}{4}$ x $2\frac{1}{8}$ in. Proj. $1\frac{3}{8}$ in.
Bracket for 43 Adj.




S 1910
Base, $\frac{7}{8}$ x $2\frac{1}{4}$ in. $1\frac{3}{8}$ in. to C
Bracket for 047 Adj.




S 4306
Base, $\frac{5}{8}$ x $2\frac{1}{8}$ in. $\frac{5}{8}$ in. to C
Strike for $44\frac{3}{4}$ Adj.




S 4298
$\frac{5}{8}$ x $2\frac{1}{8}$ in. Proj. $1\frac{1}{8}$ in.
Sill Plate for $44\frac{3}{4}$ Adj., 12 in.




S 4428
1 x 3 in.
Sill Post for $46\frac{3}{4}$ Adj.




S 4230
$1\frac{1}{2}$ x $1\frac{15}{16}$ in.
Sill Plate for $043\frac{1}{4}$ Adj.




S 3139
$\frac{15}{16}$ x $1\frac{7}{8}$ in.
Joint Plate for $44\frac{3}{4}$ Adj.




S 4417
Post for $43\frac{1}{4}$ Adj.
For $\frac{5}{8}$ x $\frac{5}{8}$ in. Rod




S 4425
$1\frac{3}{4}$ x $2\frac{1}{8}$ in.
Sill Plate for 41 Adj.




S 4733
$\frac{7}{8}$ x $1\frac{3}{8}$ x $2\frac{1}{4}$ in.
Sill Bracket for $41\frac{1}{4}$ Adj.




S 918
$\frac{1}{2}$ x $1\frac{3}{4}$ x $\frac{7}{8}$ in.
Plate for Casement Sash




S 2328
1⅜ x 5¼ in. 1½ in. Proj.
Post and Link for 44½ Adj.




S 3711
Sill Plate, 1 x 3¾ in. Sash Plate, ⅜ x 3¾ in.
For 44 Adj.




S 5160
3 x 3 in.
Base for 44½ Adj.




S 1578
1½ x 1⅜ in. 2⅜ in. Offset
Post Plate for 44½ Adj.




S 4950
1⅝ x 2⅞ in.
Sill Plate for 44¼ Adj.




S 1939
1¼ x 1¼ x 2⅜ in.
Angle Bracket for 43½ Adj.




S 3774
1 15/16 x 3 5/16 in.
Attachment for 41 and 41¼ Adj.




S 785
2¼ x 2⅞ in. 1 in. Offset
Bracket for Adj.




S 1160
1⅝ x 2⅜ in. 1¼ in. Offset
Angle Bracket for 44 Adj.




S 2795
1 5/16 x 2¼ in. ⅜ in. High
Base for Adj.




S 1744
Post for Adj. for ⅜ in. Rod




S 4411
1¾ x 2 in.
Sill Post for 41 Adj.




S 4358
2 x 3 in. 7/16 in. Offset
Sill Bracket for 044¾ Adj.




S 4474
1 x 2 x ½ in.
Bracket for 44¾ Adj.




S 4479
Bracket for 44⅜ Adj.




S 2028
1¾ x 1⅞ in. 3½ in. to C
Base Plate and Bracket for Adj.



3¾ in. to C
Post Bracket for Adj.




S 4763
1⅜ x 2¼ in.
Sill Bracket for Adj.




S 2176
1⅛ in. to C
Bracket for Casement Adj.




S 3989
1⅛ in. to C
Bracket for 41 Adj.




S 4245 2¾ in. to C
S 4768 2 in. to C
Brackets for 41 and 41¼ Adj.




S 4125
Base, 1⅝ x 2⅜ in. 1 in. to C
Bracket for 44¼ and 44⅜ Adj.




S 1816 1 9/16 in. to C
S 2197 1⅜ in. to C
S 2581 2⅛ in. to C
S 4357 2½ in. to C
S 4379 2⅝ in. to C
S 4380 2 in. to C
Brackets for 44¼ and 44⅜ Adj.




S 3900
Base, ⅞ x 2¼ in. 1⅝ in. to C
Bracket for 41¼ Adj.




S 764 5 in.
Post for 43½ Adj.




S 4706
Base, 1⅝ x 2⅜ in. ⅝ in. to C
Bracket for 44⅜ and 44½ Adj.




S 1783 2¾ in.
Post for 43½ Adj.




S 2104
Lift for Casement Windows
Plate, 1¼ x 2½ in. Strike, ½ x 2⅜ in.




S 4744 $1\frac{1}{16}$ x 11 in. Plate for Adj.




S 4123 Post and Plate for $43\frac{1}{2}$ Adj. Plate, $1\frac{1}{2}$ x $2\frac{7}{8}$ in. For $\frac{5}{8}$ in. Rod.




S 5163 $\frac{1}{2}$ in. Dia. 12 in. Long. Rod for $43\frac{3}{4}$ Adj.




S 2623 Plate, 1 x 12 in. Rod, $\frac{5}{8}$ x 12 in. For $43\frac{3}{4}$ Adj.




S 5352
$2\frac{1}{2}$ in. to C
Lever for 02163$\frac{1}{2}$ Fastener




S 2304
2 in. to C
Cast Lever for 1262 Fastener




S 1523
2 in. to C
Lever for Casement Fastener




S 5435
Crank Handle for No. 60 Casement Operator
Handle, 4 in. C to C Rose, $1\frac{1}{4}$ x $2\frac{3}{16}$ in.




S 5359 Casement Fastener
Plate, $1\frac{1}{4}$ x $3\frac{1}{4}$ in. Lever, $4\frac{1}{2}$ in. C to C
S 4651 Strike
$1\frac{1}{16}$ x $3\frac{5}{16}$ in.




S 5710 $5\frac{1}{8}$ x $18\frac{1}{2}$ in.
Pivot Arm for 064 Shutter Operator




S 5605
Lever Casement Window Fastener
Plate, $1\frac{1}{4}$ x $3\frac{1}{4}$ in. Handle, 5 in. to Center. Strike, $\frac{5}{8}$ x $3\frac{1}{4}$ in.




S 5748
$4\frac{1}{8}$ in. C to C
Crank to Operate No. 063 Shutter Worker




S 5545 Rod, 15 in. Plate, $1\frac{5}{16}$ x 17 in., $\frac{5}{16}$ x $\frac{7}{16}$ in. Thick.
Also Made in 8, 9, 10, 11, 18 and 24 in. Lengths. Rod, $\frac{1}{2}$ in. Diameter.




S 5546 Rod, 15 in. Plate, $1\frac{1}{4}$ x 17 in., $\frac{3}{8}$ x $\frac{13}{16}$ in. Thick.
Also Made in 8 and 11 in. Lengths. Rod, $\frac{1}{2}$ in. Diameter.




S 4985 1 x 1⅜ in.
Plate and Lever for Casement Fastener




S 4260 ⅞ x 1⅝ in.
Knob for 02166 Fastener




S 1390 Base Plate, ⅞ x 1⅜ in.
For 02161 Fastener




S 4382
As 2160 with ¾ in. Clearance




S 3500 2 in.
T. Pce. and Lever for 02160 Fastener




S 4410 ⅝ x 1⅜ in.
Oval Knob for 02160 Fastener




S 4651 R H and L H
Plate, 1½ x 3⅜ in. Strike, 1 1/16 x 3⅜ in.




S 4119
2148½ Knob x Plate and Cam Lever
Plate ⅜ x 2⅜ in.




S 4977 1⅛ x 3 in.
Plate for 02170 Fastener




S 4461 Casement Fastener
Lever, 5 in.




S 1954 R H
1⅜ x 3 in. ½ in. Mortise
Casement Lock




S 1954 L H
1⅜ x 3 in. ½ in. Mortise
Casement Lock




S 5631 1¼ in.
Knob for 02858 Flush Bolt.
Style of 2148¼ Knob.




S 2987 ⅞ x 2⅞ in.
Cross Guard Bar for
069½ Bolt




5459 3⅝ in.




S 4583
$\frac{13}{16}$ x $1\frac{15}{16}$ in. $\frac{5}{16}$ in. Hole.
Socket Wrench.




S 5732 2 x 4⅓ in.
Sill Plate for 41¼ Adjuster.




S 5918
Bracket $1\frac{1}{16}$ x $1\frac{9}{16}$ in. Post For ⅜ x ½ in. Bar.




S 5419 4⅞ in. to Center.
Bracket for 41¼ Adjuster.




S 5436
1½ in. to Center. 3 in. Wide.
Bracket for Casement Adjuster.




S 5719 ¾ x 2 in.
Sill Plate for
044¾ Casement Adj.




S 5636 ¾ x 1⅛ x 1⅛ in.
Locking Device for
041 Casement Adj.




S 5959
Lever for 02170 Casement
Fastener with Nosing ½ in.
Longer than Regular.




S 5900
2⅝ in. to Center.
Lever for Casement Fastener.




S 5953
1¼ x 4 in. 1¼ x 1½ in.
Bevel Plate for No. 3000 Three Point Bolt Post.




S 5361
3¼ in. to Center. ½ in. Offset.
Latch Bar for 4½ in. Stile.




S 5967 1 x 3⅝ in.
Bearing Bracket for use on Mounted
Sample Doors for 2359 Bolt.




S 5438
Base for 094½ Transom Lifter
Made to Clear 3⅜ in. Moulding.




1¼ x 3⅜ x 1⅜ in.



2½ in.
to Center.




2½ in.
to Center.




2½ in.
to Center.


S 2336 Base and Guides for 095½ Lifter.




S 5441 ⅝ x 1⅜ in.
Slide for Double
Transom Lifter.




S 5597
1 x 2¾ in. ⅛ in. High.
Base for 0095
Transom Lifter.




S 6238
2⅞ in. x 2½ in.
3 in. Back to C. of Post
For No. 041½ Adjuster




S 6329
Plate, 1 x 3¾ in.
1 1/16 in. Back to C. of Post
For No. 44½ Adjuster




S 6391
3 3/16 x ⅝ x ⅛ in. High
For R. & E. No. 1163 Fast.




S 6383
3 3/16 x ⅝ x 5/16 in. High
For R. & E. No. 1163 Fast.




S 6361
⅝ x 2½ in.
Sash to C. 1½ in.
Window, ⅛ in.
Recess
R. & E. No. 50 Adj.




S 6360
⅝ x 2½ in.
Sash to C. 1 3/16 in.
Window, 3/16 in.
Recess
R. & E. No. 50 Adj.




S 6362
⅝ x 2½ in.
Sash to C. 15/16 in.
Window, ⅛ in.
Recess
R. & E. No. 50 Adj.




S 6378
2½ x 1½ x 1 in.
Sill Plate
for No. 041
Adj.




S 6365
1⅛ x 2½ x ½ in. High
Base Plate for No.
43½ Adj. Sill Plate




S 6394
⅝ x 1 x 5/16 in.
R. & E. No.
1143 Fast.




S 6386
⅝ x 1 x ⅛ in.
R. & E. No.
1143 Fast.



S 6375 Casement Fastener
Plate, 1⅛ x 3 in. Strike, ⅝ x 3 in.
Lever, 4⅜ in. to C.
For Door with 5/32 in. Recess




S 6363 Casement Fastener
Plate, 1⅛ x 3 in. Strike, ⅝ x 3 in.
Lever, 4⅜ in. to C.
For Door Flush with Casing




S 6373 Casement Fastener
Plate, 1⅛ x 3 in. Strike, ⅝ x 3 in.
Lever, 4⅜ in. to C.
For Door with 1/16 in. Recess


S 6379 Casement Fastener
Plate, 1⅛ x 3 in. Strike, ⅝ x 3 in.
Lever, 4⅜ in. to C.
For Door with ⅛ in. Recess




S 4780
Anti-Friction Latch and Pivot for 573 Front R. H. and L. H. Bevel



S 1591 1⅜ in.
Special Tumbler For 141 Lock



S 545
⅜ in. ⅞ in.
Keyhole Guards For 239¾ Lock



S 575
Hub for 5/16 in. Spindle, for 1340½ Lock for Electric Connection




S 3754
Dog for 1444½ Lock




S 5108 1½ in.
Tumbler Lever for 1340½ Lock when operated by 80½ Key




S 5130
Cam for Th. Pce. Plug for 01339½ Lock when Stop is operated from inside by Th. Pce. instead of Cyl.




S 1509 15/16 in. Bolt Head
For 164 Lock




S 4573
Hub, ⅞ in. Bolt Head, ½ x 1 in. ⅝ in. Throw
For 444½ Lock




S 3986
Bolt Head, 1 1/16 in. Proj. when Thrown
1/16 in. " " Retracted
For 144½ Lock




S 3566 1¼ x 2⅜ in.
Shoe for 558 Lock For Indicator




S 4340 1¼ x 2⅜ in.
Blind Bolt for 1366½ and 1366¾ Locks, to Dead-lock Latch Bolt




S 4282 1½ in. Latch
Shoe Latch for 65 Latch




S 4228 R. H. and L. H.
Lever to stop outside knob by Cyl. Inside for 0567 Lock




S 4229 R. H. and L. H.
Lever to hold back latch Bolt for 01339 Lock




S 4792
Slide for 1370 Lock




S 4792
Shoe for 1370 Lock




S 4792
Hubs for 1370 Lock



S 4336 R. H.
Cyl. Stop Work for 1339¼ Lock, 2½ in. to C




S 4336 L. H.
Cyl. Stop Work for 1339¼ Lock, 2½ in. to C




S 5165 2½ x 2⅞
Bolt for 1444 Lock




S 3726
Slides for 93½ Lock Operated by Key



S 2034 ⅞ in.
For 2392 Latch




S 2536
Tumbler Reach For 239¾ Lock




S 3397
Latch for 785 Lock




S 901
Stop for 555 Lock




S 5183 $\frac{7}{8}$ in. Higher than Reg. Guide for 095 Lifter




S 3177 $\frac{7}{8}$ in. to C Guide for 095 Lifter




S 919 $\frac{8}{4}$ in. to C Guide for 094$\frac{1}{2}$ Lifter




S 4145 $2\frac{1}{2}$ in. C to C For 088 Lifter




S 1176 $2\frac{1}{16}$ in. C to C Joint for 087$\frac{1}{2}$ Lifter




Guide $1\frac{7}{16}$ in. to C




S 4412 Base 1 x 3 in. $\frac{8}{8}$ in. High




Guide 1 in. to C




S 1942 $4\frac{1}{8}$ in. C to C Joint for Transom Lifter




S 2521 4 in. C to C Joint for Transom Lifter




S 1536 5 in. C to C Double Joint for 088 Lifter




S 2120 3 in. C to C Joint for 089 Lifter




S 1873 $3\frac{1}{2}$ in. C to C Double Joint for 088 Lifter, for $\frac{1}{2}$ in. Rod




S 2121 3 in. C to C Joint for 089 Lifter




S 1974 5 in. C to C Double Joint for 089 Lifter




S 1983 $\frac{7}{8}$ in. C to C Joint for 089$\frac{1}{2}$ Lifter




S 2759 1¼ in. to C
Joint for Lever Handle
For 099½ Lifter




S 2759 1 in. to C
Joint for Rod
For 099⅓ Lifter




S 2759 9½ in.
Lever Handle for 099½ Lifter




S 2759 4½ in. to C
Post for 099½ Lifter




S 2759 10½ in.
Guide for 099½ Lifter




S 1191 2 x 10½ in.
Slide Guide for Transom Lifter




S 1191 2⅝ x 4⅝ in.
Wheel Case Supporter for
Transom Lifter




S 5327 $\frac{13}{16}$ x $2\frac{3}{16}$ in.
Joint for ⅝ in.
Lifter




S 1514 1 x 1⅜ in.
Double Joint for ½ in.
Lifter




S 1705 1½ x 1½ in.
Joint for 99, ⅜ in.
Lifter




S 1191 $1\frac{5}{16}$ x 1½ in. ⅞ in. to C
Guide for Transom Lifter




S 2561
Base and Post for 084½ Lifter
Base, $1\frac{7}{8}$ x 2½ in. ⅞ in. High
Post, $1\frac{7}{16}$ x 1¾ in. 1⅛ in. High







S 2668 1 x 2¼ in. 1⅜ in. High
Post for 95½ Lifter




S 4255 3 in. to C, for ½ in. Rod
Post for 99 Lifter
S$\frac{5}{8}$3170 2¼ in. to C
Post for 099½ Lifter




S 1718 4 x 6 in.
2¾ in. to C of Tubing
Guide




S 1718 4 x 4¼ in
2¾ in. to C
Post




S 1718 2 9/16 x 3 7/16 in.
1¾ in. to C
Base for Tubing



S 1718
1⅜ in.
Thimble




S 1718
½ x 1½ in.
Togle




S 1718 1 x 2⅜ in.
Proj. 1 in.
Togle Bracket


FOR TRANSOM LIFTER




S 2937 8 in. to C. Guide for 99 Lifter




S 2937
Base, 1¾ x 3 in. 5½ in. to C
Post for 99 Lifter




S 4140
1½ in. to C 4½ in. to C
Joint and Guide for 090½ Lifter




S 2950 1½ x 2 in. 1 in. to C
Guide for Main Rod



S 2950 1½ in. to C
T Joint




S 2950 2 in. to C
Stay Joint




S 2950 1½ x 9 in.
Guide


FOR TRANSOM LIFTER




S 4186
Base, 1¾ x 3 in. 2⅜ in. High
Yoke for Double Transom
For 096½ Lifter




S 4721
1 x 2¾ in. 9/16 in. High
Base for 0084 Post




S 41
9/16 x 2⅜ in. 1⅜ in. High
Bracket







S 3330
2 in. to C ⅞ in. to C
Guides for Transom Rod




S 5179 1 x 3 x ⅛ in.
Base for 095 Lifter Post




S 2675
Post, 2¼ in. Guide, 2⅜ in. to C
For 99 Lifter




S 84 1½ x 2½ in. Proj. ⅜ in.
Transom Bracket




S 1795 5 in. For ½ in. Rod
Handle for Transom Lifter




S 1348 4 in. For ⅜ in. Rod
Handle for Transom Lifter




S 4987 1½ x 2 in.
Guide for Transom Lifter




Post
1½ x 2⅞ in., 1⅜ in. High
For 096½ Lifter




S 1780
Guides
1 in. to C




½ in. to C




S 4516 Plate, 1⅜ x 2⅜ in.
S 4712 Drop Ring Hdle., 1⅜ in.
For Concealed Transom Lifter




S 2365 1⅜ x 2½ in.
Rose for Transom Lifter




Pulley Case
2 x 2⅜ x 3½ in.




S 2650
Sash Plate
1¾ x 2½ in.
For Skylight Lifter




Rope Lever
1¼ x 2 by 1¼ x 2 in.




S 1533 1⅜ x 2⅛ in.
1¼ in. High
Post for 096½ Lifter




S 5189 $1\frac{3}{4}$ x $1\frac{3}{4}$ in.
Plate for 199 Transom Chain, to Fasten with $\frac{1}{4}$ in. Carriage Bolts



S 4972
$1\frac{1}{8}$ x $1\frac{7}{16}$ x $\frac{7}{8}$ in.
Bracket for Guide for 095 Lifter To Fit Moulding



Knob
$\frac{7}{8}$ in.




S 1153
Bridge
$1\frac{3}{4}$ in. C to C
For Transom Lifter




Rose
$\frac{3}{4}$ in.




Pin
$\frac{3}{8}$ x $1\frac{3}{8}$ in.




Post
$2\frac{1}{2}$ in.




S 2605
Guides
$2\frac{1}{2}$ in. to C
2 in. to C
For $088\frac{1}{2}$ Lifter




S 4571
$1\frac{1}{2}$ in. to C
$\frac{7}{8}$ in. to C
Guides for $095\frac{1}{2}$ Lifter




S 3985
Post
$1\frac{3}{16}$ x $3\frac{5}{16}$ in., 2 in. High
For $095\frac{1}{2}$ Lifter




Guide
3 in. to C




S 5332
$1\frac{5}{8}$ x $3\frac{7}{8}$ in. 2 in. High
Post for 086 Lifter




S 4389
$1\frac{5}{8}$ x $3\frac{7}{8}$ in. 2 in. High
Post for 086 Lifter




S 4131
$1\frac{3}{16}$ x $3\frac{1}{4}$ in. $1\frac{1}{2}$ in. High
Post for 0084 Lifter



S 1969
Post
$4\frac{1}{4}$ in.
Guide
$1\frac{3}{4}$ in. to C
For $86\frac{1}{2}$ Lifter




S 2658
Post
$1\frac{1}{8}$ x $3\frac{5}{16}$ x $\frac{5}{8}$ in.
Guides
$1\frac{1}{8}$ in. to C
For C94 Lifter




S 2503
Post, $1\frac{1}{16}$ x $3\frac{3}{8}$ x $\frac{7}{8}$ in. Guide, $1\frac{3}{8}$ in. to C
For $084\frac{1}{2}$ Lifter


S 2755
Post, $1\frac{3}{16}$ x $3\frac{3}{8}$ x $\frac{7}{8}$ in.
For $095\frac{1}{2}$ Lifter




S 5886
Rod Plate
$\frac{3}{4}$ x $2\frac{1}{4}$ in.




S 5848
Sill Plate for $41\frac{1}{4}$ Adjuster
Base $1\frac{1}{4}$ x 2 in.
$\frac{7}{8}$ in. to C.




S 5822
Bracket for $46\frac{1}{2}$ Adjuster
Base 1 x 2 in.
$2\frac{1}{8}$ in. Back to C.




S 5839
$1\frac{1}{2}$ x $1\frac{1}{2}$ in.
Hook $\frac{1}{2}$ in. Longer
than Regular




S 5863
Top 1 x $1\frac{1}{2}$ in.
Side $1\frac{1}{2}$ x $1\frac{1}{2}$ in.
Ring Projection $1\frac{3}{16}$ in.







S 6123
Sill Plate and Bracket for 041$\frac{1}{4}$ Adj.
Sash Plate $2\frac{1}{4}$ x $2\frac{7}{8}$ in.
Sill Plate $2\frac{11}{16}$ x $2\frac{1}{8}$ in.
Bracket $1\frac{15}{16}$ Back to C.




S 5829
Casement Adj. Bracket
As 041$\frac{1}{4}$ Bracket, but
$2\frac{1}{16}$ in. Back to C.




S 5828
$1\frac{5}{8}$ x $2\frac{1}{8}$ in. $\frac{5}{8}$ in. Offset
Sill Plate for 041$\frac{1}{4}$ Adj.




S 5841
For $41\frac{1}{4}$ Adj.
$1\frac{1}{4}$ in. to C.




S 5866
Base Plate for 345 Door Stop
For $1\frac{5}{16}$ in. Pipe, Outside Dia.




S 5697 Base $2\frac{1}{2}$ x $10\frac{1}{2}$ in.
5 and 10 in. to Hole Centers. For $1\frac{5}{8}$ in. Hole




S 6127 $1\frac{5}{8}$ x 7 in.
Bottom Strike
for 2359 Panic Bolt L. H. R. B.




S 6138
Concealed Transom Operator with Fusible Link




S 6468 Posts and Guides for No. 0096 Lift
Two Top Guides Base to C. of Spring Rod, 2 in.
Three Center Guides Base to C. of Main Rod, 1½ in.
R. and L. Hand



S 6311 1¼ x 8⅜ in.
Lip to C. 1¾ in.
For No. 0695¾ Lock




S 6200 27⅞ in. C to C.
1 in. Square 1¼ in. Proj. from Plate




S 6192 For 2¼ in. Sash
Like No. 1306, but 30 in. Long
R. & L. Hand


S 6285 For 1¾ in. Sash
Like No. 1306, but 28 in. Long
R. H. only




S 6314 32 in. Long
R. H. Female Part Only
For 2¼ in. Sash




S 6444
Transom Operator like No. 073 but with Fusible Link




S 6343 For 1⅜ in. Sash
Top of Plate, 1½ x 3½ in. Rabbet, 17/32 in.
For No. 074 Operator
R. and L. Hand




S 6287 For 1⅜ in. Sash
Top of Plate, 1½ x 3½ in. Rabbet, ½ in.
For No. 074 Operator
L. H. only




S 6451 Like No. 1317
1 in. wide, 4¼ in. C to End
5⅛ in. over all
R. and L. Hand




S 6283
Sash Plate, 2 in. Longer than Regular
For No. 072 Lifter




S 6255 $1\frac{3}{16}$ x $2\frac{1}{4}$ in.
Socket Plate for No. 063
Operator, but with Square Edge




S 6388 Jamb Plate
$2\frac{1}{4}$ x $\frac{7}{8}$ x $\frac{29}{32}$ in.
For No. 199$\frac{1}{2}$ Transom Chain




S 6389 Jamb Plate
$2\frac{1}{4}$ x $\frac{15}{16}$ x $\frac{5}{8}$ in.
For No. 199$\frac{1}{2}$ Transom Chain




S 6457
Base, $2\frac{1}{2}$ x $1\frac{5}{16}$ x $\frac{9}{16}$ in. High
Base, to Center of Top Hole, $7\frac{1}{2}$ in.
For No. 0096$\frac{1}{2}$ Operator




S 6496
Latch Bar Like No. 482, but with
$\frac{11}{16}$ in. Offset




S 6236
Lever for No. 067$\frac{1}{2}$ Bolt
R. and L. Hand




S 6027 5 x $1\frac{5}{8}$ in. Wide
Clearance from Sash, 1 in.
Projection, $1\frac{7}{16}$ in.




S 6038 $4\frac{5}{8}$ x 2 in. Wide
Clearance from Sash, $\frac{13}{16}$ in.
Projection, $1\frac{1}{4}$ in.




S 6498
Post used with S 5377 Bar
on S 3975 Plate
Projection, $1\frac{7}{8}$ in.




S 5292 Drawer Pull
$2\frac{15}{16}$ x 11 in.




S 4973
1⅛ x 3 x ⅞ in.
Bracket for Post for 095 Lifter
To Fit Special Moulding




S 4938
Brackets for Post and Guide for 089 Lifter
To Fit Special Moulding
Base for Post, 1⅞ x 1⅞ in. Base for Guide, 1 x 1⅞ in.




S 4937
Brackets for 089 Post and Guide for 089 Lifter
To Fit Special Moulding
Base for Post, 1 x 1⅞ x 1 3/16 in.
Base for Guide, 1 x 1 1/16 x 1 3/16 in.



S 4397 15 in.
Guide for Transom Lifter




S 4213 3⅞ x 10¼ in.
Bracket for 99 Lifter, for ⅝ in. Rod




S 27	18½ x 10½ in.	S 796	2¼ x 7 in.
S 28	15 x 4 in.	S 904	3 x 5½ in.
S 58	1 x 11½ in.	S 905	2 x 4¼ in.
S 77	3¼ x 18 in.	S 1782	1½ x 6 in.
S 94	12 x ⅝ in.	S 3954	1½ x 8½ in.
S 301	1⅝ x 18 in.	S 3955	1⅝ x 7½ in.
S 308	6 x 7 in.	S 3956	5¼ x 8½ in.
S 337	5 x 7½ in.	S 3957	4½ x 7 in.
S 344	3½ x 16 in.	S 4475	3½ x 7 in.
S 750	7 x 5 in.		


Brackets for Transom Lifters




S 340 4¼ in.
Post for Transom Lifter




S 2162
Screw Eye, 1⅛ in. Swivel, 1⅝ in. Wide
For Transom Chain




S 484
As 599, with 4 in. Bar




S 1881 Base and Staples as 595, $\frac{3}{8}$ in. High
S 2939 Base and Staples as 595, $1\frac{1}{16}$ in. High




S 2640 2 x 2 in. $1\frac{1}{8}$ in. High
Post for 599 Latch




S 182
$2\frac{1}{2}$ x $3\frac{1}{2}$ in.




S 573
Latch Plate, 2 x 2 in. Bar, $3\frac{3}{8}$ in. Strike for $1\frac{3}{4}$ in. Door




S 1383 Bottom Pivot $\frac{3}{4}$ x $3\frac{3}{8}$ in.




S 1383 Top Pivot $\frac{3}{4}$ x $4\frac{1}{2}$ in.
Pivot Hinge with Walking Beam




S 1172 Bottom Pivot
1 x $4\frac{7}{8}$ in.




S 1172 Top Pivot 1 x $5\frac{1}{2}$ in.
Pivot Hinge with Walking Beam




S 1157 Pivot Hinge, for R. H. and L. H. Door
$1\frac{5}{8}$ in. Radius For $2\frac{1}{4}$ in. Door
S 4554 Pivot Hinge, for R. H. and L. H. Door
$1\frac{1}{2}$ in. Radius For $2\frac{1}{4}$ in. Door




S 1583 Latch Bar, as 599, $3\frac{3}{8}$ in. Long
S 1588 Latch Bar, as 599, $3\frac{1}{8}$ in. Long




S 2852
Dial for W. C. Bolt




S 4530 1¼ x 4⅜ in.




S 746 ⅜ x 1⅞ in.
1⅛ in. Clearance




S 295 1⅝ x 3¼ in.
Sash Lift and Lock




S 3508 3¼ in.
Hook for Lock and Lift for
768-75




S 3110
As 1830½ Square Cor.
For Iron Sash




S 2622
Hook, 2½ in. Strike, ⅞ x 3½ in.
For 1525½ Sash Fastener




S 1391
Base, ⅝ x 2¼ in. Lever, ⅝ x 2½ in.
For Sash Fastener




S 1730
As 1525½ with Special Sweep and Rivet




S 1396
As 1525½, ¼ in. Longer





S 3196
As 1830½, ⅝ in. Wider




S 4025
Locking Device for Sliding Door
Base, 2 x 4⅜ in. Strike, 1⅛ x 5 in.









S 1187 Storm Door Fastener
Lever, 3½ in. to C Plate, 1½ x 3 in. Strike, 1 7/16 x 1⅝ in.




S 2634 1 x 2¾ in.
Sash Fastener




S 782 1⅝ x 2 13/16 in.




S 2710 ⅞ x 1¼ x ⅛ in.
Gravity Window
Lock Bolt




S 6267 Sash Fastener
Case, $4\frac{5}{8}$ x $2\frac{5}{8}$ x $\frac{13}{16}$ in. High
Strike, $4\frac{5}{8}$ x $1\frac{1}{2}$ x $\frac{13}{16}$ in. High
Sash Plate, $5\frac{5}{8}$ x $1\frac{5}{16}$ in.
Used on P. & F. Corbin Office Windows




S 6370 Base, $\frac{13}{16}$ x $2\frac{1}{2}$ in.
Strike, $2\frac{1}{16}$ x $2\frac{3}{16}$ x $\frac{3}{16}$ in.
Like No. 1829½ but with Flat Strike




S 6237
$1\frac{1}{8}$ x $1\frac{15}{16}$ x $\frac{3}{16}$ in.
Used Under No. 02170 Fastener






S 6322 Window Sash Pocket
Cover Closing Device
Hinge, $2\frac{1}{2}$ in. Wide; Edge to C. of Pin, $1\frac{5}{16}$ in.
Follower Plate, $2\frac{1}{2}$ in. Wide; Edge to C. of Pin, $2\frac{1}{8}$ in.
Angle Strike, $1\frac{5}{16}$ x $1\frac{9}{16}$ x $1\frac{1}{8}$ in. Offset
Flat Strike, $\frac{5}{8}$ x $1\frac{5}{8}$ x $\frac{1}{8}$ in. Thick




S 6201
Closet Locking Device
Knob, No. 2148½
Knob Rose, $1\frac{9}{32}$ in. Dia., $\frac{3}{32}$ in. Thick
Knob Fast. Plate, $1\frac{7}{16}$ in. Dia.
Lever, S 4119
Strike, $\frac{1}{4}$ x $1\frac{1}{16}$ in.
Spindle, $\frac{3}{16}$ in.




S 6276 Cupboard Catch
Outside Plate, No. 2160½
Inside Plate, $1\frac{1}{4}$ in. Dia.
Cam. $1\frac{5}{8}$ in. to Center
Thumb Piece No. 0946 with Spindle Threaded for 2 Hexagon Nuts




S 6247
$5\frac{5}{8}$ in. C. to C.
1 in. Projection
For Double Acting Door




S 6256 Overhead Door Stop
$3\frac{1}{8}$ x $2\frac{5}{8}$ in. over all
Removable Stop Member $1\frac{1}{2}$ in. Wide x $\frac{1}{2}$ in. High
For $1\frac{3}{8}$ in. Single Door



S 6213 Push But. Plate
2 x 4 x $\frac{3}{16}$ in. Thick
Type of No. 1389 but
Square Edge




S 6185
$\frac{5}{8}$ in. Spindle, 3 in. Long
Used with S 6170 Esc. for
No. 3000 Lock



S 4182 1½ in. Dia.
Bolt and Thumb Nut




S 2191 1 in.
Thumb Piece Stop
For 2055¼ Lock




S 4097
Angle Plate
$\frac{13}{16}$ x $\frac{13}{16}$ x $\frac{15}{16}$ in.




S 5107
$\frac{3}{4}$ x 1½ in.




S 1727 2 in.
S 1728 1½ in.
S 1302 1⅞ in.
Turn Buttons




S 1107
Latch for Fly Door
Plates, 1½ x 4¼ in. Lever, 4¼ in. to C




S 4906
1⅝ in. Dia.




S 1991
$1\frac{3}{16}$ in. Dia. For $\frac{5}{16}$ in. Spdle.
Rose Plate




S 2123 6 in.




S 2628
Swivel Plate and Base
Swivel Plate, 6¾ in. Dia. Base, 1 x 5 in.




S 4926 1 x 5¼ in.
Stay Joint Arm




S 4724 10 in.
Transom Stay




S 4264 1 x 1⅝ in.
Plate for 198½ Stay




S 1754
Base, 2 in. Dia. Proj. 3½ in.
Towel Rack Post




S 3798
Spindle Joint for 2284½
For Standard Roses




S 2558 3⅝ in.
Knob Spindle



5/16 in. Closet Spindle 3⅜ in. Long
For S 2322 Rose




S 1135 5 in.
Closet Knob Spindle




Bolt, 4½ in.




S 3108
Nut, ⅞ in. Dia.




S 2609
⅜ in. Spindle




S 4200 ⅞ x 1 1/16 in.
Shank for Glass Knob




S 1329 1⅜ in. Dia. 1 in. High
Bottom for Glass Knob




S 425
Proj. 3⅞ in. ⅜ in. Spindle




S 3510 3¼ in. Spindle




S 2941 1⅞ in. Spindle
Head, 1⅜ in. Dia.
Rim Post for 2284 Knob




S 1123
1⅜ in. Dia. 9/16 in. High
Oil Cup Cover for Grinding Bin




S 526
¾ in. Dia. 6⅞ in. Long
Sand Blast Tube




S 82
1 in. Dia. 4¾ in. Long
Sand Blast Tube




S 4250
1⅜ x 1⅜ in.
Base for C & H Hook




S 2579
9/16 x 1⅜ in.



S 395
⅜ x 1½ in.
For 5/16 in. Spdle.



S 3102
⅝ x 1⅜ in.




S 1990
⅜ x 1⅛ in.
Surface Plate for Car Window




S 3730
5/16 x ⅜ in.
Guide




S 1303
1 1/16 in. Dia.
Spindle Tip for Casement Window



S 3839
1⅜ in.
Dummy Master Cyl.




S 4315
1⅜ x 1⅜ in.
Cyl. Holder for Rim Cyl.



S 4386
½ x ⅝ in. 5/16 in. Pin.
Shelf Support




S 5353
¾ x 1⅛ in. 13/32 in. Pin.
Shelf Support




S 4861
1 5/16 x 1¼ in.
Knocker Post




S 4889
7/16 x 1¼ in.
Hyphen for 0129 Figures




S 83 ⅝ x 1 in.
⅝ x 1 in.
Pieces for Sewing Mach.



S 4812 2½ in.
Rose for Bell Pull to fit on Post 6 in. Dia.




S 510 1⅞ in. Dia.
S 95 1⅝ in. Dia.
Plates for Push Button, to Use as Bell Pull




S 3541 1½ in. Dia.
Seat for Push Button




S 2751 1 3/16 in.
Rose for Push Button




S 665
3 x 1¼ in. ⅞ in. Offset
Angle Plate




S 661
Plate, 2 x 2 in.




Socket, 1¼ in.




S 662
Knee, ⅞ x ⅞ x 1 in.




S 663
Knee, 1 x 1½ x 1 in.




S 664
Washer, 1 in.




S 2952 Knob
2¾ in. 2 3/16 in. Dia.




S 1640
2 x 2¼ in.
Button Rose for S 1418 Grip




S 5153
1⅞ x 1⅞ in.
Rosette for S 5152 Push Bar




S 311
Base, 1⅝ x 2⅞ in. Proj. 3½ in.
Post Bracket for C, D and E Door Checks



S 3894 Cremorne Bolt
with 910-25 Knob
Case, 1⅜ x 5½ in.
Center Guides, 1⅝ x 3 in.
End Guides, 1⅝ x 2¼ in.




S 3548 $1\frac{3}{16}$ x $1\frac{1}{16}$ in.
Case for Auxilary Hub




S 1156 2⅜ x 7 in.
For Wood Screws




S 2243 ⅝ x 1¼ in.
Stop for 1150 Latch




S 440 Staple
Proj. 2 in. 4 in. to C




S 1719 1¼ x 2½ in.
Door Stop




S 2122 Transom Slide Device
Pulley Frame, 1¾ x 2 in.
Guide Plate, 1¾ x 5 in.




S 4370
Bolt for 1244, with 1¼ in. Throw




S 2301 4 in.
Bolt for 1259




S 3501 ⅞ x 1 in.
Exp. Bolt Staple for 775½ C D Hook




S 2114
¾ x 3¼ in.
Locking Attachment for 2858½ Bolt




1⅛ x 1¼ in.




S 4188
Base, 1½ in. 2⅛ in. over all
T Handle for 2986½ Bolt




S 3324 2¼ in. R. H. and L. H.
Locking Bar for 067½ Bolt



S 4211 1 x 7⅞ x 2⅛ in.
End Piece to Fit on Rack




S 1619 3⅛ in.
Knob Rose, Shank and Base
For Glass Knob




S 5304 3¼ x 11½ in.
Frame for 722-86 Plate for Sand Blast Dept.


S 5318 2⅞ x 8⅝ in.
Frame for 722-34 Esc. for Sand Blast Dept.




S 110 Gold Bug
3½ x 3¾ in.




S 239 Moulding 1 x 1 x 27½ in.




S 5173 3¼ x 7⅞ in.
Box Re-inforcement for S5157 Lock for
Regular Doors, R. H. and L. H.




S 5172 4¼ x 7⅞ in.
Box Re-inforcement for S5157 Lock for
Rev. Bev. Doors, R. H. and L. H.




S 99 Gold Bug
4 x 5½ in.




S 5899 as 361½
5 in. Projection Base 1⅛ x 2 in.




S 5898 as 361½
4 in. Projection Base 1⅛ x 2 in




S 6100 as 361½
8 in. Projection Base 1½ x 2½ in.




S 5833
1½ x 3⅛ in.







S 6147 like 02164½
Strike 2⅝ x 3⅛ in.
Plate 1½ x 3⅛ in.
Lever 2 in. Extension




S 5842 Bolt
For 593 Lock ⅝ in. Longer than Reg.




S 5873 2¼ in.
Locking Bar for 2169 Fastener
⅜ in. Longer than Reg.




S 5640
1 3/16 x 3 in.
Camden




S 5418
Front 2 1/16 x 7⅛ in.
Case 1⅞ x 1 1/16 x ⅞ in.
Front to C. of Push Button 1 3/16 in.
Latch Bolt ½ x 11/32 in. 5/16 in. Throw.




S 5807
Frame 5¾ x 8 in. For 5¼ x 7⅓ in. Card




S 6110
Shoe and Floor Plate for Portable Mullion 2 x 5¼ in.




S 6221
1⅛ in. Dia., 1 1/16 in. High
Housing for 3 No. 023½
Aux. Springs



S 6293
As No. 2403½
but Left Hand




S 6467
9/16 x ⅝ x 1⅛ in.
under Head
Post for No. 43¾ Adjuster




S 6206 1 1/16 in. Dia.
Post for use with No. 1913½ Ring
Handle and America Design Esc.
No Thimble. To Operate
No. 2467¼ Lock
Projection from Door, ⅞ in.




S 6304 1¼ in. Dia.




S 6374 ⅜ x 1½ in.
Offset, 3/32 in. More
than Regular
For No. 4316 Lock and Lift




S 6352
Case, ⅞ x 2¼ in.
Wheel, S 6135
(Geo. B. Carpenter Co.)




S 6371
Case, ⅝ x 2 in.
Wheel, No. 1758-⅝ in.




S 6455 1 1/16 in. Dia.
No. Covers Knob only
For No. 2233½ Turn




S 6344
Base, 1¼ x 1½ in.
No Strike Used
(Belcher & Loomis)




S 2927
Bolt, 9/32 in. Square
For No. 2029 Catch




S 6482 1 9/16 x 5½ in.
For No. 906¾ Lock
Yarmouth




S 6009
Knob Rose, 2 5/16 x 3¼ in.
Tyrol




S 6004
1½ in. Dia.




S 6058 ¾ x 3¾ in.
(New Britain Mch. Co.)




S 6250
Cover for No. 630 Door
Opener. Jamb Flush with
2¼ in. Door




S 6354
¾ x 2 x ¼ in.
High




S 6295
5/16 in. Hub for
No. 70 Latch




S 6327
Knob, ⅞ in. Dia.
for No. 3052 Screen
Door Catch



S 6244
⅝ x ⅝ x 2⅛ in.
Flask Stop for Foundry




S 6140
Base, ⅞ x 1¾ in.
Extension, 2½ in.
Hanger for Japaning Dept.




S 6273 4⅛ x ⅝ in.
Strike, 1 9/16 x 15/16 in.




S 6280
Thumb Piece for Thumb Latch
Using No. 415-84 Plate



S 6288
Thumb Piece for Thumb Latch
Using No. 416-84 Plate




S 5509 R H and L H 3⅜ in. over all
$\frac{7}{16}$ in. Offset



S 5517 3½ in. over all
1115 Hammered


S 3168 3 in. Long
$\frac{13}{16}$ in. Diameter of Head




S5756 2¼ in.
Cylinder Collar




S 5757 $1\frac{13}{16}$ in. Dia.
Master Cyl. Head



S 5062 1¼ x $1\frac{7}{16}$ in.
Key Tag




S 5530 Guide for
$067\frac{3}{4}$ Bolt Base, 1½ in.




S 5753
Butt Tip for
No. $61\frac{3}{4}$
5 x 5 in. Butt


S 5093
Butt Tip for
4 x 4 in. Butt




S 5765 $1\frac{1}{16}$ in. Dia.
Hammered




S 5577 3½ in.
Special Lever of 1910 Cab Fast.




S 5738 3⅛ in. to C
Bracket for 41 Adj.




S 5948 1 x 2½ in.
½ in. Offset
Plate for Shutter Worker




S 5938 1 x 2½ in.
$\frac{9}{16}$ in. Offset
Plate for Shutter Worker




S 5751 2½ x 2½ in.
Plate for 599½ Latch




S 5767
1⅛ x 2⅝ in.
Latch Bar for 599 Latch




S 5504
Base, 1⅞ in. Dia.
Proj., 1¾ in.




S 5716
1½ x 2 in.



S 5581
$\frac{13}{16}$ x 1⅞ in.




S 5903
1½ in. Dia.




S 5575 $1\frac{7}{8}$ x 1¾ in.
for 1¾ in. Cylinder




S 5780 ⅝ x 2⅝ in.
Pulley Case




S 5761
$1\frac{3}{16}$ x $3\frac{5}{8}$ in.
Esc. for $444\frac{1}{2}$ Lock




S 5030
$1\frac{1}{4}$ x 3 in.
Esc. for $444\frac{1}{2}$ Lock




S 5791
$1\frac{1}{8}$ x $2\frac{1}{4}$ in.
TH. Pce. Plate for
$567\frac{1}{4}$ Lock




S 5388
$2\frac{1}{16}$ in. Dia.




S 2947
Hub for No.
281 Lock




S 1755 2 in. Dia.
Plate for No. 1715
Ring Drop Handle




S 5913 $2\frac{3}{8}$ in.
$\frac{5}{16}$ in. Spindle




S 5552
2 x 3 in.




S 5764
2 x $1\frac{1}{4}$ in.




S 568
$1\frac{7}{8}$ x $1\frac{7}{8}$ in.
Plate and Staple




S 5706
$3\frac{1}{2}$ in. Dia.
Wall Socket for $1\frac{1}{2}$ in. Dia. Pole




S 5778
Hand Rail Bracket
Base, $2\frac{1}{2}$ in. Dia.
Proj. $2\frac{1}{2}$ in. to C




S 5593
$1\frac{1}{8}$ x $3\frac{1}{8}$ x $\frac{7}{8}$ in.
Base for 0095
Transom Post




S 5349
Base $\frac{3}{4}$ x $1\frac{7}{8}$ in.



S 5951 7 in. Spindle.




S 5701 $1\frac{3}{16}$ x $5\frac{3}{4}$ in.




S 5548 2 x 3 in.
Sash Fastener, Operated by Pole.







S 5562 $2\frac{1}{4}$ x 5 in. R. H. and L. H.




S 5782 $1\frac{7}{16}$ x $4\frac{1}{4}$ in. R. H. and L. H.




S 5798 5 x $7\frac{1}{4}$ in.



S 5533 $1\frac{3}{4}$ x 5 in.




S 5813
No. 161½ 4½ x 4½ in.
Hammered Finish.




S 5851
1½ x 2⅜ in.




S 5270 ⅞ in.
for 613 x 1½ in. Butt.




S 5812
161½ 5 x 5 in.
Hammered Finish.




S 5642
Top and Side 2 x 4⅛ in.
for 074 Concealed Transom.



S 6162
4 x 5 in. with $\frac{15}{16}$ in. Knuckle.
Offset Face of Shutter to Center of Knuckle, $1\frac{11}{16}$ in.
Center of Knuckle to Edge of Hinge, $1\frac{9}{16}$ in.
Flange $\frac{3}{16}$ in. Thick by $1\frac{3}{8}$ in. Wide
R. and L.




S 6176
8 in. High. Edge to C of Knuckle 4 in.
Used with 61¾ Three Knuckle Part.




S 6164
as 1332½
12 in. Long.




S 5834
as 1306 R. and L.
24 in. Long.
for 1¾ in. Sash.




S 5882
Top of Plate 1⅞ x 4 in.
Side of Plate 1⅛ x 3½ in.
R and L. Hand.




S 5410 Sash Center
1⅞ x 4 in. ½ in. Thick




S 5553 $\frac{13}{16}$ x 1⅞ in.
Key Esc. and Shutter
for 1365½ Lock




S 5716 $1\frac{5}{16}$ in. Dia.
Drawer Knob and Rose



S 5375 $1\frac{1}{32}$ x 2 in.
Sash Socket




S 5904 Malleable Iron for 97 Key
S 5905 " " " 99 Key
S 5961 German Silver " 99 Key
Cylinder Plugs




R. H.
Base, 2⅞ in.

L. H.
S 5677
Projection, 2½ in. to Center




Side View




R. H.

L. H.
S 5678
Base, 2⅞ in. Projection, 4¼ in. to Center




Side View




S 5570
Flush Pull
1 x $4\frac{9}{16}$ in., ¼ in. Thick



S 5752 1 x 3 in.
Push Button Plate




S 5033
Base, $\frac{13}{16}$ x $2\frac{3}{16}$ in.
Height, 2¼ in. to Center
Bracket for Door Pull




S 5224
Bracket for Push Bar
1 in. Dia. Height, 2¼ in. to Center




S 5032 1⅜ in. Dia.
2 in. High
Tip for Door Pull




S 5671 3⅞ in. Dia.
Plate for Hand Rail Bracket




S 5925 4 in. Dia.
Plate for Hand Rail Bracket




S 5926 $3\frac{7}{16}$ in. Dia.
Plate for 100½ Hand Rail Bracket




S 3658 $1\frac{1}{16}$ x 4⅛ in.
End Piece for Combination
Push Bar and Pull




S 5367 5⅜ in.
Lever Used with No. 2359 Bolt for Doors Opening in.




S 5996 6¼ in. Dia.
Base for Display Rack.




S 5260 Lever Handle, 4⅜ in.
S 5261 Rose, 1⅜ x 3⅛ in.




S 5344
Latch Bar, 5 in., ½ in. Offset. Strike, 1 x 1⅜ in.




S 5939, 1¾ x 7¼ in. for 723-54 Drop Handle.
Protecting Frame for Sand Blasting.




S 5469 2¼ x 5⅛ in.




S 5468, 3⅜ x 8⅜ in. for 721-31 Esc.
Protecting Frame for Sand Blasting.




S 5404 2½ x 9 7/16 in. for 718-32 Esc.
S 5405 3 x 11¾ in. for 718-30 Esc.
S 5409 3¼ x 13⅓ in. for 718-29 Esc.
S 5978 2⅝ x 10⅓ in. for 718-31 Esc.
Protecting Frames for Sand Blasting.




S 5508 2⅞ x 10⅜ in. for 723-31 Esc.
Protecting Frame for Sand Blasting.




S 5461 2⅞ x 8 in. for 726-31 Esc.
S 5462 3 5/16 x 9⅜ in. for 726-30 Esc.
S 5463 3⅓ x 11¼ in. for 726-29 Esc.
S 5467 1 5/16 x 4 7/16 in. for 726-33 Esc.
Protecting Frames for Sand Blasting.




S 5928 $1\frac{7}{16}$ x $3\frac{3}{16}$ in.




S 5985 $1\frac{1}{2}$ x $3\frac{1}{4}$ in.
as 768-75, Hammered Iron




S 5637
$1\frac{3}{16}$ x $4\frac{7}{8}$ in.




S 5206
$1\frac{1}{16}$ x $5\frac{7}{8}$ in. $1\frac{3}{4}$ in. Offset




S 5656 12 x 3 in. Square Base, $1\frac{1}{4}$ x $1\frac{1}{4}$ in.
Bracket for 095 Lifter




S 5214 $1\frac{1}{2}$ x $4\frac{7}{8}$ in.
Door Knocker and Post




S 5007 $1\frac{1}{2}$ x $8\frac{5}{8}$ in.
Center Piece for Grip of S 1419 Pull.




S 5411, Hinge, $1\frac{1}{4}$ x 6 in.
S 5425, Shutter Worker
Base, $2\frac{5}{8}$ x $3\frac{1}{2}$ in. Case, $2\frac{3}{4}$ x $3\frac{1}{2}$ x $1\frac{1}{2}$ in.
R. H. and L. H.




S 5585
3 Feet Long Rod, $\frac{3}{8}$ x $\frac{3}{8}$ in.







S 6380 Shutter Worker
Hinges, $1\frac{1}{4}$ x $6\frac{1}{4}$ in.
Case, $2\frac{3}{4}$ x $3\frac{1}{2}$ x $1\frac{1}{2}$ in.
Bracket to C. of Case, $2\frac{1}{8}$ in.
Pivot Point to Edge of Shutter, 3 in.




S 6381 Shutter Worker
Hinges, $1\frac{1}{4}$ x $6\frac{1}{4}$ in.
Case, $2\frac{3}{4}$ x $3\frac{1}{2}$ x $1\frac{1}{2}$ in.
Bracket to C. of Case, $2\frac{1}{8}$ in.
Pivot Point to Edge of Shutter, $2\frac{1}{32}$ in.




S 6203 $17\frac{1}{2}$ x 32 in.







S 6224
Rod, 12 in. Plate, $1\frac{5}{16}$ x 14 x $\frac{5}{16}$ in. Thick
Like S 5546, but without Bevel on Plate
Rod, $\frac{1}{2}$ in. Dia.




S 6316 Casement Operator
Bracket, No. $043\frac{1}{2}$
Rod, $\frac{3}{8}$ in. Dia.
C. of Top Pivot to End of Rod, 11 in.
Post, No. 0085
C. to C. of Pivots, $4\frac{1}{2}$ in.
16 in. Over All.




S 5501
Base, $3\frac{3}{4}$ x $7\frac{9}{16}$ in. · $4\frac{1}{3}$ in. High
2 in. to Center of Bolt
Strike for 141 Lock, when used on Sliding Doors.




S 5437 3 x $3\frac{1}{2}$ in.
Rim Latch




S 5591 Rev. Bev.
4 x $7\frac{1}{2}$ x $1\frac{1}{4}$ in.
Box Reinforcement for S 5187 Lock




S 5725
$3\frac{11}{16}$ x $7\frac{3}{8}$ x $\frac{15}{16}$ in.
Box Reinforcement for S 5157 Lock




S 5592
$3\frac{3}{8}$ x $7\frac{3}{8}$ x $1\frac{1}{4}$ in.
Box Reinforcement for S 5187 Lock





S 5589 5 x 3 x $1\frac{1}{2}$ in.
Box or Electric Strike Container to Hold Strike to Grille.



S 5590 5 x $4\frac{1}{2}$ x $1\frac{9}{16}$ in.
Box or Container for 1334 Lock, for Fastening Lock to Grille.



S 5049 $1\frac{3}{8}$ in.




S 5050 $1\frac{7}{16}$ in.



S 5612 Stud
$\frac{1}{4}$ in. Head. 1 in. Nail.




S 2927 $\frac{1}{4}$ x $\frac{7}{8}$ in.
Bolt for Cupboard Catch.




5527 $1\frac{1}{8}$ in. Dia.
Sample Trunk Spindle.



S 5602
Hold-Back Attachment to be operated by Key for 02359 Exit Bolt.




S 5664
Head, $1\frac{9}{32}$ in. Dia. Screw, $2\frac{5}{16}$ in. Long.




S 5973
Shank for 02115 Lever Handle for $\frac{3}{8}$ in. Spindle.




S 5991 Closet Spindle
$\frac{9}{16}$ in. Head. $\frac{3}{16}$ in. Spindle.




S 495 $\frac{7}{8}$ in. Dia.
Drop Handle Post.




S5624 $1\frac{1}{2}$ in.
$\frac{5}{16}$ in. Spindle.




S 5028 $1\frac{1}{8}$ in.
$\frac{3}{16}$ in. Spindle.




S 5177 $\frac{9}{16}$ in. Knob for
Operating Stop on S 5157 Lock.




S 5022 R. H. and L. H.
Thumb Piece $\frac{7}{16}$ in. Off Center,
Used with S 4877 Plate.




S 5226 $1\frac{5}{8}$ in.
$\frac{5}{16}$ in. Spindle.




S 5993 $1\frac{1}{4}$ in.
$\frac{5}{16}$ in. Spindle.




S 5992 $1\frac{1}{4}$ in.
$\frac{3}{16}$ in. Spindle.



S 5097 $1\frac{1}{4}$ in.
$\frac{3}{16}$ in. Spindle.



S 5567
Latch Bolt for 593 Lock. Head to Project $\frac{3}{4}$ in. from Face of Lock.




S 5619
Lever for 1345 Lock.




S 5550 $\frac{3}{4}$ x $1\frac{5}{8}$ in.
Special Cam for Thumb Piece Plug to be used with 0567 and 567 Locks when Stop is Operated from Inside by Thumb Piece.




S 5400
$\frac{5}{16}$ in. Hub for 045 Lock, to Stand on the Square.




S 5930
Ring Pull for 3276$\frac{1}{2}$ Catch.
Bolt to Operate Independently.




S 5740 $1\frac{3}{4}$ x $3\frac{1}{16}$ in.
Case for Transom Catch Like No. 2279$\frac{3}{4}$.




S 5653 2 x $1\frac{5}{8}$ in.
Transom Catch as No. 2277$\frac{1}{2}$ with Ring Pull as No. 02279$\frac{1}{2}$




S 5453 2 x $1\frac{1}{2}$ x $\frac{1}{2}$ in.
Door Stop.




S 5043 $3\frac{1}{2}$ x $3\frac{3}{4}$ in.
Opening, $1\frac{7}{8}$ x $2\frac{15}{16}$ in.




S 5470 $2\frac{7}{8}$ x $5\frac{7}{8}$ in.




S 5417 $1\frac{3}{16}$ x $4\frac{3}{4}$ in.
Drop for 002306½ L. B. Plate




S 5229 3 x 6 in.




S 5976 L. B. Plate $2\frac{3}{4}$ x $7\frac{1}{2}$ in.
With Lugs on Back




S 5726 $2\frac{1}{2}$ x $6\frac{7}{8}$ in.




S 5665 $2\frac{3}{8}$ x 8 in.
Opening, $1\frac{1}{2}$ x 6 in. Style of 002906½




S 5976 Hooded Back Plate $2\frac{3}{4}$ x $7\frac{1}{2}$ in.




S 5976 Chute, for $1\frac{3}{4}$ in. Door




S 6148 2½ x 7⅛ in.
For use with S5334 Plate and Chute




S 5896 3 x 8¾ in.
Cosmos




S 5896 2¾ x 8¾ in.
Hooded Back Plate
Cosmos



S 6125 (3) Views)
Outside Plate and Chute, 3 x 10½ in.
Inside Plate and Hooks, 3 x 10½ in.
Opening, 2 x 8 in. For 1¾ in. Door
Camden



S 6001 2 x 1 1/16 in.
with Pins on Back




S 6002 2 x 1 1/16 in.
with Pins on Back




S 6230 3 3/16 x 1 9/32 in.
with Lugs on Back for Mch. Screws




S 6231 3 3/16 x 1 9/32 in.
with Lugs on Back for Mch. Screws




S 6243 2 1/16 x 9 1/2 in.
Opening 1 1/4 x 5 3/4 in.
Arco, with Rosettes
(Frances Bldg.)




S 6052 1 1/2 x 3 1/4 in.




S 6053 1 1/2 x 3 1/4 in.






S 6037 2 3/4 x 8 3/8 in.
Letter Box Plate, Hooded Back Plate and Chute
(Hamilton Co. Court House)



S 6480 2 3/4 x 7 1/2 in.
Chute for No. 002424 1/2 L. B. Plate
For 1 3/4 in. Door



S 6284 1 3/8 x 6 in.
For S 2321 L. B. Plate

MORTISE DOOR BOLTS

S4596 Case, 7¼ x 2⅜ x ⅝ in.
Front to center of Hub, 1½ in.
Front, 9½ x 1 1/16 in.
Center of Hub to center of Keyhole, 3⅜ in.
Center of Hub to center of Thumb Piece Hub, 1⅜ in.
Hubs, 5/16 and 3/16 in.
Key Class 80¾.
Operation. Latch bolt by knobs from either side when the bolts have been withdrawn. The Key dead-locks the bolts in either a retracted or projected position from either side. Thumb knob on the inside locks against key from the outside.

S4719 Style of No. 741B but with rabbeted front and no stops in face.
Case, 5½ x 2¼ x 13/16 in.
Front to center of Hub, 1½ in.
Front, ⅝ in. Special Rabbet, 7¾ x 1⅜ in.
Hub, 5/16 in.

S4737 Style of No. 741B, with front to act as strike for No. 1342B Lock as bought from R. & E. No stop in face.
Case, 6¼ x 2 9/16 x 13/16 in.
Front to center of Hub, 1½ in.
Front, 8⅝ x 1¼ in.
Hub, 5/16 in.

MORTISE EXTENSION BOLTS

S4524 Style of No. 1022, with front to act as strike for No. 1367¼ lock, L.H.
Case, 5¼ x 1½ x ⅝ in.
Front to center of Hub, 1⅜ in.
Center of Hub to center of Hub, 2 5/16 in.
Front, ⅜ in. Rabbet, 8 x 1¼ in.
Hubs, 3/16 and 5/16 in.

MORTISE TURNBUCKLES

S1142 R.H. Case, 2½ x 1½ x ½ in.
Front to center of hub, 1 in.
Front, with special bevel, ¼ in. rabbet, 4½ x 1 in.
Hub, 5/16 in.

S1186 Style of No. 76.
Case, 3 x 1⅜ x ½ in.
Front to center of Hub, 1 in.
Front, 4¼ x 9/16 in.
Hub, 5/16 in.

S1301 Style of No. 77.
Case, 4⅞ x 3⅝ x ½ in.
Front to center of Hub, 3 in.
Front, 6¼ x ⅞ in.
Hub, 5/16 in.

S1350 R.H. Style of No. 78½.
Case, 3⅝ x 2¼ x ½ in.
Front to center of Hub, 1⅝ in.
Front with special bevel. ⅜ in. rabbet, 5¼ x 1 1/16 in.
Hub, 5/16 in.

S1788 Case, 2 9/16 x 1¼ x ½ in.
Front to center of Hub, ⅝ in.
Front, 3⅞ x 13/16 in.
Hub, 5/16 in.

MORTISE TURNBUCKLES (cont'd)

S3512 R.H. and L.H. Style of 78½.
Case, 3⅝ x 2⅛ x ½ in.
Front to center of Hub, 1½ in.
Front with special 70 degree Bevel, ⅝ in. rabbet, 5¼ x 1⅛ in.
Hub, 5/16 in.

MORTISE STORE DOOR LATCHES

S4785 Style of No. 180.
Case, 3 x 2½ x ¾ in.
Front to center, 1½ and 2 in.
Front, ⅛ in. rabbet, beveled ⅛ to 2 in., 5¼ x 1½ in.

MORTISE STORE DOOR LOCKS

S4945 Style of No. 0181½ but with functions on dead bolt like No. 233½.
Case, 5¼ x 3¾ x 11/16 in.
Front to center of Keyhole, 2¾ in.
Center of Keyhole to bottom of case, 2⅞ in.
Thumb Piece Hub on inside, 3/16 in.
Front, 7 x 1 in.
Key, Class 80¾, Master Key, Class 165½.

S5793 Size and style of No. 0181½ but made for Class No. 81¾ Key.

CORBIN RIM LATCHES

S5157 Style of No. 1719 but with functions of No. 567.
Case, 6¾ x 5¾ x 1⅛ in.
Front of center to Hub, 4 3/16 in.
Center of Hub to center of Cylinder, 3 in.
Ball-bearing cylinder.
Hub, 5/16 in. Swivel Hub, ⅜ in.
Latch bolt, ⅝ x 1¼ in., 7/16 in. throw.
Key, Class 97.

S5157 The same as above but with distance from front to center of Hub, 2 in.
Case, 5¾ x 5 x 1⅛ in.

CORBIN RIM NIGHT LATCHES

S5335 R.H. and L.H. Size and Style of No. 356½ but with no stop work and has anti-friction latch bolt, ⅝ x 1⅛ in.
Not reversible and not for Reverse Bevel Doors.

CORBIN RIM DEAD LOCKS

S4725 Case, 5⅛ x 4 x 1¼ in.
Front to center of cylinder, 2⅞ in.
2 Master Keyed Cylinders.
Bolt, ¾ x 2½ in., ⅝ in. throw.
Key Class 97, Master Key, Class 097.

CORBIN RIM SLIDING DOOR LOCKS

S5102 Size and style of No. 1444½, used as a sliding door lock.

MORTISE SECRET GATE LATCH

S3354 Case, 3⅛ x 2¾ x ⅝ in.
Front to center of operating rod, 2¼ in.
Front, 4 13/16 x 1 in.
Operated by Lever.

CORBIN MORTISE NIGHT LATCH

S730 Style of No. 658.
Case, 4⅜ x 3¾ x ¾ in.
Front to center of Hub, 2½ in.
Center of Hub to center of cylinder, 2⅜ in.
Front, 5 3/16 x 1⅛ in.
Ball-bearing Master Keyed Cylinder.
Hub, 5/16 in.
Key, Class 97, Master Key, Class 097.

MORTISE KNOB LATCHES

S723 Style of No. 89 but with rabbeted front.
Case 2⅜ x 2½ x 11/16 in.
Front to center of hub, 1⅝ in.
Front ⅛ in. rabbet, 4⅛ x 1 in.
Hub, 5/16 in.

S1162 R.H. Case, 4¼ x 3¼ x ⅝ in.
Two Hubs, 5/16 in.
Front to center of Hubs, 1½ x 2½ in.
Beveled Front, 6⅛ x 1 5/16 in.
For use upon doors with narrow width of stile on one side.

MORTISE ASYLUM LATCHES

S724 Case, 4⅝ x 3¾ x 9/16 in.
Front to center of Hub, 2¾ in.
Front, style as No. 559, 6⅞ x 1 3/16 in.
Hub, 5/16 in.
Operation. By knob from either side at all times.

S4459 Size, style and function as No. 1260 but with addition of an auxiliary latch which automatically locks the latch bolt so that it cannot be forced back when door is closed.

S5912 Size, style and function as No. 1260¾ but made for class 364 Key and Master Key Class 364⅛

MORTISE ASYLUM LOCKS

S4324 Style and function as No. 1261 but made for Class 80¼ Key and Master Key Class 080¼.
Case, 4⅝ x 3¾ x 1 3/16 in.
Front to center of Hub, 2¾ in.
Center of Hub to center of Keypost, 2¾ in.
Front, 7 x 1 3/16 in.
Hub, 5/16 in.

MORTISE BOLTS

S528 Case, 4⅜ x 6¼ x 1 3/16 in.
Front to center of Hub, 4⅞ in.
Front, 6⅝ x 1 3/16 in.
Bolt, ½ x 1¼ in.
Hub, 5/16 in.

S4354 Style of No. 164B.
Case, 1 9/16 x 4 x ½ in.
Front to center of Hub, 3 in.
Front, 3¼ x ⅞ in.
1 in. throw on dead bolt.
Hub, 3/16 in.

MORTISE DEAD LOCKS

S773 Case, 2⅜ x 1½ x ½ in.
Front to center of keyhole, 1 in.
Front, 3¾ x 1 3/16 in.
Key, Class 0311.

MORTISE DEAD LOCKS (cont'd)

S5484 Case, 3 x 3⅜ x ¾ in.
Front to center of Hub, 2¾ in.
Center of Hub to center of Keyhole, 1 5/16 in.
Front, 5⅜ x 1⅛ in.
Hub, 3/16 in.
Key, Class 80¼.
Operation. By key from the outside at all times. Thumb Knob on the inside will unlock the door when locked by key from the outside but the bolt cannot be thrown by the thumb knob.

S5572 Style and functions as No. 131 but made for Class 81¾ key.
Case, 2¼ x 3½ x 9/16 in.
Front to center of keyhole, 2¾ in.
Front, 4¼ x 1 1/16 in.
Key, Class 81¾.

CORBIN MORTISE DEAD LOCKS

S1878 Case, 4 x 3⅞ x 1¼ in.
Front to center of cylinder, 2¾ in.
Front, 6⅞ x 1¾ in.
Ball-bearing cylinder.
Size of bolt 13/16 x 2⅛ in.
Key, Class 97.

S5724 Style of No. 141.
Case, 4½ x 2⅞ x ⅞ in.
Front to center of cylinder, 2 in.
Front, 6⅞ x 1¼ in.
¾ in. throw on bolt.
Ball-bearing cylinder.
Key Class 97.

S5724 As above, 1½ in. to center of cylinder.
Case, 4½ x 2½ x ⅞ in.

S5934 Size and style of No. 133¼ but with Front 1⅛ in. wide.

S5940 Style and function of No. 133B.
Case, 3⅞ x 3 3/16 x 1 in.
Front to center of cylinder, 2⅛ in.
Front, 6 x 1¼ in.
¾ in. throw on bolt.
Ball-bearing cylinder.
Change Key, Class 97, Master Key Class 097.

MORTISE ASYLUM DEAD LOCKS

S5142 Style of No. 1261B—Reversible.
Case, 4⅞ x 3⅞ x 13/16 in.
Front to center of Hub, 2¾ in.
Center of Hub to center of keyhole, 2¾ in.
Front, 7 x 1 3/16 in.
Hub, 5/16 in.
Key, Class 82½, Series BX.
Subject to lockout key.

S5360 Size and style of No. 0147½B, but made for Class 82½, series BY Change Key, and Class 082¾ Master Key.

S5910 Size and style of No. 0147½B, but made for Class 364 Change Key and Class 364⅛ Master Key.

CORBIN MORTISE ASYLUM DEAD LOCKS

S5181 Functions of No. 1261B but operated by Master Cylinder.
Case, 5 1/8 x 3 3/4 x 11/16 in.
Front to center of hub, 2 3/4 in.
Center of Hub to center of cylinder, 3 7/8 in.
Front, 7 5/16 x 1 1/4 in.
Size of bolt, 9/16 x 1 7/16 in., 5/8 in. throw.
Hub, 5/16 in.
Ball-bearing Master cylinder.
Change Key, Class 97; Master Key, Class 097.

S5188 Functions of No. S5181 with addition of Thumb Knob to block cylinder mechanism.
Case, 6 3/8 x 3 3/4 x 3/4 in.
Front to center of Hub, 2 7/8 in.
Center of Hub to center of cylinder, 3 7/8 in.
Front, 8 1/2 x 1 1/4 in.
Hubs, 5/16 and 3/16 in.
Ball-bearing Master cylinder.
Change Key, Class 97; Master Key, Class 097.

MORTISE KNOB LOCKS

S923 L.H. Style of No. 1366 1/2B.
Case, 5 x 3 1/4 x 13/16 in.
Front to center of Hubs, 1 7/8 and 2 3/4 in.
Front to center of keyhole, 1 7/8 in.
Center of Hub to center of keypost, 2 5/8 in.
Front, 7 x 1 1/8 in. with Special Bevel of 17 degrees.
Key, Class 80 1/4.
2 Hubs, 5/16 in. for different width of stile on either side of door.

S924 R.H. The same as above but Right Hand.

S925 L.H. Style of No. 1366 1/2B.
Case, 5 x 3 7/8 x 13/16 in.
Front to center of Hubs, 1 5/8 and 3 1/8 in.
Front to center of keyhole, 3 1/8 in.
Center of Hub to center of Keypost, 2 5/8 in.
Front, 7 x 1 1/8 in., with Special Bevel of 17 degrees.
Key, Class 80 1/4.
2 Hubs, 5/16 in. for different width of stile on either side of door.

S928 R.H. and L.H. Style of No. 1366 1/2B.
Case, 5 x 3 3/8 x 13/16 in.
Front to center of hubs, 1 1/4 and 2 1/2 in.
Front to center of keyhole, 2 1/2 in.
Center of Hub to center of keypost, 2 5/8 in.
Front, 7 x 1 1/8 in.
Key, Class 80 1/4.
2 Hubs, 5/16 in., for different width of stile on either side of door.

S1503 Style and functions of No. 701, but 2 in. to center of Hub.

S4295 Size and style of No. 226B, with Emergency Key to unlock the door when locked by thumb knob inside.

MORTISE KNOB LOCKS (cont'd)

S4592 Style and functions of No. 233 1/2B.
Case, 5 5/8 x 3 1/2 x 5/8 in.
Front to center of Hub, 2 3/4 in.
Center of Hub to center of keypost, 2 5/8 in.
Center of Hub to center of thumb piece hub, 4 in.
Front, 7 9/16 x 1 1/8 in.
Key, Class 80 3/4; Master Key, Class 165 1/2.
Hubs, 3/16 and 5/16 in.

S5104 Style and functions of No. 906 3/4B.
Case, 3 1/8 x 4 1/2 x 5/8 in.
Front to center of Hub, 4 in.
Front to center of keyhole, 2 1/16 in.
Front, 5 1/8 x 1 in.
Key, Class 80 3/4; Master Key, Class 165 1/2.
Hub, 5/16 in.

S5127 Size and style of No. 0233B but operated by Emergency Key, acting as shut-out key.

S5143 Style of No. 1368 1/2B.
Case, 5 1/4 x 3 5/8 x 7/8 in.
Front to center of Hub, 2 3/4 in.
Center of Hub to center of keypost, 2 11/16 in.
Front, 7 3/8 x 1 3/16 in.
Hub, 5/16 in.
Key, Class 82 1/2, Series BX.

S5144 Style of No. 0233 1/2B.
Case, 6 1/4 x 3 5/8 x 13/16 in.
Front to center of Hub, 2 3/4 in.
Center of Hub to center of keypost, 3 3/4 in.
Center of thumb piece hub to center of keypost, 1 9/16 in.
Front, 8 1/2 x 1 3/16 in.
Hubs, 3/16 and 5/16 in.
Key, Class 82 1/2, Series BX.

S5195 Size and style of No. 234 1/2B, but when bolt is thrown by thumb knob on the inside, both knobs are rigid and act as indicator.

S5424 Style and functions of No. 0233B.
Case, 5 5/8 x 3 1/2 x 13/16 in.
Front to center of hub, 2 3/4 in.
Center of Hub to center of keypost, 4 1/8 in.
Center of Hub to center of thumb piece hub, 2 3/4 in.
Front, 8 x 1 1/8 in.
Hubs, 3/16 and 5/16 in.
Key, Class 80 1/4.

S5472 Style of No. 229 1/2 with functions of S4295.
Case, 5 1/8 x 3 5/8 x 9/16 in.
Front to center of Hub, 3 in.
Center of Hub to center of keypost, 2 5/8 in.
Center of Hub to center of thumb piece Hub, 3 7/8 in.
Front, 7 1/16 x 1 1/16 in.
Hubs, 3/16 and 5/16 in.
Key Class 80 3/4, Master Key, Class 165 1/2 and special emergency key.

S5587 Size and style of No. 1367 1/2, but with Class 81 3/4 Key and Class 081 3/4 Master Key.

MORTISE KNOB LOCKS (cont'd)

S5700 Size and style of No. 1365¼, but made for Class 81¾ Key.

S5703 Style of No. 233B.
Case, 5 x 3¼ x $\frac{9}{16}$ in.
Front to center of Hub, 2⅝ in.
Center of Hub to center of keypost, 3¼ in.
Center of thumb piece hub to center of keypost, 1⅜ in.
Front, 6⅝ x 1 in.
Hubs, $\frac{3}{16}$ and $\frac{5}{16}$ in.
Key, Class 81¾.

S5703 The same as above but with front to center of Hub, 2¼ in.
Case, 5 x 2⅞ x $\frac{9}{16}$ in.

S5704 Size and style of No. 1367¼, but made for Class 81¾ Key and Class 081¾ Master Key.

S5950 Style of No. 1365½B, with Gun-spring action on hub.
Case, 4¾ x 2¾ x ⅝ in.
Front to center of Hub, 2 in.
Center of Hub to center of keypost, 2⅝ in.
Front, 6⅝ x 1$\frac{1}{16}$ in.
Hub, $\frac{5}{16}$ in.
Key, Class 80¾; Master Key, Class 165½.

MORTISE ASYLUM KNOB LOCKS

S5141 Style of No. 239½B Lock—Reversible.
Case, 7 x 3½ x ⅞ in.
Front to center of Hub, 2¾ in.
Center of Hub to center of upper keypost, 4⅜ in.
Center of Hub to center of lower keypost, 2⅜ in.
Front, 9 x 1$\frac{3}{16}$ in.
Hub, $\frac{5}{16}$ in.
Key, Class 82½, Series BX.
Operation. The Keybolts are operated from either side.

S5362 Size and style of No. 0695⅞B Lock, but made for Key Class 82½, Series BX, and Master Key 082¾.

S5911 Style and functions of No. 0695⅞B Lock.
Case, 5¼ x 3½ x $\frac{13}{16}$ in.
Front to center of Hub, 2⅝ in.
Center of Hub to center of keypost, 3⅜ in.
Front, 7⅝ x 1$\frac{5}{16}$ in.
Hub, $\frac{5}{16}$ in.
Key, Class 364; Master Key, Class 364⅛.

CORBIN MORTISE ASYLUM LOCKS

S4327 Size and style of No. 1339B Lock.
Cylinder and knob on the outside. The cylinder operates the stop work, releasing the outside knob. Latch bolt is held in retracted position when retracted by the knob. When the stop work releases the latch the knob is again held rigid. No knob on the inside.

CORBIN MORTISE KNOB LOCKS

S2001 Functions of No. 572B Lock.
Case, 8 x 4½ x 1$\frac{5}{16}$ in.
Front to center of Hub, 3¼ in.
Center of Hub to center of cylinder, 5¾ in.
Front, ½ in. rabbet, 12 x 2 in.
Hub, ⅜ in.
Ball-bearing Master Keyed Cylinder.
Key, Class 97, Master Key, Class 097.

S2606 R.H. Functions of No. 572B Lock.
Case, 8 x 7⅛ x 1$\frac{5}{16}$ in.
Front to center of Hub, 6 in.
Center of Hub to center of Cylinder, 5¾ in.
Front, 11¾ x 1$\frac{15}{16}$ in.
Hub, ⅜ in.
Ball-bearing Master Keyed Cylinder.
Key, Class 97; Master Key, Class 097.

S2606 R.H. The same as above but with distance from front to center of Hub, 3¼ in.
Case, 8 x 4⅜ x 1$\frac{1}{16}$ in.

S5584 Functions of No. 572B Lock.
Case, 8⅛ x 4¾ x 1$\frac{5}{16}$ in.
Front to center of Hub, 3¼ in.
Center of Hub to center of cylinder, 5⅞ in.
Front, 11¾ x 1$\frac{15}{16}$ in.
Size of latch bolt, 1 x 1½ in., ⅞ in. throw.
Size of dead bolt, 1 x 2½ in., ⅞ in. throw.
Hub, ⅜ in.
Ball-bearing, Master Keyed Cylinder.
Key, Class 97; Master Key, Class 097.

HOTEL MORTISE KNOB LOCKS

S5155 R.H. and L.H. Style and functions of No. 238B but with keyhole above the knob.
Case, 6¼ x 3⅝ x ⅝ in.
Front to center of Hub, 2¾ in.
Center of Hub to center of keypost, outside 4 in., inside, 2⅛ in.
Front, 8⅜ x 1 in.
Hub, $\frac{5}{16}$ in.
Key, Class 185; Master Key, class 85.

S5638 Size and style of No. 239½B, but with addition of Duplicate Guests' Key.

CORBIN HOTEL MORTISE KNOB LOCKS

S5156 R.H. and L.H. Rev. Bev. Style and functions of No. 0583¼B, but with addition of special lock-out key.
Case, 7 x 3 x ¾ in.
Front to center of Hub, 2 in.
Center of lower Hub to center of cylinder, 3 in.
Center of lower Hub to center of upper Hub, 4⅝ in.
Front, 9$\frac{5}{16}$ x 1¼ in.
Hub, ⅜ in.
Ball-bearing, Master Keyed Cylinder.
Key, Class 97; Master Key, Class 097.

S5156 R.H. and L.H. Regular Bevel—Size and description as above.

S5156 R.H. and L.H. Rev. Bev. As above but 2¼ in. Front to center of Hub.
Case, 7 x 3¼ x ¾ in.

CORBIN MORTISE VESTIBULE DOOR LOCKS

S3373
R.H. and L.H.
Case, 5x 4 x ¾ in.
Front to center of Hub, 3 in.
Center of Hub to center of cylinder, $2\frac{13}{16}$ in.
Armored front, $7\frac{3}{8}$ x $1\frac{1}{4}$ in.
Hub, swivel, ⅜ in.
Ball-bearing Master Keyed Cylinder.
Key Class 97.
Thumb piece on the inside locks against key as in No. 567¼ lock.

S4304
R.H. and L.H.
Style of No. 01339B Lock.
Case, 5 x 4 x $\frac{11}{16}$ in.
Front to center of Hub, 3 in.
Center of Hub to center of cylinder, 2¾ in.
Front, $7\frac{1}{4}$ x $1\frac{9}{16}$ in.
Hub, swivel, ⅜ in.
Hinged latch bolt and auxiliary latch.
Two Ball-bearing cylinders.
Inside cylinder to hold back latch bolt.
Key, Class 97.

CORBIN MORTISE FRONT DOOR LOCKS

S5619
Size and style of No. 1345B lock but without dead bolt. Two cylinders. Inside cylinder operates stop work.

S5933
Size and style of No. 1344B lock but without stop in face and with plain hub.

S5452
Size and style of No. 1337B Lock but operated with a thumb piece outside and by knob inside. Stop work shuts off the thumb piece.

S5541
R.H. and L.H.
Style of No. 1326B lock.
Case, $5\frac{1}{4}$ x 9½ x $\frac{11}{16}$ in.
Front to center of Hub, $8\frac{5}{8}$ in.
Center of Hub to center of cylinder 2½ in.
Front, guarded, $7\frac{3}{4}$ x 1½ x ⅝ in.
Hub, ⅜ in.
Ball-bearing Master Keyed Cylinder.
Key, Class 97; Master Key, Class 097.
Operated by thumb latch on the outside and by knob on the inside. The thumb latch may be set by turning key in cylinder on the inside.
Key, Class 97; Master Key, Class 097.

MORTISE BOLTS AND LATCHES

S5952
Style of No. 174B, with Gun Spring Action on Hub.
Case, $4\frac{3}{4}$ x $2\frac{3}{4}$ x ⅝ in.
Front to center of Hub, 2 in.
Distance between centers of Hubs, $2\frac{5}{8}$ in.
Front, 6½ x $1\frac{1}{16}$ in.
Hubs, $\frac{3}{16}$ and $\frac{5}{16}$ in.
One Thumb Knob, No. 2149.

MORTISE COMMUNICATING DOOR LOCK

S4593
Functions of No. 155¼B lock.
Case, $5\frac{3}{4}$ x 3½ x ⅝ in.
Front to center of Hub, $2\frac{3}{4}$ in.
Distance between centers of Hubs, 4 in.
Front, $7\frac{5}{8}$ x $1\frac{1}{8}$ in.
Knob hub, $\frac{5}{16}$ in. Double thumb knob hub, $\frac{3}{16}$ in.
Thumb Piece hub below knob hub.
Split bolt.

CORBIN MORTISE OFFICE LOCKS

S4405
Size and style of No. 0567¼B lock but with dogging device to dog the thumb picee when the door is open.

S4446
R.H. and L.H.
Size and style of No. 567¼B lock but made with auxiliary latch which dogs the thumb piece when the door is open.

S5178
R.H. and L.H.
Functions of No. 567B lock. Size of No. 572B lock.
Case, 6 x 4 x 1 in.
Front to center of Hub, 3 in.
Center of Hub to center of cylinder, $4\frac{1}{16}$ in.
Front, $8\frac{3}{16}$ x $1\frac{3}{8}$ in.
Anti-friction latch bolt. Stop in face.
Hub, ⅜ in.
Ball-bearing, Master Keyed Cylinder.
Key, Class 97; Master Key, Class 097.

S5187
R.H. and L.H.
Style of No. 567B lock.
Case, $5\frac{3}{8}$ x 3 x ¾ in.
Front to center of Hub, 2 in.
Center of Hub to center of cylinder, 3 in.
Front, $7\frac{11}{16}$ x $1\frac{1}{4}$ in.
Hub, swivel, ⅜ in.
Two Ball-bearing Master Keyed Cylinders.
Key, Class 97; Master Key, Class 097.
The inside cylinder dead-locks the latch bolt. No night work.

S5366
Size and style of No. 0567¾B lock. Inside cylinder operates the stop work to hold the latch bolt and auxiliary latch in retracted position. Bull nosed latch bolt. Double bevel on auxiliary latch. Oval front, $1\frac{5}{8}$ in. radius on front.

CORBIN MORTISE SLIDING DOOR DEAD LOCKS

S5133
Size and style of No. 141B lock but used as a Sliding Door lock with latch action on the wing bolts at top and bottom.

CORBIN MORTISE SLIDING DOOR LOCKS

S3719
Style of No. 1300½B lock.
Case, $9\frac{3}{8}$ x $7\frac{1}{8}$ x $\frac{15}{16}$ in.
Front to center of cylinder, $6\frac{1}{8}$ in.
Front, $11\frac{7}{16}$ x $1\frac{5}{16}$ in.
Ball-bearing cylinder.
Key, Class 97.

S3720
Style of No. 1300½B lock.
Case, $9\frac{1}{4}$ x $5\frac{5}{16}$ x $\frac{15}{16}$ in.
Front to center of cylinder, $4\frac{13}{32}$ in.
Front, $11\frac{7}{16}$ x $1\frac{5}{16}$ in.
Ball-bearing cylinder.
Key, Class 97.

S3721
Style of No. 1300½B lock.
Case, $9\frac{1}{4}$ x $4\frac{3}{8}$ x $\frac{15}{16}$ in.
Front to center of cylinder 3½ in.
Front, $11\frac{7}{16}$ x $1\frac{5}{16}$ in.
Ball-bearing cylinder.
Key, Class 97.

S5345
Style of No. 1300½B lock.
Case, $9\frac{1}{4}$ x $3\frac{7}{8}$ x ⅞ in.
Front to center of cylinder, 3 in.
Front, $11\frac{7}{16}$ x $1\frac{5}{16}$ in.
Ball-bearing cylinder.
Key, Class 97.

CORBIN MORTISE ELEVATOR SLIDING DOOR LOCK

S5559 Style of No. 593B Lock, but with key to dead-lock the latch bolt.
Case, $4\frac{3}{8}$ x $3\frac{11}{16}$ x $\frac{3}{4}$ in.
Front to center of cylinder $2\frac{3}{4}$ in.
Center of Hub to center of cylinder $1\frac{3}{4}$ in.
Front, $6\frac{1}{4}$ x $1\frac{1}{16}$ in.
Hub, $\frac{5}{16}$ in.
Two ball-bearing cylinders.
Key, Class 97.

HALF MORTISE BOLT AND LATCH

S5116 Size and style of No. 732 lock but operated by Rim Cylinder on the outside and by thumb knob on the inside.

HALF MORTISE DEAD LOCKS

S5374 R.H. Style of No. 729 lock but with dead bolt in same position in face of lock as in No. 731 lock, and with keyhole to pass from either side.
Case, 4 x $2\frac{7}{8}$ in.
Front, 4 x 1 in.
Front to center of keyhole, 2 in.
Key, Class $80\frac{1}{4}$.

HALF MORTISE ASYLUM DEAD LOCK

S5145 R.H. and L.H. Style of No. $736\frac{1}{2}$ lock with functions of No. 734 lock.
Case, $5\frac{1}{16}$ x 4 in.
Front, $5\frac{1}{16}$ x 1 in.
Front to center of keyhole, $2\frac{5}{8}$ in.
Hub, $\frac{5}{16}$ in.
Key, Class $82\frac{1}{2}$, Series BX.

CORBIN UNIT LOCKS

S2342 Regular Not made Rev.Bev. Style of No. $2063\frac{1}{2}$ lock but $3\frac{5}{8}$ in. front to center of cylinder.

SPECIAL CYLINDERS

S4563 Regular No. 253 Cylinder with special cam to lock latch bolt in a retracted position.
Used in connection with 1336 & 1337 Locks.

S5458 No. 253½ Special Cylinder for 0539½ Lock. All keys make a complete turn in performing their functions on the lock. Emergency key only will unlock door when locked on inside by thumb piece.

CORBIN MORTISE LATCHES

S5843 Style of No. 176 Lock but 1½ in. front to center with gun spring on hub.
Case, 4 x 2½ x ⅝ in.
Front, 6 x 1 1/16 in.
Front to center of hub, 1½ in.
Hub, 5/16 in.

MORTISE NIGHT LATCH

S5493 Style of No. 52 Lock, but for Sample Key No. 445.

MORTISE DEAD LOCKS

S5849 Style of No. 233½ Lock but with two dead bolts and no latch bolt.
Case, 5½ x 3½ x ⅝ in.
Front, 7¼ x 1 in.
Front to center of hub, 2¾ in.
Center of hub to center of key posts, 1 5/16 in. and 1 5/16 in.
Hub, 3/16 in.
Key, Class 80¾, Master Key 165½.

S5868 Case, 4 x2¼ x ¾ in.
Front, 6¼ x 1⅛ in.
Front to center of cylinder, 1 5/16 in.
Ball-bearing Master Keyed Cylinder.
Key, Class 97, Master Key, Class 097.

MORTISE KNOB LATCH

S5870 Case, 4 x 2¼ x ¾ in.
Front to center of hub, 1 5/16 in.
Front, 6⅜ x 1⅛ in.
Hub, 5/16 in.

MORTISE KNOB LOCK

S5852 Style of S5584 Lock with gun spring on hub and ¾ in. shot on bolts. Latch bolt operated by lever handle only.
Case, 8¾ x 7⅝ x 1⅛ in.
Front to center of cylinder, 6¼ in.
Front to center of hub, 6¼ in.
Center of hub to center of cylinder, 6½ in.
Bevel, 7/16 in. in 2 in.
Front, 12¾ x 1 5/16 in.
Hub, ⅝ in.
Ball-bearing, Master Keyed Cylinder.
Key, Class 97, Master Key, Class 097.

CORBIN UNIT LOCKS

S6158 Size and style of 02467¼ but without knurled ring on inside knob, thumb piece to dead lock outside knob.
Reverse bevel only.

S6159 Style of 2467¼ but without knurled ring on inside knob, thumb piece to dead lock outside knob. Regular, not reverse bevel.

MORTISE VESTIBULE DOOR LOCK

S6174 Size and style of No. 1339 Lock but with 1¾ in. backset, and with no stop in face. Inside cylinder to control outside knob. Right hand reverse bevel.

MORTISE FRONT DOOR LOCK

S6150 Size and style of 1345 but with ⅝ in. shot on bolts.

MORTISE DEAD LOCKS

S5724 Style of No. 141 Lock, but 2 in. to center, $\frac{3}{4}$ in. throw on bolt.

MORTISE FRONT DOOR LOCKS

S6190 Functions of No. 1355 Lock, L. H. & R. R. B.
Case, $7\frac{1}{2}$ x $4\frac{3}{4}$ x $1\frac{1}{8}$ in.
Front, $10\frac{1}{2}$ x $1\frac{3}{4}$ in.
Backset, $3\frac{3}{4}$ in.
Center of cylinder to center of thumb piece hub, $2\frac{1}{8}$ in.
Center of thumb piece hub to center of knob hub, 3 in.
Dead bolt, $\frac{3}{4}$ x $2\frac{1}{8}$ in.
Latch bolt, 1 x $1\frac{1}{2}$ in., $\frac{3}{4}$ in. throw on bolts.
Hubs, $\frac{1}{4}$ and $\frac{3}{8}$ in.
Ball-bearing, Master Keyed Cylinder.
Key, Class 97; Master Key, Class 097.

S6490 Style of No. 2342 Lock, but with two cylinders and without night work.
L. H. only.

CORBIN UNIT LOCKS

S6198 Size and style of No. 02267 Lock, but with thumb piece on inside to dead lock the latch bolt.
Reverse bevel only.

S6199 Size and style of No. 2267 Lock, but with thumb piece on inside to dead lock the latch bolt.

S6345 Size and style of No. 02267 Lock, but without knurled ring on inside knob. Key in outside cylinder locks and unlocks both knobs.

MORTISE KNOB LOCKS

S6212 Style of No. $906\frac{3}{4}$, but with functions of No. $233\frac{1}{2}$.
Case, $5\frac{1}{2}$ x $3\frac{13}{16}$ x $\frac{5}{8}$ in.
Front, $5\frac{13}{16}$ x 1 in.
Front to center of knob hub, 5 in.
Front to center of keyhole and thumb hub, $2\frac{1}{16}$ in.
Center of thumb hub to center of keyhole, $1\frac{5}{16}$ in.
Hubs, $\frac{3}{16}$ and $\frac{5}{16}$ in.
Key, Class $80\frac{3}{4}$; Master Key, Class $165\frac{1}{2}$.

S6214 S5950 Lock with anti-friction latch.
Case, $4\frac{3}{4}$ x $3\frac{3}{4}$ x $\frac{3}{8}$ in.
Front, $6\frac{3}{4}$ x $1\frac{3}{16}$ in.
Backset, $2\frac{3}{4}$ in.
Center of hub to center of key post, $2\frac{5}{8}$ in.
Hub, $\frac{5}{16}$ in.
Key, Class, $80\frac{3}{4}$; Master Key, Class $165\frac{1}{2}$.

MORTISE KNOB LOCKS

S6217 Style of No. $1367\frac{1}{4}$, but with gun spring hub. R. & L. H.
Case, $4\frac{3}{4}$ x $2\frac{1}{2}$ x $\frac{11}{16}$ in.
Front, $6\frac{7}{8}$ x $1\frac{5}{16}$ in. $\frac{1}{2}$ in. Rabbet.
Backset, $1\frac{5}{8}$ in.
Spacing, $2\frac{5}{8}$ in.
Hub, $\frac{5}{16}$ in.
Key, Class $80\frac{3}{4}$.

S6254 Style of No. $1365\frac{1}{2}$ Lock.
Case, $4\frac{5}{16}$ x $2\frac{5}{8}$ x $\frac{5}{8}$ in.
Front, $6\frac{1}{8}$ x $\frac{7}{8}$ in.
Backset, $1\frac{1}{8}$ in.
Spacing, $2\frac{3}{4}$ in.
Hub, $\frac{5}{16}$ in.
Key, Class $80\frac{3}{4}$; Master Key, Class $165\frac{1}{2}$.

S6333 Style of No. $1365\frac{1}{2}$ Lock, but with stop in face to hold back latch bolt.

MORTISE SCHOOL HOUSE LOCK

S6249 Case, $3\frac{5}{16}$ x $2\frac{1}{2}$ x $\frac{5}{8}$ in.
Front, $5\frac{3}{8}$ x $1\frac{1}{8}$ in.
Backset, $1\frac{3}{4}$ in.
Center of key post to center of thumb piece hub, $1\frac{3}{16}$ in.
Strike, $2\frac{15}{16}$ x 1 in.
Hub, $3\frac{3}{16}$ in.
Key, Class $80\frac{3}{4}$.
Operates; Dead bolt by key from outside and when projected can be retracted by thumb piece from inside but thumb piece will not project the bolt.

THREE POINT BOLT

S6289 3-Point Bolt with all functions on lock as Reg. No. 3000 except that when bolts are retracted by knob or lever handle, the latch bolt is automatically held retracted. All bolts are released on closing the door. The lock has no auxiliary latch bolt.

SPECIAL CYLINDER

S6240 Master cylinder for No. ~~0359~~ $\frac{1}{2}$ Lock, operated by change, master, grand master and emergency key, the emergency key to lock against all keys. Keys make one complete turn in operating the lock. This cylinder is reversible for R. or L. H. Lock.

PATENTED, MANUFACTURED
AND SOLD ONLY BY
THE HEINN CO.
MILWAUKEE, WIS.

PATENTED
AUG. 22, 1933 SEPT. 11, 1934
AUG. 22, 1933 APRIL 24, 1934
AUG. 22, 1933 AUG. 21, 1934
JAN. 12, 1935 SEPT. 30, 1930
DEC. 31, 1935 DES. 30, 1930
FEB. 3, 1936 3 PATENTS
AND OTHERS
PATENTS APPLIED FOR

No. 112-6